

SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
				LSRKAVSDMLTACKQASFHPDVSDEVTRALRF GTECTLGYLDDLEHVLVILQKPTPELKQQLAAFS KRVAGAVTELIQAAEAMKGTWVDPEDPTVIAE TELLGAAASIEAAKKLEQLKPRAPKQADETL DFEEQILEAAKSIAAATSALVKSASAAQRELVAQ GKVGSI PANAAADDGQWSQGLISAARMVAAATSS LCEAANASVQGHASEEKLISAKQVAASTAQLL VACKVKADQDSEAMRRLQAAGNAVKRASDNL VRAAQKAAFGKADDDDDVVVKTKFVGGIAQIIAA QEEMLKKEERELEEARKKLAQIRQQQYKFLPTL REDEG
3441	A	3	1584	NSARGGVGVRGARAMATVQEKAAALNLSALHS PAHRPPGFSVAQKPFATYVWSSIINTLQTQVEV KKRRHRLKRHND CFVGSEAVDVIFSHLIQNKYF GDVDIPRAKVVRVCQALMDYKVFEAVPTKVFG KDKKPTFEDSSCSLYRFTTIPNQDSQLGKENKLY SPARYADALFKSSDIRSASLEDLWENLSLKPANS PHVNISTTSPQVINEVWQEETIGRLLQLVDLPLL DSLLKQQEAVPKIPQPKRQSTMVNSSNYLDRGIL KAYSDSQEDWLSAAIDCLEYLPDQMVVEISRSF PEQPDRTDLVKELLFDAIGRYSSREPLLNHLSD VHNGIAELLVNGKTEIALEATQLLLKLLDFQNRE EFRRLLYFMVAANPSEFKLQKESDNRMVVKRI FSKAIVDNKNLSKGKTDLLVLFLMDHQKDVFKI PGTL\HKIVS\VKLMAIQNGRDPNRDAGYTYCQRI DQRDYSNITEKTTIDELLYLLKTLDEDSKLSAKE KKKLLGQFYKCHPDIFIEHFGD
3442	A	160	822	SPASGHCRNLNGAAVAMFGCLVAGRLVQTAAQQ VAEDKFVFDLPDYESINHVVFMLGTIPFPEGMG GSVYFSYPDSNGMPVWQLLGFTNGKPSAIFKIS GLKSGEGSQHPFGAMNIVRTPSVAQIGISVELLDS MAQQTPVGNAAVSSVDSFTQFTQKMLDNFYNF ASSFAVSQ/VPDDTQ/RPSEMFIPANVVLKWEYENF QRRSTEPSLLENIIWIKINF
3443	A	3	1373	SWHVRRRWLEATMAGGMKVAVSPA VGP GPWG SGVGGGGTVRLLILSGCLVYGTAETD VNVV ML QESQVCEKRASQQFCYTNVLIPQWHDIWTRIQR VNSSRLVRVTQVENEEKLKELEQFSIWNFFSSFL KEKLN DTYVNVGLYSTKTCLKVEIEKDTKYSVI VIRRFDPKFLVFLGLMLFFCGDLLSR SQIFYYS TGMTVGIVASL\LIIFILSKFMPKKSPIYVILVGGW SFSLYLIQLVFKNLQEIWRCYWQYLLSYVLT VGF MSFAVCYKYGPLENERSINLLTWTLQLMGLCFM YSGIQIPHIALAIIIALCTKNLEHPIQWLYITCRKV CKGAIEKPVPRLLTEEEYRIQGEVETRKALEELR EFCNSPDCSAWKTVSRIQSPKRFADFVEGSSHLT PNEVSVHEQEYGLGSIIAQDEIYEEASSEEDSYS RCPAITQNNFLT
3444	A	566	1718	KGLERTCCAMEESDSEKTTEKENLGPRMDPPLG EPG\GSLGWVLPNTAMKKKVLLMGKSGSGKTS MRSIIFANYIARDTRRLGATILDRIHSLQINSSLST YSLVDSVGNTKTFDVEHSHVRFLGNLVLNLWDC GGQDTFMENYFTSQRDNIFRNVEVLIYVFDVESR ELEKDMHYYYQSCLEAILQNSPDAKIFCLVHKMD LVQEDQRDLIFKEREEDLRRLSRPLECSCFRTSIW

SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
				DETLYKAWSSIVYQLIPNVQQLEMNLRNFAEIE ADEVLLFERATFLVISHYQCKEQRDAHRFEKISNI IKQFKLSCSKLAASFQSM EVRNSNFAAFIDIFTSN TYVMVVMSPSIPSAATLINIRNARKHFEKLERV DGPKQCLLMR
3445	A	566	1718	KGLERTCCAMEESDSEKTTEKENLGPRMDPPLG EPG\GSLGWVLPNTAMKKKVLLMGKSGSGKTS MRSIIFANYIARDTRRLGATILDRIHSLQINSSLST YSLVDSVGNTKTFDVEHSHVRFLGNLVLNLWDC GGQDTFMENYFTSQRDNIFRNVEVLIYVFDVESR ELEKDMHYQQSCLEAILQNSPDAKIFCLVHKMD LVQEDQRDLIFKEREEDLRRLSRPLECSCFRTSIW DETLYKAWSSIVYQLIPNVQQLEMNLRNFAEIE ADEVLLFERATFLVISHYQCKEQRDAHRFEKISNI IKQFKLSCSKLAASFQSM EVRNSNFAAFIDIFTSN TYVMVVMSPSIPSAATLINIRNARKHFEKLERV DGPKQCLLMR
3446	A	566	1718	KGLERTCCAMEESDSEKTTEKENLGPRMDPPLG EPG\GSLGWVLPNTAMKKKVLLMGKSGSGKTS MRSIIFANYIARDTRRLGATILDRIHSLQINSSLST YSLVDSVGNTKTFDVEHSHVRFLGNLVLNLWDC GGQDTFMENYFTSQRDNIFRNVEVLIYVFDVESR ELEKDMHYQQSCLEAILQNSPDAKIFCLVHKMD LVQEDQRDLIFKEREEDLRRLSRPLECSCFRTSIW DETLYKAWSSIVYQLIPNVQQLEMNLRNFAEIE ADEVLLFERATFLVISHYQCKEQRDAHRFEKISNI IKQFKLSCSKLAASFQSM EVRNSNFAAFIDIFTSN TYVMVVMSPSIPSAATLINIRNARKHFEKLERV DGPKQCLLMR
3447	A	1	2930	VLLGPLWDLSTADHPVIVTMA SKRKSTTPCMIP VKT VVLQDASMEAQPAETLPEGPQQDLPEASA ASSEAAQNPSSTDGSTLANGHRSTLDGYLYSCK YCDFRSHDMTQFVGHMNSEHTDFNKDPTFVCSG CSFLAKTPEGLSLHNATCHSGEASFVWNVAKPD NHVVVEQSIPESTSTPDLAGEPSAEGADGQAEIIT KTPIMKIMKGKAEAKKIHTLKENVPSQPVGEALP KLSTGEMEVREGDHSFINGAVPVRQASASSAKN PHAANGPLIGTVPLPAGIAQFLSLQQQPPVHAQ HHVHQPLPTAKALPKVMIPLSSIPTYSAAMDSNS FLKNSFHKFPYPTKAELCYLTVVTKYPEEQLKIW FTAQRLKQGISWSPEEIEDARKKMFNTVIQSV PQ PTITVLNTPLVASAGNVQH LIQAALPGHVVGQPE GTGGGLLVTOPLMANG LQATSSPLPLTVTSVPK QPGVAPINTVCSNTTSAVKVVNAAQSLLTACPSI TSQAFLDASIYKNKKSHEQLSALKGSFCRNQFPG QSEVEHLTKVTGLSTREVRKWFSDRRYHCRNLK GSRAMIPGDHRSIIDSVPESVSFSPSSKVPEVTCIPT TATLATHPSAKRQSWHQTPTDFTPTKYKERAPEQ LRALESSFAQNPLPLDEELDRLRSETKMTRREIDS WFSERRKKVNAEETKKAENASQEEEEAAE DEG GEEDLASELRVSGENG SLEMPSSHILAERKVSPK INLKNLRVTEANGRNEIPGLGACDPEDDES NKLA EQLPGKVSCCKTAQQRHLLRQLFVQTQWPSNQD YDSIMAQTGLPRPEVVRWFGDSRYALKNGQLK WYEDYKRGNFPPGLLVIAPGNRELLQDY YMTHK

SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
				ML YEEDLQNLCDKTQMSSQQVKQWFAEKMGEETRAVADTGSEDQGGPGTGELTAVHKMGMDTYSEVSENSESWEPRVPEASSEPFDTSSPQAGRQLETD
3448	A	2	1324	FVARAEKGFRTREAHLLQVAGVGTGLQNGASLSGLASGVMAQRAFPNPYADYNKSLAEGYFDAAGRLTPEFSQRLTNKIRELLQQMERGLKSADPRDGTGYTGWAGLAVLYLHLYDVFGDPAYLQLAHGYVKQSLNCLTKRSITFLCGDAGPLAVAAVLYHKMNEKQAEDCITRLIHLNKKIDPHAPNEMLYGRIGYIYALLFVNKNFVGVEKIPQSHIQQICETILTSGENLARKRNFTAKSPLMYEWYQEYYVGAAHGLAGIYYYLMPQPSLQVSQGLHSLVKPSVDYVCQLKFPSGNYPPCIGDNRDLLVHWCHGAPGVIYMLIQAYKVF.R/EREKYLCDAYQCADVIWQYGLLKKGYGLCY.GSAGNAYAFLLYNLTQDMKYLYRACKFAEWCLEYGEHGCRTPDTPFSLFEGMAGTIYFLADLLFTKAR\FPAFEL
3449	A	3	2389	SRHVTGAARSPSRAGPSDPPAMGDEDDDESCAVELRITEANLTGHEEKVSVENFELLKVLGTGAYGKVFLVRKAGGHDAGKLYAMKVLKKAALVQRAKTQEHTRTERSVLELVRQAPFLVTLHYAFQTDAKLHLILDYVSGGEMFTHLYQRQYFKEAEVRVYGGEIVLALHLHLKLGIIYRDLKLENVLLDSEGHIVLTD FGLSKEFLTEEKERTFSFCGTIEYMAPEIIRSKTGHGKAVDWWSLGILLFELLTGASPFTLEGERNTQAEVSRRLKCSPPFPFRIGPVAQDLLQRLCKDPKKRLGAGPQGAQEVNRNHPFFQGLDWVALAARKIPAPFRPQIRSELDVGNFAEEFTRLEPVYSPPGQ\PPPGDPRIFQGYSFVAPSILFDHNNAVMTDGLEAPGAGDRPGRAAVARSAMMQDSPFFQQYELDLREPALGQGSFSVCRRCRQRQSGQEFAVKILSRRLLEANTQREVAALRLCQSHPNVNLHEVHHDQLHTYLVLLELRGGELLEHIRKKRHFSESEASQILRSLVSAVSFMHEEAGVVHRDLKPENILYADDTPGAPVKIIDFG/FSRRLRPQSPGVPMQTPSFTLQYAAPELLAQGGYDESCDLWSLGVILYMMLSGQAPFQGASGQGGQSQA AEIMCKIREGRFSLDGEAWQGVSEEAKELVRGLLTVDPKRLKLEGLRGSSWLQDGSARSSPPLRTPDVLESSGPAVRSGLNATFMAFNRGKREGFFLKSVENAPLAKRRKQKLR SATASRRGSPAPANPGRAPVASKGAPRRANGPLPPS
3450	A	201	1705	KGTEMNKSRRWQSRRRHGRRSHQQNPWFRLRDEDRSDSRAAQAHD SGHGDDESPSTSSGTAGTSSVPELPGFYFDPEKKRYFRLLPGHNNCNPLTKESIRQKEMESKRLRLQEEEDRRKKIARMGFNASSMLRKSQGLFLNVTNYCHLAHELRLSCMERKKVQIRSMDPSALASDRFNILADTNSDRLFTVNDVTVGGSKYGINLQSLKTPTLKVFMHENLYFTNRKVNSVCWASLNHLDSHLLCLMGLAETPGCATLLPASLFVNSHPAGIDRPG\MLCSFRIPGAWSCAWSLNIQANNCFSTGLSRRVLLTNVVTGHRQSFGTNSDVLAQQFALMAPLLFNGCRSGEIFAIDLRCGNQGGKWKATRLFHDSAVTSVRILQDEQYLMASDMAGKIKLWDLRTTKCVRQYEGHVNEYAYLPLHVHEEEGLVAVGQDCYTRIWSLHDARLLRTIPSPYPASKAD

SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
3451	A	19	6033	<p>IPSVAFSSRLGGSRGAPGLLMAVGQDLYCYSYS</p> <p>LLSAML SHGAGLALWITLSLLQTGLAEPERCNFT</p> <p>LAESKASSHSVSIQWRILGSPCNFSLIYSSDTLGA</p> <p>ALCPTFRIDNTTYGCNLQDLQAGTIYNFKIISLDE</p> <p>ERTVVLQTDPLPPARFGVSKEKTTSTGLHVWWT</p> <p>PSSGKVTSYEVQLFDENNQKIQGVQIQESTSWNE</p> <p>YTFNLTAGSKYNIATAVSGGKRSFSVYTNGST</p> <p>VPSPVKDIGISTKANSLLISWSHGSGNVERYRLM</p> <p>LMDKGILVHGGVVDKHATSYAFHGLSPGYLYNL</p> <p>TVMTEAAGLQNYRWKLVRTAPMEVSNLKVTND</p> <p>GSLTSLKVKWQRPPGNVDSYNITLSHKGTIKESR</p> <p>VLAPWITETHFKELVPGRLY\QVTCSAVSLGELS</p> <p>AQKMAVGRTPDKVANLEANNGRMRSLVVS</p> <p>WSPAGDWEQYRILLFNDSSVLLNITVGKEETQ</p> <p>YVMDGTGLVPGRQYEVEVIVESGNLKNSERCQG</p> <p>RTVPLAVLQLRVKHANETSLSIMWQTPVAEWEK</p> <p>YIISLADRDLILLHKSLSKDAKEFTFTDLVPGRKY</p> <p>MATVTSISGDLKNSSSVKGRTVPAQVTDLHVAN</p> <p>QGMTSSLFTNWTQAQGDVEFYQVLLIHENVVIK</p> <p>NESISSETSRYSFHSLSKSGSLYSVVVTTVSGGISSR</p> <p>QVVVEGRTVPSSVSGVTNNNSGRNDYLSVSWLL</p> <p>APGDVDNYEVTLSHDGKVVQSLVIKSVRECSF</p> <p>SSLTPGRLYTVTITTRSGKYENHSFSQERTVPDKV</p> <p>QGVSVSNSARSDYLRVSWVHATGDFDHYEVTIK</p> <p>NKNNFIQTKSIPKSENECVFVQLVPGRLYSVTVT</p> <p>TKSGQYEANEQNGRTIPEPVKDLTLRNRSTEDL</p> <p>HVTWSGANGDVDQYEIQLLFNDMKVFPFHLVN</p> <p>TATEYRFTSLTPGRQYKILVLTISGDVQQSAFIEG</p> <p>FTVPSAVKNIHISPNGATDSLTVNWTGGGDVDS</p> <p>YTVSAFRHSQKVDSQTIPKHVFEHTFHRLEAGEQ</p> <p>YQIMIASVSGSLKNQINVVGRTPASVQGVIAN</p> <p>AYSSYSLIVSWQKAAGVAERYDILLTENGILLR</p> <p>NTSEPATTQKHKFEDLTPGKKYKIQILTVSGGLFS</p> <p>KEAQTEGRTVPAAVTDLRITENSTRHLSFRWTAS</p> <p>EGELSWYNIFLYNPDGNLQERAQVDPLVQSFSFQ</p> <p>NLLQGRMYKMOVIVTHSGELSNESFIFGRTPASV</p> <p>SHLRGSNRNTTDSLWFNWSPASGDFDFYELILYN</p> <p>PNGTKKENWKDKDLTEWRFQGLVPGRKYVLW</p> <p>VVTHSGDLSNKVTAESRTAPSPSLMSFIADANT</p> <p>SLAITWKGPPDWDYNDFELQWLPRDALTVFNP</p> <p>YNNRKSEGRIVYGLRPGRSYQFNVKTVSGDSWK</p> <p>TYSKPIFGSVRTKPKIQNLHCRPQNSTALACSWI</p> <p>PPDSDFDGY SIECRKMDTQEVFSRKLEKEKSL</p> <p>NIMMLVPHKRYLVSIKVQSAGMTSEVVEDSTIT</p> <p>MIDRPPPPPPHIRVNEKDLISKSSINFTVNC SWFS</p> <p>DTNGAVKYFTVVVREADGSDELKPEQQHPLPSY</p> <p>LEYRHNASIRVYQTNFYASKCAENPNSNSKSFNI</p> <p>KLGAEMESLGGKCDPTQQKFCDGPLKPHTAYRI</p> <p>SIRAFITQLFDEDLKEFTKPLYSDTFFSLPITTESEP</p> <p>LFGAIEGVSAGLFLIGMLVAVVALLICRQKVSHG</p> <p>RERPSARLSIRDRPLSVHLNLGQKGNRKTSKPIK</p> <p>INQFEGHFMKLQADSNYLLSKEYEELKDVGRNQ</p> <p>SCDIALLPENRGKNRYNNILPYDATRVKLSNVDD</p> <p>DPCSDYINASYIPGNNFRREYIVTQGPLPGTKDDF</p> <p>WKMVWEQNVHNIVMVTQCVEKGRVKCDHYW</p>

SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
				PADQDSL YYGDLILQMLSESVLPEWTIREFKICGE EQ LDAHRLIRHFHYTV WPDHGV PETTQSLIQFVR TVRDYINRSPGAGPTVVHCSAGVGRGTGTFIALDR ILQQ LSKDSVDIYGAV\HDLRLHRVHMVQTEC QYVYLHQCVRDVL RARKLRSEQENPLFPYENV NPEYHRDPVYSRH
3452	A	63	1073	FFRSSSDNGSPIRQYE/HSTPAHQGPVMGLEGKS/ ARNSQLRIVLVGKTGAGKSATGNSILGRKVFHSG TAAKSITKKCEKRSSSWKETELVVVDTPGIFDTE VPNAETSKEIIRCILLTSPGPHALLLVVPLGRYTEE EHKATEKILKMFGERARSFMILIFTRKDDLGD TN LHDYLRAPEDIQDLMDIFGDRYCALNNKATGA EQEAQRAQLLGLIQRVVRENKEGCYTNRM YQR AEEEIQQQTQAMQELHRVELEREKARIREEYEEK IRKLEDKVEQEKRKKQMEKKLAEQEAHYAVRQ QRARTEVESKDGILELIMTALQIASFILLRLFAED
3453	A	2674	514	GPITFLKKKAKMKDMPLRIHVLLGLAITTLVQAV DKKVDCPRLCTCEIRPWFTPRSIYMEASTVDCND LGLLTFPARLPANTQILLQTNNAKIEYSTDFPV NLTGLDLSQNNLSSVTNINGKKMPQLLSVYLEEN KLTELPEKCLSELSNLQELYINHNLLSTISPGAFIG LHNLLRLHLNSNRLQMINSK WFDALPNLEILMIG ENPIIRIKDMNFKPLINLRSLVIAGINLTEIPDNAL VGLENLESISFYDNRLIKVPHVALQKV VNLKFLD LNKNPINRIRRGDFS NMLHLKELGINNMP ELISID SLAVDNL PDLRKIEATNNPRLSYIHPNAFFRLPKL ESLMLNSNALSALYHGTIESLPNLKEISIHSPIRC DCVIRWMNMNKTNIRFMEPDSLFCVDPPEFQGG NVRQVHFRDMMEICLPLIAPESFPSNLNVEAGSY VSFHCRTA\EPQPEIYWITPSGQKLLPNTLTDKF YVHSEGTLDINGVTPKEGGLYTCIATNLVGADLK SVMIKVDGSFPQDNNGSLNIKIRDIQANSVLVSW KASSKILKSSVKWTA FVKTENS HAAQSARIPSDV KVYNLTHLNPSTEYKICIDIPTTYQKNRKKCVNVT TKGLHPDQKEYEKNNTTTLMACLGGLLGIIGVIC LISCLSPEMNCDGGHSYVRNYLQKPTFALGELYP PLINLWEAGKEKSTSLKV KATVIGLPTNMS
3454	A	1844	244	ERYLFATYVAPSATLDIGLQQEKKKEIYMKIQPP FEDLFDTAEEYILL LLEPWTKMVKS DQIAYKKV ELVEETRQLDSTYFRKLQALHKETFSKKAEDTTC EIGTGILSLSNVSKRTEYWDNVPAEYKHFKFSDL LNNKLEFEHFRQFLETHSSSMDLMCWDIEQFRR ITYRDRNQRKAKSIYIKNKYLNKKYFFGPNSPAS LYQQNQVMHLSGGWGKILHEQLDAPVLVEIQK HVQNRL ENVWLPLFLASEQFAARQKIKVQMKDI AEELLQKAEKKIGVWKPVESK WISSCKIIAFRK ALLNPVTSRQFQRFVALKGD LLENGLLFWQEVQ KYKDLCHSHCDES VIQKKITTINCFINSSIPPALQI DIPVEQAQKIIHRKELGPYVFREAQM TFLGV MF KFWPQFCEFRKNLT DENIMSVLERRQEYNKQKK KLAVL/QNDEKSGKDG IKQYANTS VPAIKTALLS DSFLGLQPYGRQPTWCYSKYIEALEQERILLKIQE ELEKISCLQACNLSQILRLALQLCL
3455	A	228	3330	APTAQAMMSFGGADALLGAPFAPLHGGGSLHY ALARKGGAGGTRSAAGSSSGFHSWTRTSVSSVS

SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
				ASPSRFRGAGAAASSTDSDLTSLNGPEGCMVAVA TSRSEKEQLQALNDRFAGYIDKVRQLEAHNRSLE GEAAALRQQQAGRSAMGELYEREVREMRGAVL RLGAARGQLRLEQEHLLEDIAHVQRQLDDEARQ REEAEEAARALARFAQEAEAAARVDLQKKAQAL QEECGYLRRHHQEEVGELLGQIQGSGAAQAQM QAETRDALKCDVTSALREIRAQLEGHAVQSTLQ SEEWFRVRLDRLSEAAKVNTDAMRSAQEEITEY RRQLQARTTELEALKSTKDSLERQRSELEDRHQA DIASYQEAIIQQLDAELRNTKWEMAAQLREYQDL LNVKMALDIEIAAYRKLLEGECECRIGFGPIPSLP EGLPKIPSVSTHIKVKSEEKIKVVEKSEKETVIVEE QTEETQVTEEVTEEDKEAKEEEGKEEEGGEEEE AEGGEEETKSPPAEEAASPEKEAKSPVKEEAKSP AEAKSPEKEEAKSPA EVKSPEKAKSPA KEEAKSP PEVAKSPEKDGKQNFQAEVKSPEKAKSPA KEEAK SPAEAKSPEKAKSPVKEEAKSPA EAKSPVKEEAK SPA EVKSPEKAKSPTKEEAKSPEKAKSPEKAKSP EKEEAKSPEKAKSPVKA EAKSPEKAKSPVKA EA KSPEKAKSPVKEEAKSPEKAKSPVKEEAKSPEKA KSPVKEEAKTPEKAKSPVKEEAKSPEKAKSPEKA KTL DVKSPEAKTPAKEEARSPADKFPEKAKSPVK EEVKSPEKAKSPLKEDAKAPEKEIPKKEEVKSPV KEEKPKQEVKVKEPPKKA EEEKAPATPKTEEEK DSKKEEAPKKEAPKPKVEEKKEPAVEKPESKV EAKKEEAEDKKKVPTPEKEAPAKVEVKEDAKPK EKTEVAKKEPDDAKAKEPSKPAEKKEAAPEKKD TKEEKAKKPEEKPKTEAKAKEDDKTLSKEPSKP KAEKA EKSSSTDQKDSKPPEKATEDKAAKGK
3456	A	258	1463	YLSFIPGHASKSAPMNGHCFAENGPSQKSSLPPLL IPPSEN LGPHEEDQVVC GFKKLT VNGVCASTPPL TPIKN SPSLFP CAPLCERGS RPLPPLPSEALSLDDT DCEVEFLTSSD TDFLLEDSTLSDFKYDVPGRRSF RGCGQINYAYFDT PAVSAADLSYVSDQNGGVP DPNPPPQTHRRLRRSHSGPAGSFNKPAIRISNCCI HRASPN SDEDKPEVPPRVPIPPRPVKPDYRRWSA EVTSSTYSDEDRPPKVPPREPLSPSNSRTPSPKSLP SYLNGVMPTQSFAPDPKYVSSKALQRQNSEGS ASKVPCILPIENGKKVSSTHYLLPERPPYLDKY EKFFREAKKKNGGAQIQPLPADCGISSATEKPS KTKMDLG GHV KRKHL SYVGTP
3457	A	2	4869	FILSSSSSASSEHFHHYSFGNWWPGSFKGHRMS LPFYQRCHQHYDLSYRNKDVRSTVSHYQREKKR SAVYTQGSTAYSSRSSAAHRRESEAFRRASASSS QQQASQHALSSEVSRKAASA YDYGSSHGLTDSS LLLDDYSSKLSPKPKRAKHSLLSGEEKENLPSDY MVPIFSGRQKHVSGITDTEERIKEAAA YIAQRNL LASEEGITTPKQSTASKQTTASKQSTASKQSTASK QSTASRQSTASRQSVVSKQATSALQQEETSEKKS RKVVIRGKAERLSLRKTLEETETYHAKLNEDHLL HAFEFIKPRSHTVWEKENVKLHCSIAGWPEPRV TWYKNQVPINVHANPGKYIIESRYGMHTLEINAC DFEDTAQYRASAMNVKGELSAYASVVVKRYKG EFDETR FHAGASTMPLSFGVTPYGYASRFEIHFD DKFDVSFGREGETMSLGCRVVITPEIKHFQPEIQ

SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
				WYRNGVPLSPSKWVQTLWSGERATLTFSHLNKE DEGLYTIRVRMGEYYEQYSAYVFVRDADAIEG APAAPLDVKCLEANKDYIIISWKQPAVDGGSPIL GYFIDKCEVGTDSSWSCNDTPVKFARFPVTGLIE GRSYIFRVRAVNKMIGIFPSRVSEPVAALDPAEK ARLKS/PPLSTLDWT/VIVTEEEPSEGIVPGPPTDLS VTEATRSYVLSWKPPGQRGHEGIMYFVEKCEA GTENWQRVNTELPVKSPRFALFDLAEGKSYCFR VRCSNSAGVGEPSEATEVTTVVGDKLDIPKAPGKI IPSRNTDTSVVVSWEESKDAKELVGYIIEANVA GSGKWEPCNNNPVKTHRFTCHGLVTGQSYIFRV RAVNAAAGLSEYSQDSEAIEVKAAIAPPSPCDITC LESFRDSMVLGWKQPDKIGGAIEITGYVNYREV IDGVPGKWREANVKA VSEEAYKISNLKENMVY QFQVAAMNMAGLGAPSAVSECFKCEEWTIAVP GPPHSLKCSEVRKDSLVLQWKPPVHSGRTPVTG YFVDLKEAKAKEDQWRGLNEAAIKNVYLKVRG LKEGVSYVFRVRAINQAGVGKPSDLAGPVVAET RPGTKEVVVNVDGVISLNFECDKMTPKSEFS WSKDYVSTEDSPRLEVESKGNKTKMTFKDLGM DDLGIYSCDVTDTDGIASSYLDEEELKRLLALSH EHKFPTVPVKSELA VEILEKGQVRFWMQAEKLS GNAKVNYTFNEKGIFEGPKYKMHIDRNTGIIEMF MEKLQDEDEGTYTFQLQDGKATNHSTVVLVGD VFKKLQKEAEFQRQEWIRKQGPWFVEYLSWEVT GECNVLLKCKVANIKKETHIVWYKDEREISVDE KHDFKDGICTLLITEFSKKDAGIYEVILKDDR GK DKSRLKLVDEAFKELMMEVCKKIALSATDLKIQ STAEGIQLYSFVTYYVEDLKVNWSHNGSAIRYSD RVKTGVTGEQIWLQINEPTPNDKGKYVMELFDG KTGHQKTVDLSGQAYDEAYAEFQRLKQAAIAEK NRARVLGGLPDVVTIQEGKALNLT CNVWGDPPP EVSWLKNEKALASDDHCNLKFEAGR TAYFTING VSTADSGKYGLVVK NKYGSETSDFTVSVFIPEEE ARMAALES LKGGKKAK
3458	A	3963	827	LSRSSDNNTNTLGRNVMSTATSPLMGAQSFPNL TTPGTTSTVTMSTSSVTSSSNVATATTVLSVGQS LSNTLTSTSTSSSESDTGQEAESLYDFLDSCRA STLLAELDDDEDLPEPDEEDDENEDDNQEDQEY EEVMILRRPSLQRRAGSRSDVTHHAVTSQLPQVP AGAGSRPIGEQEEEEYETKGGRRRTWDDDYVLK RQFSALVPAFDPRPGRTNVQQTTDLEIPPGTPHS ELLEVECTPSRLALTLKVTGLGTTREVELPLTN FRSTIFYVQKLLQLSCNGNVKSDKLRRRIWEPTY TIMYREMKDSDKEKENGKMGKWSIEHVEQYLG TDELPKNDLITYLQKNADA AFLRH WKLTGTNKS IRKNRNC SQLIAAYWDLGVEHGTK\ SGLNQGAIST LQSSDILNLTKEQPQAKAGNGQNSCGVEDVLQL LRILYIVASDPYSRISQEDGDEQPQFTFPDEFTS/ KKITTKILQQIEPLALASGALPDWCEQLTSKCPF LIPFETRQLYFTCTAFGASRAIVWLQNRREATIVE RTRTTSSVRRDDPGEFRVGR LKH ERVKVPRGESL MEWAENVMQIHADR KSVLEVEFLGEEGTGLGPT LEFYALVAAEFQRTDLGAWLCDDNFPDDESRHV DLGGGLKPPGYVQRSCGLFTAPFPQDSDELERI

SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
				TKLFHFLGIFLAKCIQDNRLVDLPISKPFKLMCM GDIKSNMSKLIYESRGDRDLHCTESQSEASTE HDSLSVGSFEEDSKSEFILDPKPKPPA WFN GILT WEDFELVNPHRARFLKEIKDLAIKRRQIL SNKGL SEDEKNTKLQELVLKNPSGSGPPLSIE DLGLNFQF CPSSRIYGFTA VDLKPSGEDEMI TMDNAEEYVDL MFDFCMHTGIQKQMEAFRDG FNKVFPMEKLSSF SHEEVQMILCGNQSPSWA AEDIINYTEPKLGYTR DSPGFLRFVRVLCGM SSDERKAFLQFTTGCSTLP PGGLANLHPRLT VVRKV DATDASYP SVNTCVHY LKLPEYSSEE IMRERLLAATMEKGFHLN
3459	A	88	603	SCGPRGLASLGLGFSGRCDQNKGRS\DGPEAQA EACSGERTYQELLVNQNPIAQPLASRRLTRKLYK CIKKAVKQKQIRRGVKEVQKFVNKGEKGIMVLA GDTLPIEVYCHLPVMCEDRNLPYVYIPSKTDLGA AAGSKRPTCVIMVKPHEEYQEAYDECLEEVQSL PLPL
3460	A	139	1997	QVTNMSDKSELKAELERKKQRLAQIREKKRKE EERKKKETDQKKEAVAPVQEE SDLEKKRREAEA LLQSMGLTPESPIVPPPMSPSSKSVSTPSEAGSQD SGDGAVGSRRGPIKLGMAKITQVDFPPREIVTYT KETQTPVMAQPKEDDEEDDDVVAPKPPIEPEEEK TLKKDEEN\DSKAPPHELTEEEKQQILHSEEFLSFF DHSTRIVERALSEQINIFFDYSGRDF/ENDKEGEIQ AGAKLSLNRQFF\DER\WSKASGWVSCLDWSSQ YP\ELLVASYN NEDAPHEPDGVALVWNMKEYK KTTPEYVFHCQSAVMSATFAKFHPNLVVG GTYS GQIVLWDNRSNKRTPVQRTPLSAAATHPVYCV NVVG TQNAHNLSISTDGKICSWSLDMLSH PQDS MELVHKQSKAVAVTSMSFPVGDVNNFVVGSEE GSVYTACRHGSKAGISEMFEGHQGPITGIHCHAA VGAVDFSHLYVTSSFDWTVKLWTTKNNKPLYSF EDNAGYVYDVMWSPTHPALFACVDGMGRLLDL WNLNDTEVPTASISVEGNPALNRVRWTHSGRE IAVG DSEGQIVIYDVGEQIAVPRNDEWARFGRTL AEINANRADAEEEEAA TRIPA
3461	A	139	1997	QVTNMSDKSELKAELERKKQRLAQIREKKRKE EERKKKETDQKKEAVAPVQEE SDLEKKRREAEA LLQSMGLTPESPIVPPPMSPSSKSVSTPSEAGSQD SGDGAVGSRRGPIKLGMAKITQVDFPPREIVTYT KETQTPVMAQPKEDDEEDDDVVAPKPPIEPEEEK TLKKDEEN\DSKAPPHELTEEEKQQILHSEEFLSFF DHSTRIVERALSEQINIFFDYSGRDF/ENDKEGEIQ AGAKLSLNRQFF\DER\WSKASGWVSCLDWSSQ YP\ELLVASYN NEDAPHEPDGVALVWNMKEYK KTTPEYVFHCQSAVMSATFAKFHPNLVVG GTYS GQIVLWDNRSNKRTPVQRTPLSAAATHPVYCV NVVG TQNAHNLSISTDGKICSWSLDMLSH PQDS MELVHKQSKAVAVTSMSFPVGDVNNFVVGSEE GSVYTACRHGSKAGISEMFEGHQGPITGIHCHAA VGAVDFSHLYVTSSFDWTVKLWTTKNNKPLYSF EDNAGYVYDVMWSPTHPALFACVDGMGRLLDL WNLNDTEVPTASISVEGNPALNRVRWTHSGRE IAVG DSEGQIVIYDVGEQIAVPRNDEWARFGRTL AEINANRADAEEEEAA TRIPA

SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
3462	A	2	2643	TAPEFSRSTHASAHASVARVLRNREIAQLKKEQR RQEFQIRALESQKRQQEMVLRRTQEVSA LRRL AKPMSERVAGRAGLKPPMLDSGA EVSASTTSSE AESGARSVSSIVRQWNRKINHFLGDHPAPT VNGT RPARKKFQKKGASQSFSKAARLKWQSLERRIDI VMQRM TIVNLEADMERLIKKREELFLLQEALRR KRERLQAESP EEEKGLQELAE EIEVLAANIDYND GITDCQATIVQLEETKEELDSTDTSVVISSCSLAE ARLLLDNFLKASIDKGLQVAQKEAQIRLLEGRLR QTD MAGSSQNHL LLDALREKAEAHPELQALIYN VQQENGYASTDEEISEFSEGSFSQSFTMKGSTSH DDFKFKSEPKLSAQMKAVSAECLGPPLDISTKNI TKSLASLVEIKEDGVGFSVRDPYRDRVSRTVSL PTRGSTFPRQSRATETSPLTRRKS YDRGQPIRSTD VGFTPPSSPPTPRNDRNVFSRLTSNQSQGSALD KSDDSDSSLSEVLRGIISPVGGA KGARTAPLQCV SMAEGHTKPILCLDATDELLFTGSKDRSCKMWN LVTGQEIAALKGHPNNVVS IKYCSHSGLVFSVST SYIKVWDIRDSAKCIRTLTSSGQVISGDACAATST RAITSAQGEHQINQIALSPSGTMLYAASGN AVRI WELSRFQPVGKLTGHIGPVMCLTVTQTASQHDL VVTGSKDHYVKMFELGECVTGTIGPTHNFEP PH YDGIECLAIQGDILFSGSRDNGIKKWDL DQQELIQ QIPNAHKDWVCALAFIPGRPMLLSACRAGVIKV WNVDNFTPIGEIKGHDSPINAICTNAKHIFTASSG CRVKVWNYVPGLTPCLPRRV LAIKGRATTLP
3463	A	198	3146	SGEPRPEPGNMATCIGEKIEDFKVGNLLGKGSFA GVYRAESIHTGLEVAIKMIDKKAMYKAGMVQR VQNEVKIHCQLKHPSILELYNYFEDSNYVYL VLE MCHNGEMNRYLKNR VKPFSENEARHFMHQIITG MLYLHSHGILHRDLT LSNLLLTRNMNIKIADFGL ATQLKMPHEKH YTL CGTPNYISPEIATRSAHGLE SDVWSLGCMFYTL LIGRPPFD TDTVKNTLNKVV LADYEMPTFLSIEAKDLIHQLLRNPADRLSLSSV LDHPFMSRNSSTKSKDLGTVEDSIDSGHATISTAI TASSSTSISGSLFDKRLLIGQPLPNKMTVFPKNK SSTDFSSSGDGNSFYTQWGNQETSNSGRGRVIQD AEERPHSRYLRRAYSSDRSGTSNSQSQA KTYTM ERCHSAEMLS VSKRSGGGENEERYSP TDNNANIF NFFKEKTSSSSGSFERPDNNQALSNHLC PGKTPFP FADPTPQTETVQQWFGNLQINAH LRKTTEYDSIS PNRDFQGHPDLQKDTSKNAWTDTKVKKNSDAS DNAHSVKQQNTMKYMTALHSKPEIIQQECVFGS DPLSEQSKTRGMEPPWGYQNR TLR SITSPLVAHR LKPIRQKTKKAVVSILDSEEV CVELVKEYASQEY VKEVLQISSDGN TITTYYPNGG\RGFPLA\DRPPSP T\DNISR\YSF\DNLPEKYWRKYQYASRFVQLVRS KSPKITYFTRYAKCILMENSPGADFEVWFYDGV KIHKTEDFIQVIEKTGKSYTLKSESEVNSLKEEIK MYMDHANEGHRICLALESIISEEERKTR SAPFFPII IGRKPGSTSSPKALSPPPSVDSNYPTRDRASFNRM VMHSAASPTQAPILNPSMVTNEGLGLTTTASGTD ISSNSLKDCLPKSAQLLKS VFVKNV GWATQ\LT GAVVWVQFNDGSQ LVVQAGVSSISY TSPNGQ\TTR \YGENEKL PDYIKQLQCLSSILLMFSNPTPNFH

SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
3464	A	14	348	AVRTVSGTSLGPRSHSRSPGRCHCFSAVTFSSPRL AASEAPDPMEEWDVPQMKKEVESLKYQLAFQR EMASKTIPELLKWIEDGIPKDPFLNPDLMKNNPW VEKGKCTIL
3465	A	5537	405	VRKLDREVRGAWWRGAWARHPRQEAGEHAKR RKGHAETPRGRRKGRAGRSAAAVGELRPARRSL ETSRAAAAMAKDSPSPLGASPKKPGCSSPAAAV LENQRRELEKLRAELEAERAGWRAERRRFAARE RQLREEAERERRQLADRLRSKWEAQRSRELRLQ QEEMQREAEIRQLLRWKEAEQRQLQQLLHRE RDGVVRQARELQRQLAEELVNRGHCSRPGASEV SAAQCRCLQEVLALQLRWQTDGEQAARIRYLQ AALEVERQLFLKYILAHFRGHPALSGSPDPQAVH SLEEPQPQTSSGSCHAPKPACQLGSLDSLAEVG VRSRSLGLVSSACSSSPDGLLSTHASSLDCFAPAC SRSLDSTRSLPKASKSEERPSSPDTSTPGSRRLSP PSPLPPPPPSAHRKLSNPRGGEGSESQPCVLTPS PPGLGHHELIKLNWLLAKALWVLARRCYTLQEE NKQLRRAGCPYQADEKVKRLKVKRAELTGLAR RLADRARELQETNLRAVSAPIPGESCAGLELCQV FARQRARDLSEQASAPLAKDKQIEELRQECHLLQ ARVASGPCSDLHTGRGGPCTQWLNVRDLRLQ RESQREVLRLQRQLMLQQGNGGAWPEAGGQSA TCEEVRRQMLALERELDQRRRECQELGAQAAPA RRRGEEAETQLQAALLKNAWLAEENGRLQAKT DWVRKVEAENSEVRGHLGRACQERDASGLIAEQ LLQQAARGQDRQQQLQRPQKALCDLHPSWKEI QALQCRPGHPPEQPWETSQMPESQVKGSRPKF HARAEDYAVSQPNRDIQEKREASLEESPVALGES ASVPQVSETVPASQPLSKKTSSQSNSSSEGSMWA TVPSSPTLDRDTASEVDDLEPDSVSLALEMGGSA APAAPKLKIFMAQYNNYPFEGPNDHPEGELPLTA GDYTYIFGDMDEDGFYEGELEDGRRGLVPSNFVE QIPDSYIPGCLPAKSPDLGPSQLPAGQDEALEEDS LLSGKAQGVVDRGLCQMVRVVGSKTEVATEILD KTEACQLGLLQSMGKQGLSRPLLGTKGVLRMAP MQLHLQNVTATSANITWVYSSHRHPHVYVYLD REHALTPAGVSCYTFQGLCPGTHYRARVEVRLP RDLLQVYWGTMSSVTFTDLLAGPPYPPLDVLV ERHASPGVLVVS WLPTIDSAGSSNGVQVTGYA VYADGLKVCEVADATAGSTLLEFSQLQVPLTWQ KVSVRTMSLCGESLDSVPAQIPEDFFMCHRWPET PPFSYTCGDPSTYRVTFPVCQKLSLAPPSAKASP HNP GSCGEPQAKFLEAFFEPPRRQSPVSNLGSE GECPSGAGSQAQELAEAWEGCRKDLLFQKSPQ NHRPPSVSDQTGEKENCYQHMGTSKSPAPGFHIL RTECGPRKEPCQEKAALERVLRQKQDAQGFTPP QLGASQQYASDFHNVLKEEQEALCLDLWGTEERR EERREPEPHSRQGQALGVKRGCLHEPSSALCPA PSAKVIKMPRGGPQQLGTGANTPARVFVALSDY NPLVMSANLKAEEELVFQKRQLLRVWGSQDT HDFYLSECNRQVGNIPGRLVAEMEVGTEQTD RR WRSPAQGHLPVAHLEDFQGLTIPQGSSSLVLQGN SKRLPLWTPKIMIAALDYDPGDGQMGGQGKGR ALRAGDVVMVYGPMDQGFYYGELGGHRL

SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
				VPANLRIKMSSQGH
3466	A	1	1111	MSKPPDLLRLRGAPRQRVCTLFIIIGFKFTFFVSI MIYWHVVGEPEKEKGQLYNLPAEIPCPTLTPPTPP SHGPTPGNIFFLETSRDTNPNFLFMCSVESAAARTH PESHVLVLMKGLPGGNASLPRHLGISLLSCFPNV QMLPLDLRELFRDTPLADWYAAVQGRWEPYLL PVLSDASRIALMWKFGGIYLDTDIFVLKNLRNLT NVLGTQSRVYVLNGAFLAFERRHEFMALCMRDFV DHYNGWIWGHQGPQLLTRVFKKWCSIRSLAESR ACRGVTTLPEAFYPIPWQDWKKYFEDINPEELP RLLSATYAVHVWNKKSQGTRFEATSRALLAQLH ARYCPTTHE/DHENVLVKGPAGHLPNLLLMGHW
3467	A	1	2175	MAKVILKQSKQCKNLLTCKVAQVCPVCGCLHC YFWWLSGLESRRPSSPLIDIKPIEFGVLSAKKEPIQ PSVLRRTYNPDDYFRKFEPHLYSLDSNSDDVDSL TDEEILSKYQLGMLHFSTQYDLLHNHLTVRVIEA RDLPPPISHDGSRQDMAHSNPYVKICLLPDQKNS KQTGVKRKTQKPVFEERYTFEIPFLEAQRRTLL TVVDFDKFSRHCVIGKVSVPVLCVVDLVKGGHW WKAHDSQFSAPGLPADQOFFADLFSGLVLPNQL LGRVWFASQPASLPVGSCLDFPRLDIVLRGEYG NLLEAKQQRLEGEMLFIPARAANLPVNNKPM LLSLVFAPTWLGLSFYDSRTTSLHPARQIQPLPSL QRGEGEAMLS\ALTFSRSPLEQNIIQPLVLSLLHL CGSVVNMPPGNSQPRGDFLYHSICTWVQDNYAQ PLTRESVAQFFNITPNHLSKLFAQHGTMRFIEYVR WVRMAKARMILQKYHLSIHEVAQRCGFPDSDYF CRVFRQFGMDYVDILQIHRWDYNTPIETLEAL NDVVKAGKARYIGASSMHASQFAQALELQKQH GWAQFVSMQDHYNLIYREEEREMLP\CYQEGV AVIPWSPLARGRLTRPWGETTARLVSEVKGKLN YKESDENDAQIAERLTGVSEELGATRAQVALAW LLSKPGIAAPIIGTSREEQLDELLNAVDITLKPEQI AELETPYKPHPVVGFK
3468	A	147	3209	ALPLPLPTLYPGMSRRKQRKPQQLISDCEGPSASE NGDASEEDHPQVCAKCCAQFTDPTFLAHQNAAC STDPPVMVIIGGQENPNNSSASSEPRPEGHNNPQ VMDTEHSNPPDSGSSVPTDPTWGPERRGEESSGH FLVAATGTAAGGGGGLILASPKLGATPLPPESTP APPPPPPPPPPGVSGHLNIPLILEELRVLQQRQI HQMOMTEQICRQVLLGSLGQTVGAPASPELP GTGTASSTKPLLPLFSPIKPVQTSKTLASSSSSSSS SSGAETPKQAFFHLYHPLGSQHPFSAGGVGRSHK PTPAPSPALPGSTDQLIASPHLAFPSTTGLLAAQC LGAARGLEATASPGLLKPKNGSGELSYGEVMGP LEKPGGRHKCRFCAKVFGSDSALQIHLRSHTGER PYKCNVCGNRFTTRGNLKVHFHRHREKYPHVQ MNPHPVPEHLDYVITSSGLPYGMSVPPEKAEAEA ATPGGGVERKPLVASTTALSATESLTLLSTSAGT ATAPGLPAFNKFVLMKAVEPKNKADENTPPGSE GSAISGVAESSTATRMQLSKLVTSLPSWALLTNH FKSTGSFPLPLCARALG\ASPSETSKLQQLVEKID RQGA VAVTSAASGAPTTAPAPSSSASSGPNQCV ICLRVLSCPRALRLHYGQHGGGERPFKCKVCGRF STRGNLRAHFVGHKASPAARAQN\SCPICQKKFT

SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
				NAVTLQQHVRLMHLGGQIPNGGTALPEGGGAQ ENGSEQSTVSGAGSFPPQQSQQPSPEEELSEEEEE EDEEEEDVTDEDSLGRGSESGGEKAISVRGDS EEASGAEEVGTVAATAAGKEMDSNEKTTQQS SLPPPPPSLDQPPMEQGSSGVLGGKEEGGKP ERSSSPASALTPEGEATSVTLVEELSLQEAMRKEP GESSSRKACEVCGQAFPSQAAL\EEH\QKTHPKEG PLFTCVFCRQGFLELATLKKHMLLAHHQVQPF PHGPQNIASLVPGCSPSITSTGLSPFPRKDDPTI P
3469	A	3	5664	NLRPLSFALFLGDPNMANLEESFPRGGTRKIHKP EKAFFQQSVEQDNLFDISTEEGSTKRKKSQKGP TKKLKIEKRESSKSAREKFEILSVESLCEGMRILG CVKEVNELELVISLPNGLQGFVQVTEICDAYTKK LNEQVTQEQLKDLLHLPFLSPGMLVRCVVSSL GITDRGKKS VKLSLNPKNVNRVLSAEALKPGML LTGTVSSLEDHGYLVDIGVDGTRAFLPLLKAQY IRQKNKGAKLVGQYLNLCIVEKVKGNNGGVVSL VGHSEVSTAIATEQQSWNLNNLLPGLVVKAQVQ KVTPFGLTLNFLTFTGVVDFMHLDPKKAGTYFS NQAVRACILCVHPRTRVVHLSLRPIFLQGRPLTR LSCQNLGAVLDDVPVQGFKKAGATFRLKDGVL AYARLSHLSDSKNVFNPEAFKPGNTHKCRIDYS QMDELALLSLRTSIIAQYLRYHDIEPGAVVKG VLTIKSYGMLVKVGEQMRGLVPPMHLADILMK NPEKKYHIGDEVKCRVLLCDPEAKKLMMLTKKT LIESKLPVITCYADAKPGLQTHGFIRVKDYGCIV KFYNNVQGLVPKHELSTEYIPDPERVFTYGQVV KVVVLNCEPSKERMLLSFKLSSDPEPKKEPAGHS QKKGKAINIGQLVDVKVLEKTKDGLAVLPHN IRAFPTSHLSDHVANGPLLHHWLQAGDILHRVL CLSQSEGRVLLCRKPALVSTVEGGQDPKNFSEIH PGMLLIGFVKSIDYGVFIQLPSGLSGLAPKAIMS DKFVTSTSDHFVEGQTVAAKVTNVDEEKQRM SLRLSDCGLGDLAITSLLLLNQCLEELQGVRLM SNRDSVLIQTLAEMTPGMFLDLVVQEVLEDGSV VFSGGPVPDLVLKASRYHRAGQEVESGQKKKV ILNVDLLKLEVHVS LHQDLVNRKARKLRKGSE HQAIVQHLEKSFAIASLVETGHLAAFSLTSHLND TFRFDSEKLQVGQGVSLTLKTTEPGVTGLLLAVE GPAAKRTMRPTQKDSETVDEDEEVDPALTVGTI KKHTLSIGDMVTGTVKSIKPTHVVVTLLEDGI HASHILDDVPEGTSPTTKLVGKTVTARVIGGRD MKTFKYLPISHPRFVRTIPELSVRPSELEDGHTAL NTHSVSPMEKIKQYQAGQTVTCFLKKYNVVKK WLEVEIAPDIRGRIPLLLTSLSFKVLKHPDKKFRV GQALRATVVGPDSSKTFLCLSLTGPHKLEEGEVA MGRVVKVTPNEGLTVSFPFGKIGTVSIFHMSDSY SETPLEDFVPQKVVR CYILSTADNVLTSLRSSRT NPETKSKVEDPEINSIQDIKEGQLLRGYVGSIQPH GVFFRLGPSVVG LARYSHVSQHSPSKKALYNKH LPEGKLLTARVLRNLHQKNLVELSFLPGDTGKPD VLSASLEGQLTKQEERKTEAEERDQKGEKKNQK RNEKKNQKGQEEVEMPSKEKQQPQKPQAQKRG GRECRESGSEQERVSKPKKAGLSEEDDSLVDV

SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
				YYREGKEEAEETNVLPKEKQTKPAEAPRLQLSSG FA WNVGLDSLTPALPPLAESSDSEDEKPHQATI KKSKKERELEKQKA EKELSRTEEALMDPGRQPE SADDFDRLVLSSPNSSILWLQYMAFHLQATEIEK ARAVAERALKTISFREEQEKLNVWVALLNLENM YGSQESLTKVFERAVQYNEPLKVFLHLADIYAKS EKFQEAGELYNRMLKRFRQEKA V WIKYGAFLLR RSQAAASHRVLQRALECLPSKEHVDVIKFAQL EFQLGDAERAKAIFENTLSTYPKRTDVWSVYID MTIKHGSQKDVDRDIFERVIHLAPKRMKFFFKR YLDYEKQHGTEKD VQAVKAKALEYVEAKSSVL ED
3470	A	2334	1226	TAAAPVAPGTMDDATVLRKKGYIVGINLGKGSY AKVKSA YSERLKFNVAVKIIARKKTPTDFVERFL PREMDILATVNHGSIKTYEIFETSDGRIYIMELG VQGDLEFIKCQGALHEDVARKMFRQLSSAVKY CHDLDIVHRDLKCENLLDKDFNIKLSDFGFSKR CLRDSNGRIILSKTFCGSAAYA APEVLQSIPYQPK VYDIWSLGVILYIMVCGSMPYDDSDIRKMLRIQK EHRVDFPRSKNLTCECKDLIYRMLQ\PD VSKRLH IDEILSHSWLQPPKPK\ATSSASFKEGEGKYRAE CKLDTKTGLRPDHRPDHKLGA KTQHRLLVVPEN ENRMEDRLAETSRAKDHHSIGA EVGKAST
3471	A	537	148	TERGAPQHPTLPLPSLTPSSVHTGQPKTPSVILFL PSCEEPQANKATLVCLMNN/FYPGILMVTWKAD GTLITQSVEKTPPSKQSNKYVASSYLSLTPEQW RSRRSYSCQVMQEGSTVEKSVAPAECS
3472	A	1	2272	DKPTRHKTYLSSSWAKMAAAEGPVGDELWQT WLPNHVVFLRLREGLKNQSPTEAEKPASSSLPSS PPPQLLTRNVVFGGLGGELFLWDGEDSSFLVVR LR GPSGGGEEPALSQYQRLLCINPPLFEIYQVLLSPT QHHVALIGIKGLMVLELPKRWGKNSEFEGGKST VNCSTTPVAERFFTSSTSLTLKHAA WYPSEILDPH VLLTSDNVIRIYSLREPQTPTNVIILSEAEESLV LNKGRAYTASLGETAVAFDFGPLAA VPKTLFGQ NGKDEVVA YPLYLYENGETFLTYISLLHSPGN/ WKA VGSIAHAS\AAEDNYGYDACAVLCLPCVPN ILVIATESGMLYHCVVLEGEEDDHTSEKSWDSR IDLIPSLYVFECVELELALKLASGEDDPFDSDFSC PVKLHRDPKCPSTRYHCTHEAGVHSVGLTWIHKL HKFLGSDEEDKDSLQELSTEQKCFVEHILCTKPLP CRQPAPIRGFWIVPDILGPTMICITSTYECLIWPLL STVHPASPPLCTREDVEVAESPLRVLAETPDSFE KHRSILQRSVANPAFLKASEKDIAPPPEECQLLS RATQVFREQYILKQDLAKEEIQRRVKLLCDQKK KQLEDLSYCREERKSLREMAERLADKYEEAKEK QEDIMNRMKLLHSFHSLEPVLSDSERDMKKEL QLIPDQLRHLGNAIKQVTMCKDYQQQKMEKVL SLPKPTIILSAYQRKCIQSILKEEGEHIREMVKQIN DIRNHVNF
3473	A	1	2272	DKPTRHKTYLSSSWAKMAAAEGPVGDELWQT WLPNHVVFLRLREGLKNQSPTEAEKPASSSLPSS PPPQLLTRNVVFGGLGGELFLWDGEDSSFLVVR LR GPSGGGEEPALSQYQRLLCINPPLFEIYQVLLSPT QHHVALIGIKGLMVLELPKRWGKNSEFEGGKST

SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
				VNCSTTPVAERFFTSSTSLTLKHAAWYPSEILDPH VVLITSDNVIRIYSLREPQTPTNVILSEAEESLV LNKGRAYTASLGETAVAFDFGPLAAVPKTLFGQ NGKDEVVAYPLYLYENGETFLTYISLLHSPGN/I WKA VGSIAHASAAEDNYGYDACAVLCLPCVPN ILVIATESGMLYHCVVLEGEEDDHTSEKSWDSR IDLPSLYVFECVELELALKLASGEDDPFDSDFSC PVKLHRDPKCPSTRYHCTHEAGVHSVGLTWIHKL HKFLGSDEEDKDSLQELSTEQKCFVEHILCTKPLP CRQPAPIRGFWIVPDILGPTMICITSTYECLIWPLL STVHPASPPLCTREDVEVAESPLRVLAETPDSFE KHRSILQRSVANPAFLKASEKDIAPPPEECLQLLS RATQVFREQYILKQDLAKEEIQRRVKLLCDQKK KQLEDLSYCREERKSLREMAERLADKYEEAKEK QEDIMNRMKKLLHSFHSSELPVLSDSERDMKKEL QLIPDQLRHLGNAIKQVTMCKDYQQQKMEKVL SLPKPTIILSAYQRKCIQSILKEEGEHIREMVKQIN DIRNHVNF
3474	A	4344	2550	DRRREPERHVRVKQRTSVLNMLRRLDKIRFRGH KRDDFLDLAESPNASDTECSDEIPLKVPRTSPRDS EELRDPAGPGTLMATGVQDFNRTEFDRLNEIKG HLEIALLEKHFLQEELRKLREETNAEMLRQELDR ERQRRMELEQKVQEVVKARTEEQMAQQPPKGQ AQASNGAERRSQGLSSRLQKWFYERFGEYVEDF RFQPEENTVETEEPLSARRLTENMRRLKRGAKPV TNFVKNLSALSDWYSVYTSIAIAFTVYMNAVWH GWAIPFLFLAILRLSLNYLIARGWRIQWSIVPEV SEPVEPPKEDLTVSEKFQLVLDVAQKAQNLF GK MADILEKIKNLFMWVQPEITQKLYVALWAAFLA SCFFPYRLVGLAVGLYAGIKFFLIDFIFKRCPLR AKYDTPYIIWRS LPTDPQLKERSSAAVSRRLQTTS SRSYVPSAPAGLGKEEDAGRFHSTKKGNFHEIFN LTENERPLAVCENGWRCCLINRDRKMPTDYIRN GVLYVTENYLCFESSKSGSSKRNKVIKLV DITDI QKYKVL SVLP GSGMGIAVSTPSTQKPLVFGAMV HRDEAFETILSQYIKITSAAASGGDS
3475	A	2	1126	TAARRRQKGAAAAAETHGQAKAKSGWLKPYYF IELMESRKDITNQEELWKMKPRRNLEEDDY LHK DTGETSMLKRPVLLHLHQT AHAD EFD C PSELQH TQELFPQWHLPIKIAAIIASLTFLYTLLREVIHPLA TSHQQYFYKIPILVINKVLPMVSITLLALVYLP GV IAAIVQLHNGTKYKKFPHWLDKWMLTRKQFGL LSFFFAVLHAIYSLSYPMRRSYRYKLLNWAYQQ VQONKEDALVEHDVWRMEIYVSLGIVGLAILAL LAVTSIPSVSDSLTWREFHYIQSKLGIVSLLLGTIH ALIFAWNKWIDIKQFVWYTPPTFMIAVFLPIVVLI FKSILFLPCLRKKILKIRHGWEDVT KINKTEICSQL
3476	A	143	3191	AKAPPTGESSEPEAKVLHTKRLYRAVVEAVHRL DLILCNKTA YQEVFKPENISLRNKLRELCVKLMF LHPVDYGRKAEELLWRKVYYEVIQLIKTNKKHI HSRSTLECA YRTHLVAGIGFYQHLLYIQSHYQL ELQCCIDWTHVTDPLIGCKKPV SASGKEMDWAQ MACHRCLVYLGDL SRYQNELAGVDTELLAERFY YQALSVA PQIGMPFNQLGTLAGSKYYNVEAMY CYLRCIQSEVSFEGA YGNLKRLYDKAAKMYHQL

SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
				KKCETRKLSPGKKRCKDIKRLLVNFMYLQSLQ PKSSSVDSSELTSQCQSVLEDFNLCLFYLPSSPNLS LASEDEEEYESGYAFLPDLLIFQMVIICLMCVHSL ERAGSKQYSAAIAFTLALFSLVNHVNIRLQAE EGENPVPAFQSDGTDEPESKEPVEKEEEPDPPEP PVTPOVGEGRSRKFSLRSLRRRRHPPKVGDDSD DLSEGFESDSSHDSARASEGSDSGSDKSLEGGGT AFDAETDSEMNSQESRSDLEDMEEEEGTRSPTLE PPRGRSEAPDSLNGPLGPSEASIASNLQAMSTQM FQTKRCFRLAPTFSNLLLQPTTNPHTSASHRPCV NGDVKPSEPASEEGSESESESSGRSCRNERSIQ EKLQVLMAGLLPAVKVFLDWLRTPDLIIVCA QSSQSLWNRLSVLLNLLPAAGELQESGLALCPEV QDLLEGCELPDLPSSLLLPEDMALRNLPPLRAAH RRFNFDTDRPLLSTLEESVVRICCSFGHFARLQ GSILQFNPEVGIFVSIAQSEQESLLQQAQAFRMA QEEARRNRLMRDMAQLRLQLEVSQLEGSLOQPK AQSAMSPYLVPDTQALCHHLPVIRQLATSGRFVI IPRTVIDGLDLLKKEHPGARDGIRYLEAEFKKGN RYIRCQKEVGKSFERHKLKRQDADAWTLKILD SCKQLTLAQGAGEEDPSGMVTITGLPLDNPSVL SGPMQAALQAAAHASVDIKNVLDYKQWKEIG
3477	A	1	3902	MTEPRRRRGYSVPPRPEVGTQATEWRVEESNFN KIFLKKDAELGRSNHLPTWDKPEDASWLPQSCL GGDAVATTGEIHEEKA WKTRALEVGQPAQRDIR RGELWGKEHGADQAIQETLEDLSSLERTLVVSES SPLGGDCQEVTTLVKYQVSEEVPSGTVIGKLSQ ELGREERRRQAGAAFQVLQLPQALPIQVDSEGL LSTGRRLDREQLCRQWDPCLVSFVLDATGDLALI HVEIQVLDINDHQPRFPKGEQELEISESASLRTRIP LDRALDPDTGPNTLHTYTLSPSEHFALDVIVGPD ETKHAELIVVKELDREIHSFFDLVLTAYDNGNPP KSGTSLVKVNVLDSNDNSPAFAESSLALEIQEDA APGTLLIKLTATDPDQGPNGEVEFFLSKHMPPEV LDTFSIDAKTGQVILRRPLDYENPAYEVDVQAR DLGPNPIPAHCKVLIKVLVDVNDNPSIHVTWASQP SLVSEALPKDSFIALVMADDLDSGNNGLVHCWL SQELGHFRLKRTNGNTYMLLTNATLDREQWPK YTLTLAQDQGLQPLSAKKQLSIQISDINDNAPVF EKSRYEVSTRENNLPSLHLITIKAHDADLGINGK VSYRIQDSPVAHLVAIDSNTGEVTAQRS LN YEEM AGFEFQVIAEDSGQPM LASSVSVWVSLLDANDN APEVVQPVLSDGKASLSVLVNA STGHLLVPIETP NGLGPAGTDTPLATHSSRPFLTTIVARDADSG ANGEPLYSIRSGNEAHLFILNPHTGQLFVNVTNA SSLIGSEWELEIVVEDQGSPPQLTRALLRVMFVTS VDHLRDSARKPGALSMSMLTVICLAVLLGIFGLI LALFMSICRTEKKDNRAYNCREAESTYRQQPKR PQKHIQKADIHLVPVLRGQAGEPCEVGQSHKDV DKEAMMEAGWDPCLPQAPFHLTPTLYRTLNRQG NQGAPAESREVLQDTVNLLFNHPRQRNASRENL NLPEPQPATGQPRSRPLKVAGSPTGRLAGDQGE EAPQRPPASSATLRRQRHLNGKVSPEKESGPRQI LRSLVRLSVAFAERNPVEELTVDSPPVQQISQLL SLLHQQGFQPKPNHRGNKYLA KPGGSRSAIPDTD

SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
				GPSARAGGQTDPEQEELDPEEDLSVKQLLEE LSSLLDPSTGLALDRLSAPDPAWMARLSLPLTTN YRDNVISPDAAA TEEPRTFQTFGKAEAPELSPTG TRLASTFVSEMSSLLEMLLEQRSSMPVEAA SEAL RRLSVCGRTLSLDLATSAAAGMKVQGDGPGKGTG TEGKSRGSSSSSRCL
3478	A	13	1620	TLPPPGNSGCHRLCFPEFEFLQVTKMEFSGRKWR KLRLAGDQRNASYPHCLQFYLOPPSENISLIEFEN LAIDRVKLLKSVENLGVS YVKGTEQYQSKLESEL RKLKFSYRENLEDEYEPRRRDHISHFILRLAYCQS EELRRWFIQQEMDLLRFRFSILPKDKIQDFLKDSQ LQFEAISDEEKTREQEIVASSPSLSGLKLGFSIY KIPFADALDLFRGRKVYLEDFAYVPLKDIVAIL NEFRAKLSKALALTARSLPAVQSDERLQPLLNHL SHSYTGQDYSTQGNVKGISLDQIDLLSTKSFPPC MRQLHKALRENHHLRHGGRMQYGLFLKGIGLT LEQALQFWKQEFIKGMDPKFDKGYSYNIRHS FGKEGKRTDYTPFSLKIILSNPPSQGDYHGCPR HSDPELLKQKLQSYKISPGGISQILDVKGTHYQ VACQKYFEMIHTVDDCGFSLSHPNQYFCESQRI LNGGKDIKKEPIQPETPQPKPSVQKTKDASSALA SLNSSLEMDMEGLEDYFSEDS
3479	A	698	138	RPELELWRLRSRWRPLGVPRRCHRRNWKEPVR AQPLSVTVWAPRCQRP/QPPAPEPSSPNAA VPEAI PTPRAAASAALELPLGPAPVSVAPQAEAEARSTP GPAGSRLGPETFRQRFQRYQDAAGPREAFRQL REL/SPRQWLRPDARTKEQ\IVEMLVQEQLLAILP EAARARRRRRTDVRITG
3480	A	117	2226	RRGSRSGPFAEPAAPGGLCSSSEEKTEEGGMAV GLCKAMSQGLVTFRDVALDFSQEEWEWLKPSQ KDL YRDVMLENYRNLVWLGLSISKPNMISLLEQ GKEPVMVERKMSQGHCADWESWWEIEELSPK WFIDEDEISQEMVMERLASHGLECSSFREAWKY KGEFELHQGNAERHFMQVTA VKEISTGKRDNEF SN/IWEKHTPEISIFNTTES\PTIQQVHKFDIYDKLF PQNSVII EYKRLHAEKESLIGNECEEFNQSTYLSK DIGIPPGEKPYESHDFSKLLSFHSLFTQHQTTHFG KLPHGYDECGDAFSCYSFFTQPQRIHSGEKPYAC NDCGKA FSHDFLSEHQRTHIGEKPYECKEKNKA FRQSAHLAQHQRIHTGEKPFACNECGKA FSRYAF LVEHQRIHTGEKPYECKEKNKA FRQSAHLNQHQ RIHTGEKPYECNQCGKA FSRRIALTLHQRIHTGE KPFKCSECGKTFGYRSHLNQHQRIHTGEKPYECI KCGKFFRTDSQLNRHHRIHTGERPFEC SKCGKAF SDALVLIHKKRSHAGEKPYECNKCGKA FSCGSY LNQHQRIHTGEKPYECSECGKA FHQILSLRLHQRI HAGEKPYKCNE SQRVRRSELA VSRGLTTKPADT GPDSTLNAAKVAEPARAGTEAALRPALSVAESA TSLGPLHQGRRFPEAPAAHPGGTGFTVCAS
3481	A	2	1522	ASRHGMTPGALLMLLGALGPPLAPGVRGSEAE RLREKLFSGYDSSVRPAREVGDRVRVSVGLILAQ LISLNEKDEEMSTKVYLDLEWTDYRLSWDPAEH DGIDSLRITAESVWLPDVVLLNNNDGNFDVALDI SVVVSSDGSVRWQPPGIYRSSCSIQVTYFPFDWQ NCTMVFSYSYDSSEVSLQTLGLGPDGQGHQEIHI

SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
				HEGTFIENGQWENIHKPSRLIQPPGDPRGGREGQ RQEVIFYLIIRRKPLFYLVNVIAPCILITLLAIFV LPPDAGEKMGSLIFALLTLTVFLLLLADKVPETSL SVPIIKYLMFTMVLVTFVILSVVVLNLHHRSPH THQMPLWVRQIFIHKLPLYRLKRPKPERDLMPE PPHCSSPGSGWGRGTDEYFIRKPPSDFLFPKPNRF QPELSAPDLRRFIDGPNRAVALLPELREVSSISYI ARQLQEQEDHDALKEDWQFVAMVVDRLFLWTF IIFTSVGT\VFILDATYHLPPDPFP
3482	A	1273	172	ERWDSGGADAEWYALADWTA VWLPRSDFYTR LQTGEGHVPALRLPAGMPPDSPRELVPKQAPCSP SDPALPWTLGHGNQPPAVVPEPQGPMGPAGVAA RPGRFFGVYLLYCLNPRYRVR\VVVGFTVNTARR VQQHNGGRKKGGA\GRTSGRGPWEMVLVHGF PSSVAALRFEWA WQHPHASRRLAHVGPRLRGET AFAFHLR VLAHMLRAPPWARLPLTLR WVRPDLR QDCLCPPPHVLLAFGPPPAQVPRPQRRRAGPFD DAEPEPDQGDGACCSLCAQTIQDEEGPLCCPHP GCLLRAHVICLAEFLQEEPGQLLPLEGQCPCCE KSLWGDLIWLCQMDTEKEVEDSELEEAHWTD LLET
3483	A	230	3686	WRPWPCIDTSWNLQVAARTLRVSSAQCGLVPT MARVESPVPAARASLTGSCVLGQAMPLRGGAGP SPASHGPTHGSPDPRITCLPGRGAGGMRPHGRGA LGCCGLCSFYTCHGAAGDEIMHQDIVPLCAADIQ DQLKKRFA YLSGGRGQDGSPVITFPDYPAFSEIPD KEFQNVMTYLTSLPSLQDAGIGFILVIDRRDKW TSVKASVLRIAASFPANLQLVLRLRPTGFFQRTLS DIAFKFNRRDDFKMKVPVIMLSSVPDLHG YIDKSQ LTEDLGGTLDYCHSRWLCQRTAIESFALMVKQT AQMLQSFGTELAETELPNDVQST\SSVLCAHTEK KDKAKEDLRLALKEGHSVLESLRELQAESEPSV NQDQLDNQATVQRLLAQLNETEA AFDEFWAKH QQKLEQCLQLRHFEQGFREV KAILDAASQKIATF TDIGNSLAHVEHLLRDLANFQEKSGVFVERARA LSLTASSFIGNKHYA VDSIRPKCQELRHLCDQFSA EIARRRGLLSKSLELHRRLETS MKWCDEGIYLLA SQPVDKCQSQDGAE AALQEI EK FLETGAENKIQE LNAIYKEYESILNQDLMEHVRKV FQKQASMEEV FHRRQASLKKLAARQTRPVQPVAPRPEALAKSP CPSPGIRRGSENSSSEGGALRRGPYRAKSEMSES RQGRGSAGEEEESLAILRRHVMSEL DTERA YVE ELLCVLEGYAAEMDNPLMAHLLSTGLHNKKDV LFGNMEEIYHFHNRIFLRELENYTDCPELVGRCF LERMEDFQIYEK YCQNKPRSESLWRQCSDCPFFQ ECQRKLDHKLSDSYLLKPVQRITKYQLLLKEM LKYSRNCEGAEDLQEALSSILGILKAVNDSMHLI AITGYDGNLGD LGKLLMQGSFSVWTDHKGRT KVKELARFKPMQRHLFLHEKAVLFCKKRENGE GYEKAPSYSYKQSLNMAAVGITENVKGD AKKFE IWYNAREEVYIVQAPTPEIKAA WVNEIRKVLTSQ LQACREASQHRALEQSQSLPLPAPTSTSPSRGNSR NIKKLEERKTDPLSLEGYVSSAPLTKPPEKGKGW SKTSHSLEAPEDDGGWSSAEEQINSSDAEEDGGL GPKKL VPGKYTVVADHEKGGPDALRVRSGD VV

SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
3484	A	208	6103	ELVQEGDEGLW VTMAQQAADKYLYVDKNFINNPLAQADWAAK KLVWVPSDKSGFEPASLKEEVGEEAIVELVENGK KVKVNKDDIQKMNPFFSKVEDMAELTCLNEAS VLHNLKERYYSGLIYTYSGLFVNVINPYKNLPIYS EEIVEMYKGGKRHEMPPHIYAITDTAYRSMQD REDQSILCTGESGAGKTENTKKVIQYLAYVASSH KSKKDQGELERQLLQANPILEAFGNAKTVKNDN SSRFGKFIRINFVNGYTVGANIETYLLEKSRAIRQ AKEERTFHIFYLLSGAGEHLKTDLLLEPYNKYR FLSNGHVTIPGQQDKDMFQETMEAMRIMGIPEEE QMGLLRVISGVLQLGNIVFKKERNTDQASMPDN TAAQKVSHLLGINVTDFTRGILTPRIKVGRDYVQ KAQTKEQADFAIEALAKATYERMFRWLVLRLNK ALDKTKRQGASFIGILDIAGFEIFDLNSFEQLCINY TNEKLQQLFNHTMFILEQEEYQREGIEWNFIDFG LDLQPCIDLIEKPAGPPGILALLDEECWFPKATDK SFVEKVMQEQTGHPKFQKPKQLKDKADFCIIHY AGKVDYKADEWLMKNMDPLNDNIA TLHQSSD KFVSELWKDVDRIGLDQVAGMSETALPGAFKT RKGMFRTVGQLYKEQLAKLMATLRNTNPNFVR CIIPNHEKKAGKLDPHLVLDQLRCNGVLEGIRICR QGFPNRVVFQEFRQRYEILTPNSIPKGFMDGKQA CVLMIKALELDSNLYRIGQSKVFFRAGVLAHLEE ERDLKITDVIIGFQACCRGYLARKAFARQQQLT AMKVLQRNCAAYLKLNRWQWWRLFTKVKPLL QVSRQEEEMMAKEEELVKVREKQLAAENRLTE METLQSQLMAEKLQLQEQLQAETELCAEAELR ARLTAK\KQ\ELLEEICHLEARVEEEERCQHLQA EKKKMQQNIQEELEEEESARQKLQLEKVTT EAKLKKLEEEQIILEDQNCKLAKEKKLEDRIAEF TTNL TEEEEKSKSLAKLKNKHEAMITDLEERLRR EEKQRQELEKTRRKLEGDSTDLSQIAELQAQVIA ELKMQLAKKEEELQAALARVEEEAAQKNMALK KIRELESQISELQEDLKCE\ASRNKAQKQKRD LG EELEALKTELED TLDSTAAQQELRSKREQE VNIL KKTLEEEAKTHEAQIQEMRQKHSQAVEELAEQL EQTKRVKANLEKAKQTLNERGELANEV KVLLQ GKGDSEHKRKKVEAQLQELQVKFNEGERV RTEL ADKVTKLQVELDNVTGLLSQSDSKSSKLTKDFS ALESQLODTQELLQEENRQKLSLSTKLKQVEDE KNS\FREQLEEEEEEAHNLEKQIATLHAQVADM KKKMEDSVGCLETAEEVKRKLQKDLEGLSQRHE EKVAAYDKLEKTKTRLQQELDDLVDLDHQRQ SACNLEKKQKKFDQLLAEKTIKAKYAEERDRA EAEAREKETKALSLARALEEAMEQKAELERLNK QFRTEMEDLMSSKDDVGKSVHELEKSKRAIEQQ VEEMKTQLEEELEDELQATEDAKLRLEVNLQAM KAQFERDLQGRDEQSEEKKKQLVRQVREMEAE LEDERKQRSMAVAARKKLEMDLKDLEAHIDSA NKNRDEAIKQLRKLQAQMKDCMRELD DTRASR EEILAQAKENEKKLKSMEAE MIQLQEELAAER AKRQAQQRDELADEIANSSGKGALALEEKRL EARIAQLEEELEEEQGNTELINDRLKKANLQIDQI NTDLNLERSHAQKNENARQQLERQNKELKVKL

SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
				QEMEGTVKSKYKASITALEAKIAQLEEQLDNETK ERQAACKQVRRTEKKLKDVLLQVDDERRNAEQ YKDQADKASTRLKQLKRQLEEAEEEAQRANASR RKLQRELEDATETADAMNREVSSLKNKLRRGDL PFVVPRRMARKGAGDGSDEEVDGKADGAEAKP AE
3485	A	2	1782	CSTGVSKAPLTYLMSYGFELGWRKGNRAVACR EDRGGESVGMGQESILSQVHWWEAEPVEKTPGR DSEATIMSLRVHTLPTLLGAVVRPGCRELLCLLM ITVTVGPGASGVCPTACICATDIVSCTNKNLSKVP GNLFRLIKRLDLSYNRIGLLDSEWIPVSFAKLNTL ILRHNNITSISTGSFSTTPNLKCLDLSSNKLKTVK NAVFQELKVLEVLLLYNNHISYLDPSAFGGLSQL QKLYLSGNFLTQFPMPLYVGRFKLAELMFLDVS YNRIPSMMPHHINLVPGKQLRGIYLHGNPFVCD\ CSLVSLLVFWYRRHFSSVMDFKNDYTCRLWSDS RHSRQVLLQLQDSFMNCSDSIINGSFRALGFIHEAQ VGERLMVHCDSKTGNANTDFIWVGPDRNRLLEPD KEMENFYVFHNGSLVIESPRFEDAGVYSCIAMNK QRLNETVDVTINVSNTVSRSHAHEAFNTAFTT LAACVASIVLVLLYLYLTPCCKCKTKRQKNML HQSNAHSSILSPGPASDASADERKAGAGKRVVFL EPLKDTAAGQNGKVRLFPSEA VIAEGILKSTRGK SDSDSVNSVFSDTPFVAST
3486	A	357	1173	GDPRETKVFPSRSFARN TVGVSHHQSHLFHTVSR IYVEDKHKILYCEVPKAGCSNWKRILMVLNGLA SSAYNISHNAVHYGKHLKKLDSFDLKGITYTRLD YTKLVLRDPMERLVSAFRDKFDHPNSYYHPVF GKAIKKYRPNACEEALINGSGVKFEFIHYLLDS HRPVGMDIHWKVSCLCYPCLINYDFVGKFETL EEDANYFLQMIGAPKELKFPNFKDRHSSDERTNA QVVRQYLKDLTRTERQLIYDFYYLDYLMFNYYT PFL
3487	A	2	3281	CDKSGAVPFSTTRSPRRSPRSAGPSLSSVSPRSQ LWASSGLSEEHAAPLLPAWPRHPCPPSLTPGPSM AQGAMRFCSEGDCAISPPRCPRRWLPEGVPVQSP PASMYGSTGSLRRVAGPGPRGRELGRVTAPCTP LRGPPSPRVAPSPWAPSSPTGQPPPGAQSSVIFR FVEKASVRPLNGLPAPGGLSRSWDLGGVSPRPT PALGPGSNRKLRLAESTDPLPARGGSALPGSRN LVHGPPAPPQVGADGLYSSLNGLGDPPERLATL FGGPADTGFLNQGDTWSSPREVSSHAQRIARAK WEFFYGS LDPSSGAKPPEQAPPSPPGVGSRQGS GVAVGRAAKYSETDLDTVPLRCYRETDIDEVLA EREEADSAIESQPSSEGPPGTAYPPAPRPGPLPGP HPSLGSGNEDEDDDEAGGEEDVDDEVFEASEGA RPGSRMPLKSPVPFLPGTSPSADGPDSFSCVF EAI LESHRAKGTSYTSLASLEALASPGPTQSPFFTFEL PPQPPAPRPDPPAPAPLAPLEPDSGTSSAADGPWT QRGEEEEAEARAKLAPGREPPSPCHSEDSLGLGA APLGSEPPLSQLVSDSDSELDSTERLALGSTDTLS NGQKADLEAAQRLAKRLYRLDGFRKADVARHL GKNNDFSKL VAGEYLKFFVFTGMTLDQALRVFL KELALMGETQERERVLAHFSQRYFQCNPEALSSE DGAHTLTALMMLNTDLHGHNIGKRMTCGDFIG

SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
				NLEGLNDGGDFPRELLKALYSSIKNEKLQWAIDE EELRRFLSELADPNPKVIKRISGGSGSGSSPFLDLT PEPGAAVYKHGALVRKVHADPDCRKTTPRGKRG WKSFHGILKGMILYLQKEEYKPGKALSETELKN AISIHHALATRASNYSKRPHVFYLRADWRVFL FQAPSLEQMQSWITRINVVAAMFSAPFPAAVSS QKKFSRPLLPSAATRLSQEEQVRTHEAKLKAMA SELREHRAAQLGKKGRGKEAEEQRQKEAYLEFE KSRYSTYAALLRVKLKAGSEELDAVEAALAQAG STEDGLPPSHSSPSLQPKPSSQPRAQRHSSEPRPG AGSGRRKP
3488	A	441	1968	GTETPHCWGRGTAGLRRELDREERDGPGTATMS FPHFGHPYRGAFQFLASASSSTTCCESTLRVSYSY VASGSTPAPALCCAP\YDSRLLGSARPELGAALGI YGAPYAAAAAAQSYPGYLPYSPEPPSLY GALNP QYEFKEAAGSFTSSLAQPGAYYPYERTLGQYQY ERYGAVELSGAGRRKNATRETTSTLKAWLNEHR KNPYPTKGEKIMLAITKMTLTQVSTWTFANARRR LKKENKMTWAPKNKGGEERKAEGGEEDSLGCL TADTKEVTASQEARGLRLSDLEDLEEEEEEEEEEA EDEEVVATAGDRLTEFRKGAQSLPGPCAAAREG RLERRECGLAAPRFSFNDPSGSEEADFLSAETGSP RLTMHYPCLEKPRIWLAHTATASAVEGAPPARP RPRSPECRMIPGQPPASARRLSVPRDSACDESSCI PKAFGNPKFALQGLPLNCAPCPRRSEPVVQCQYP SGAEGSGPPAALGVSMQKTPTYRPARQLHTLCH SSLP
3489	A	718	2073	IAAYHKALSYRGHVHANNRGTNNVHFTPPSPS RGILPMNPRNMMNHSQVGQIGIPSRTNSMSSSG LGSPNRSSPSIICMPKQQPSRQPFTVNSMSGFGMN RNQAFGMNNSLSSNIFNGTDGSENV TGLDLSDFP ALADNRNREGSGNPTPLINPLAGRAPHYVGMVTK PANEQSQDFSIHNEDFPALPGSSYKDPTSSNDDSK SNLNTSGKTTSSTDGPKFPGDKSSTTQNNNQKK GIQVLPDGRVTNIPQGMVTDQFGMIGLLTFIRAA ETDPGMVHLALGSDLTTLGLNLNSPENLYPKFAS PWASSPCRPQDIDFHVPSYLTNIHIRDKLFFFS W/TAIKLGRYGEDLLFYLYYMNGGDVQLLAAV ELFNDRWRYHKEERVWITRAPGMEPTMKTNTY ERGTYFFDCLNWRKVAKFHFLEYDKLEERPHL PSTFNYNPAQQAQAF
3490	A	2	2833	FVAKMATSYFDFAQGGGPQYSTQAPTLPPTV GASYTGQPTPGMDPAVNPAFPAPAGYGGYQP HSGQDFAYGSRPQEPVPTATTMATYQDSYSYGQ SAAARSYEDRPYFQSAALQSGRMTAADSGQPGT QEACGQSPHGSHTAQAQPPQAPIVESGQASTL SSGYTYPTATGVQPESSASIVTSYPPPSYNPTCTA YTAPSYPNYDASVYSAASPFYPPAQP PPPPGPPQ QLPPPAPAGSGSSPRADSKPPLPSKLPRPKAGPR QLQLHYCDICKISCAGPQTYREHLGGQKHKRKE AAQKTGVQPNGSPRGVQAQLHCDLCAVSCTGA DAYAAHIRGSKHQKVFKLHAKLGKPIPTLEPALA TESPPGAEKPTSPTGPSVCASSRPALAKRPVASK ALCEGPPEPQAAGCRPQWGKPAQPKLEGPGAPT QGGSKAPAGCSDAQPVGPEYVEEVFSDEGRVL

SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
				RFHCKLCECSFNDLNAKDLHVRGRRHRLQYRKK VNPDLPIATEPSSRARKVLEERMQRHLAEERL EQLRRWHAERRRLEEEPPQDVPPHAPPDWAQPL LMGRPESPASAPLQPGRRPASSDDRHMCKHATI YPTEQELLAVQRAVSHAERALKLVSDTLAEEDR GRREEEGDKRSSVAPQTRVLKGVMRVGILAKGL LLRGDRNVRLALLCSEKPTHSLLRRIAQQLPRL QMVTEDEYEVSSDPEANIVISSCEEPRMQVTISVT SPLMREDPSTDPGVEEPQADAGDVLSPKKCLES AALRHARWFQARASGLQPCVIVIRVLRDLRRL PTW GALPAWAMELLVEKAVSSAAGPLGPGDAV RRVLEC VATGTLLTDGPGLQDPCERDQTDALP MTLQEREDVTASAQHALRMLAFRQTHKVLGMD LLPPRHRLGARFRKRQRGPGEEGEGAGEKKRGR RGGEGLV
3491	A	2	1321	FVGDGALSGCRRGRAPRVPSMAGSLPPCVVDCG TGYTKLGYAGNTEPQFIIPSCIAIRESAKVVDQAQ RRVLRGVDDLDFFIGDEAIDKPTYATKWPIRHGII EDWDLMERFMEQVVFVKYLRAEPEDHYFLMTEP PLNTPENREYLAEIFESFNVPGLYIAVQAVLAL AASWTSRQVGERTLTGIVIDSGDGVTHVIPVAEG YVIGSCIKHIPIAGRDITYFIQQLREREVGIPPEQS LETAKAIKEKYCYICPDIVKEFAKYDVPDPRKWIK QYTGINAINQKKFVIDVGYERFLGPEIFFHPEFAN PDFMESISDVVDEVIQNCPIDVRRPLYKNVVLSG GSTMFDFGRRLQRDLKRVVDARLRLSEELSGG\ RIKPKPVEVQVVTHHMQRYAV\WFGG\SMLASTP EFFQVCHTKKDYEEYGPSICRHNPVFGVMS
3492	A	3	2024	PNGVALLHLPGA AVIPNTNYMFQDALGGRSRGS REESPAPSRAPASASLWRRLVVVEAKMAAHAAA AAQAAAAQAHAEEADSWYLALLGFAEHFRTS SPPKIRLCVHCLQAVFPFKPPQRIEARTHLLQSGV LYHHTKNSEQARSHLEKAWLISQQIPQFEDVKFE AASLLSELYCQENSVDAAKPLLRLKAIQISQQTPY WHCRLLFQLAQLHTLEKDLVSACDLLGVGA EY ARVVGSEYTRALFLLSKGMLLLMERKLQEVHPL LTLGQIVENWQGNPIQKESLRVFFLVLQVTHYL DAGQVKSVPCKLQQLQCCIQTISTLHDDEILPSNP ADLFHWLPKEHMCVLVYLVTVMHSMQAGYLE KAQKYTDKALMQLEKLMDCSPILSSFQVILE HIIMCRLVTGHKATALQEISQVCQLCQSPRLFS NHAAQLHTLLGLYCVSVN CMDNAEAQFTTALR LTNHQELWAFIVTNLASVYIREGNRHQEVVLYS LLERINPDHSFPVSSHCLRAAFYVRGLFSFFQGR YNEAKRFLRETLKMSNAEDLNRLTACSLVLLGHI FYVLGNHRESNNMVVPAMQLASKIPDMSVQLW SSALLRDLNKACGNAMDAHEAAQMHQNFSSQL LQDHIEACSLPEHNLITWTDGPPPQVQFAQNGPN TSLASLL
3493	A	3	2024	PNGVALLHLPGA AVIPNTNYMFQDALGGRSRGS REESPAPSRAPASASLWRRLVVVEAKMAAHAAA AAQAAAAQAHAEEADSWYLALLGFAEHFRTS SPPKIRLCVHCLQAVFPFKPPQRIEARTHLLQSGV LYHHTKNSEQARSHLEKAWLISQQIPQFEDVKFE AASLLSELYCQENSVDAAKPLLRLKAIQISQQTPY

SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
				WHCRLLFQLAQLHTLEKDLVSACDLLGVGA EY ARVVGSEYTRALFLLSKGMLLLMERKLQEVHPL LTLCGQIVENWQGNPIQKESLRVFFLVLQVTHYL DAGQVKS VKPCKQLQQCIQTISTLHDDEILPSNP ADLFHWLPKEHMCVLVYLVTVMHSMQAGYLE KAQKYTDKALMQLEKLKMLDCSPILSSFQVILLÉ HIIMCRLVTGHKATALQEISQVCQLCQQSPRLFS NHAAQLHTLLGLYCVSVNCMDNAEAQFTTALR LTNHQELWAFIVTNLASVYIREGNRHQEVVLYS LLERINPDHSFPVSSHCLRAAAFYVRGLFSFFQGR YNEAKRFLRETLKMSNAEDLNRLTACSLVLLGHI FYVLGNHRESNNMVVPAMQLASKIPDMSVQLW SSALLRDLNKACGNAMDAHEAAQMHQNFSSQQL LQDHIEACSLPEHNLITWTDGPPPQFQAQNGPN TSLASLL
3494	A	2	1615	VLRGQRGPAGGLAEERRRGRNEWRIHDVTTAPF PGLVQRRSRLIVSQVRYFLKNKVSPDLCNEDGL TALHQCCIDNFEIEVKLLLSHGANNVNAKDNE LW TPLHAAATCGHINLVKILVQYGADLLAVNSDGN MPYDLCEDEPTLDVIETCMAYQGITEKINEMRV APEQQMIADIHCMIAAGQDLWDIDAQGATLLHI AGANGYLRAAELLLDHGVRVDVKDWDGWEPL HAAAFWGQMOMAELLVSHGANLNARTSMDE MPIDLCEEEEFKVLLELKHKHDVIMKSQLRHK SSLSRRTSHRQAS/SVGKVVRRTQPVGTGPNLYR KEYE/GEEAILWQRSA\AEDQRTSTYNGDIRETR TDQENKDPNPRLEK\PVLLSEFPTKIPRGELDMPV ENGLRAPVSA YQYALANGDVWKVHEVPDYSM AYGNPGVADATPPWSSYKEQSPQTLLELKRQRA AAKLLSHPFLSTHLGSSMARTGESSEGGKAPLIG GRTPSYSSNGTSVYYTVTSGDPPLLKFKAPIEEM EEKVHGCCRIS
3495	A	327	1078	APMADTTTPNGPQGAGAVQFMMTNKLDTAMWL SRLFTVYCSALFVLPLLGLHEAASFYQRALLANA LTSALRLHQRLPHFQLSRAFLAQALEDSCHYLL YSLIFVNSYPVTMSIFPVLLFSLHAATYTKKVL\ DARG\SNLPLLRSVLDKLSANQQNILKFIACNEI FLMPATVFMLFSGQGSLLQPFIIYRFLTLRYSSRR NPYCRTL FNELRIVVEHIIMKPACPLFVRRLCLQS IAFISRLAPTVP
3496	A	3	2867	SSRTREMEKEILRRQIRLLQGLIDDYKTLHGNA P APGTPAASGWQPPTYHSGRAFSARYPRPSRRGYS SHHGPSWRKKYSLVNRPPGPSDPPADHAVRPLH GARGGQPPVPQQHVLERQVQLSQGQNVVIKVKP PSKSGSASASGAQRGSLEEFEDTPWSDQRPREG E GEPPRGQLQPSRPTRARGTCSVEDPLLVCQKEPG KPRMVKSVGSGVGDSPREPRRTVSESVIAVKASFP SSALPPRTGVALGRKLGSHSVASCAPQLLGDRRV DAGHTDQVPVSGSVGGPARPASGPRQAREASLV VTCRTNKFRKNKYKWVAASSKSPRVARRALSPR VAAENVCKASAGMANKVEKPQLIADPEPKPRKP ATSSKPGSAPSKYKWKASSPSASSSSSFRWQSEA GSKDHASQLSPVLSRPSGD\RPALAHSGLKPLSG ETPLSA YKVKTRTKIIRRGSTSLPGDKKSGTSPA ATAKSHLSLRRRQALRGKSSPVLLKKT PKNGLVQ

SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
				VTKHRLCRLPPSRAHLPTKEASSLHAVRTAPTSK VIKTRYRIVKKTPASPLSAPPFPLSLPSWRARRLS LSRSLVLNRLRPVASGGGKAQPGSPWWRSGYR CIGGVLYKVSANKLSKTSGQPSDAGSRPLLRTGR LDPAGSCSRSLASRAVQRSLAIRQARQRREKRK EYCMYYNRFGRGNRGERCPYTHDPEKVAVCTRF VRGTCKKTDGTCPFSSHVSKEKMPVCSYFLKGI CSNSNCPYSHVYVSRKAEVCSDFLKGYCPLGAK CKKKHTLLCPDFARRGACPRGAQCQLLHRTQKR HSRRAATSPAPGPSDATARSRVASASHGPRKPSAS QRPTRQTPSSAALTAATAVAAPPHCPGGSASPSSS KASSSSSSSSPPASLDHEVAPSLQEAALAAACSN RLCKLPSFISLQSSPSGAQPRVRAPRAPLTKDSG KPLHIKPRI
3497	A	1586	141	ATARDLGCARRIDRVVMESTPSRGLNRVHLQCR NLQEFLLGGLSPGVLDRLYGH PATCLAVFRELP AKNWVMRMLFLEQPLPQAAVALWVKKEFSKA QEESTGLLSGLRIWHTQLLPGLQLGLLNPIFRQN LRIALLGGGKAWSDDTSQ L GPDKHARDVPSLDK YAEERWEVVLHFMVVGSPSAAVSQDLAQLLSQA GLMKSTEPGEPPCITSAGFQFLLLDTPAQLWYFM LQYLQTAQSRGMDLVEILSFLFQLSFSTLGKDY VEGMSDSSLNFLQHLREFGLVFQRKRKSRYY T/RALAINLSSGVSGAGGTVHQPGFIVVETNYRL YAYTESELQIALIALFSEMLYPPFNMVVARVTR ESVQQAIASGITAQQIHFRLTRAHPVMLKQTPVL PPTITDQIRLWELERDRLRFTEGVLYNQFLSQVDF ELLLAHAPKLGVLVFE/NTPAKRLMVVTPAGHS DVKRFWK RQKHSS
3498	A	790	190	RDLGPAALMTASASSFSSSQGVQQPSIYSFSQITR SLFLSNGVAANDKLLSSNRITAIVNASVGSGQRI LRG\LOYIKVPVTDARDSRLYDFDPIADLIHTVS MRQGRTLLNCMAGMSRSASLCLAYLMKYHSM S\LLDAHTWA/TKSRRPIRPNNGFWEQLINYEK LFNNNTVRMINSPVGNIPDIYEKDLRMMISM
3499	A	31	1586	TAGFLLAPLEMQRLLTPVKRILQLTRA VQETSLT PARLLPVAHQRFSTASA VPLAKTDTWPKDVGIL ALEVYFPAQYVDQTDLEKYNNEAGKYTVGLG QTRMGFCSVQEDINSLCLTVVQRLMERIQLPWD SVGRLEVGTETIIDKSKAVKTVLMELFQDSGNTD IEGIDTTNACYGGTASLFNAANWMESSWDGRY AMVVCGDIAVYPSGNARPTGGAGAVAMLIGPK APLALERGLRGTHMENVYDFYKPNLASEYPIVD GKLSIQCYLRALDRCYTSYRKKIQNQWKQAGSD RPFTLDDLQYMIFHTPFCKMVQKSLARLMFNDF LSASDTQTSLYKGLEAFGLKLEDYTNKDLD KALLKASQDMFDKKTASLYLSTHNGNMYTSSL YGCLASLLSHHSAQELAGSRIGAFSYGSGLAASF FSRVVSQDAAPGSPL\DKLVSSSTDLPKRLASRKC VSPEEFTEIMNQREQFYHKVNFSPPGDTNSLFPGT WYLERVDEQHRRKYARRPV
3500	A	185	2692	MLPTEVPQSHPGPSALLLQLLPPTSAFFPNIWS LLAAPGSITHQDLTEEAALNVTLQLFLEQPPPGRP PLRLEDFLGRTLLADDLFAAYFGPGSSRRFRAAL GEVSRANAAQDFLPTS RNDPDLHFDAERLGQGR

SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
				ARLVGALRETVVAARALDHTLARQRLGAALHA LQDFYSHSNWVELGEQQPHPLLWPRQELQNLA QVADPTCSDCEELSCPRNWLGFLLTSGYFGTHP PKPPGKCSHGHHFDRSSSQPPRGGINKDSTSPGFS PHHMLHLQAAKLALLASIQAFSLRLSRLGDRDFS RLLDITPASSLSFVLDTTGSMGEEINAQIKARHL VEQRRGSPMEPVHYVLVPFHDPGFGPVFTTSDPD SFWQQLNEIHALGGGDEPEMCLSALQLALLHTPP LSDIFVFTDASPKDAFLTNQVESLTQERRCRVTF VTEDTSRVQGRARREILSPLRFEPYKAVALASGG EVIFTKDQHIRDVAIVGESMAALVTLPLDPPVV VPGQPLVFSVDGLLQKITVRIHGDISSFWIKNPAG VSQGGEEGGGGLGHTRRFQFWMVTMDDPPQT GTWEIQVTAEDTPGVRVQAQTSLDLFLHFGIPME DGPHPLGLYPLTQPVAGLQTQLLVEVTGLGSRAN PGDPQPHFSHVILRGVPEGAELGQVPLEPVGPPE RGLLAASLSPTLLSTPRPFSLELIGQDAAGRRLHR AAPQPSTVVPVLELSGPSGLAPGSKVPLSLRIA SFSGPQDLDLRTFVNPSFSLTSNLSRAHLELNESA WGRLWLEVPDSAAPDSVVMVTVTAGGREANPV PPTHAFRLRLVSAPAPQDRH
3501	A	1245	5815	RRAHPHSRLSPYLSVSRDPYFFVTVSRTILTLA PAPPRRTPAPSMGTALLQRGGCFLLCLSLLLGC WAELGSGLEFPGAEGQWTRFPKWNACCESEMSF QLKTRSARGLVLYFDDEGFCDLELILTRGGRLQ LSFSIFCAEPATLLADTPVNDGAWHSVRIRQFR NTTLFDQVEAKWVEVKSKRRDMTVFSGLFVGG LPPELRAAALKLTLASVREREPFGKWIRDVRVNS SQVLPVDSGEVKLDDEPPNSGGG\SPCEAGEEGE GGVCLNGGVCSVDDQAVCDCSRTGFRGKDCS QEDNNVEGLAHLMMGDQGKEEYIATFKGSEYF CYDLSQNPIQSSSDEITLSFKTLQRNGLMLHTGKS ADYVNLALKNGAVSLVINLGSGAFEALVEPVNG KFNDNAWHDVKVTRNLRQHSGIGHAMVTISVD GILTTTGYTQEDYTMLGSDDFFYVGGSPSTADLP GSPVSNFMGCLKEVVYKNNDVRLELSRLAKQ GDPKMKIHGVVAFKCENVATLDPITFETPESFISL PKWNAKKTGSI SFDRTTEPNGLILFSHGKPRHQ KDAKHPQMIKVDFFAIEMLDGHL YLLLDMGSGT IKIKALLKKVNDGEWYHVDVFQRDGRSGTISVNT LRTPYTAPGESEILDDEL YLGGLPENKAGLVF PTEVWTALLNYGYVGCIRDLFIDGQSKDIRQMA EVQSTAGVKPSCSKETAKPCLSNPCKNNGMCRD GWNRYVCDCSGTGYLGRSCEREATVLSYDGSM FMKIQLPVVMHTEAEDVSLRFRSQRAYGILMAT TSRDSADTLRLELDAGR VKLTVNLDCIRINCNS KGPETLFAGYNLNDNEWHTVRVVRGKSLKLT VDDQQAMTGQ MAGDHTRELFHNIETGITERRY LSSVPSNFIGHLQSLTFNGMAYIDLCKNGDIDYC ELNARFGFRNIADPVTFKTKSSYVALATLQAYT SMHLFFQFKTTSLDGLILYNSGDGNDFIVVELVK GYLHYVFDLGNGANLIKSSNKPLNDNQWHNV MISRDTSNLHTVKIDTKITTQITAGARNLDLKS YIGGVAKETYKSLPKLVHAKEGFQGCCLASVDLN GRLP\DLISDGSFSCNGTDSRRGMWKGPSSTTCQ

SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
				EDSCSNQGVCLQQWDGFSDCSMTSFSGLPLCND PGTTYIFSKGGGQITYKWPPNDRPSTRADRLAIGF STVQKEA VLVRVDSSSGLGDYLELHHQKGKIGVK FNVGTDDIAIEESNAIINDGKYHVVRFTSRGGNA TLQVDSWPVIERYPAGRQLTIFNSQATIIIGGKEQ GQPFQGLSLGLYNGLKVLNMAAENDANIAIVG NVRLVGEVPSSMTTESTATAMQSEMSTSIMETTT TLATSTARRGKPPTKEPISQTTDDILVASAECPSD DEDIDPCEPSSGGLANPTRAGGREPYPGSAEVIRE SSSTTGMVVGIVAAAALCILLLYAMYKYRNRDE GSYHVDESRYISNSAQSNGA VVKEKQPSSAKSS NKNKKNKDKEYYV
3502	A	394	72	KPAHLPTTVIIMPKRKPSEGAMSDKVKA/KFELQ RRSAGLFSKPTPPKPTRPKKDPANQRQKLPKVR KKGADA/SKEGNSPAEERCSMVQTQKVEGWRS SELPVALSF
3503	A	43	3358	SGGRGPVRVRSEQLSPSAEQVSQISQISLGRRLPS SLPPPPSRALAPTRAPDTALTIMEVAEVESPLNPS CKIMTFRPSMEEFREFNKYLAYMESKGAHRAGL AKVIPKEWKPRQCYDDIDNLLIPAPIQQMVTGQ SGLFTQYNIQKKAMTVKEFRQLANSKYCTPRY LDYEDLERKYWKNLTFVAPIYGADINGSIYDEGV DEWNIARLNTVLDVVEEECGISIEGVNTPYL YFG MWKTTFAWHTEDMDLYSINYLFHGEPKSWYAIP PEHGKRLERLAQGFFPSSSQGCD AFLRHKMTLIS PSVLKKYGIPFDKITQEAGEFMITFPYGYHAGFN HGFNCAESTNFATVRWIDYGKVAKLCTCRKDM VKISMDIFVRKFQPDYQLWKQGKDIYTIDHTKP TPASTPEVKA WLQRRRKVRKASRSFQCARSTSK RPKADEEEVVSDEVDGAEVPNPDSVTDDLKVSE KSEAAVKLRNTEASSEEESSASRMQVEQNLS DHI KLSGNSCLSTS VTEDIKTEDDKA YAYRSVPSISSE ADDSIPLSTGYEKPEKSDPSELSWPKSPESCSSVA ESNGVLTEGEESDVESHGNGLEPGEIPA VPSGER NSFKVPSLAEGENKTSKSWRHPLSRPPARSPMTL VKQQAPSDEELPEVLSIEEEVEETESWAKPLIHL WQTKPPNFAAEQEYNATVARMKPHCAICTLLMP YHKPDSSNEENDARWETKLDEVVTSEGKTKPLIP EMCFIYSEENIEYSPNFALEEDGTSLISCACCC VRVHASCYGIPSHEICDGLCARCKRNAWTAEC CLCNLRGGALKQTKNNKWAHVMCAVAVPEVR FTNVPERTQIDVGRIPQLRLKLCIFCRHRVKRVS GACIQCSYGRCPASFHVTC AHAAGVLMEPDDW PYVVNITCFRHKVNPVSKACEKVISVGQTVIT KHRNTRYYSRVMMAVTSQTFYEV MFDDGSFSRD TFPEDIVSRDCLKLGPPAEGEVVQVKWPDGKLY GAKYFGSNIAHMYQVEFEDGSQIAMKREDIYTL DEELPKRVKARFVSAGRCHLGTCQVNSLSSPHVS QAQQETYLGFWINSKKSQCNI FLSGTY
3504	A	1124	139	RGEEQFDAEFRFACLGFGERLQEF SRLLRVHR SRAWTCYLAI RMLMATCCPSPTTTACTGPWQRA PPLRLLVQKREADSSGLAFASNSLQRRKKGLLLR PVAPLRTRPPLLISLPQDFRQYSSVIDVDLLPETH RRVRLHKHGS DRPLGFYIRDGMSVRVAPQG\LER VPGIFISRLVRGG LAESTGLLA VSD EILEVNGIEV

SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
				AGKTLNQVTDMMVANSHNLIVTVKPANQRNN VVRGASGRLTGPPSAGPGAEPDSDDDSSDLVIE NRQPPSSNGLSQGPCWDLHPGCRHPGTRSSLP LDDQEQASSGWGSRIRGDGSGFSL
3505	A	3	2898	SCRSATSQSGCGGGRSWLCSSLKMAAQPPRGIRL SALCPKFLHTNSTSHTWPFSAVAELIDNAYDPDV NAKQIWIDKTVINDHICLTFTDNGNGMTSDKLH KMLSFGFSDKVTMNGHVVPVGLYGNFGKSGSMR LGKDAIVFTKNGESMSVGLLSQTYLAEVIAEHV VVPVAFNKHQRQMINLAESKASLAILEHSLFSTE QKLLAELDAIIGKKGTRIHWNLRSYKNA TEFD KDKYDIRIPEDLDEITGKKGYKKQERMDQIAPES DYSLAYCSILYLKPRMQILRGQKVKTQLVSKS LAYIERDVYRPKFLSKTVRITFGFNCRNKDHYGI MMYHRNRLIKAYEKGVCQLRANNMGVGVVGII ECNFLKPTHNKQDFDYTNEYRLTITALGEKLND YWNEMKVKKNTEYPLNLPVEDIQKRPDQTWVQ CDACKWRKLPDGMQLPEKWYCSNNPDPQFR NCEVPEEPEDELDVHPTYEKTYKKTNKEKFRIRQ PEMIPRINAELLFRPTALSTPSFSSPKESVSKR/RH LSEGTSYATRLLNNHQVPPQSEPESSNLKRRLS TRSSILNAKNRRLSSQFENS VYKGADDDDEDVII LEENSTPKPAVDHDIDMKSEQSHVEQGGVQVEF VGDSEPCGQTGSTSTSSSRCDQGNTAATQTEVPS LVVKKEETVEDEIDVRNDVILPSCVEAEAKIHE TQETTDKSADDAGCQLQELRNQLLLVTEEKENY KRQCHMFTDQIKVLQQRILEMNDKYVKKETCH QSTETDAVFLLESINGKSESPDHMVSYQQALEE IERLKKQCSALQHVKAECSCSNNESEKSEMD AVQLDDVFRQLDKCSIERDQYKSEVELLEMEKS QIRSQCEELKTEVEQLKSTNQQTATDVSTSSNIEE SVNHMDGESLKLRLRVNVGQLLAMIVPDLDLQ QVNYDVDVDEILGQVVEQMSEISST
3506	A	2	2120	RPPEAGGRYRAGGRRQAAKPSRPPLPSRRRLPQG GRTRAMDRPAAAAAAGCEGGGGPNPGPAGGR RPPRAAGGATAGSRQPSVETLDSPTGSHVEWCK QLIAATISSQISGSVTSENVSRDYKALRDGNKLA QMEEAPLFPGESIKAIKDV MYICPFMGA VSGTL TVTDFKLYFKNVERDPHFILDVPLGVISRVEKIGA QSHGDN SCGIEIVCKDMRNLRLAYKQEEQSKLG IFENLNKHAFPLSNGQALFAFSYKEKFPINGWKV YDPVSEYKRQGLPNESWKISKINSNYEFCDTYPA IIVVPTSVKDDDL SKVAVFLAKGRVPVLSWIHPE SQATITRCSQPLVGPNDKRCKEDEKYLQTIMDAN AQSHKLIIFDARQNSVADTNKTKGGGYESESAYP NAELVFLEIHNIHVMRESLRKLKEIVYPSIDEARW LSNVDGTHWLEYIRMLLAGAVRIADKIESGKTSV VVHCSDGWDRTAQLTSLAMLMLDSYYRTIKGFE TLVEKEWISFGHRFALRVGHGNDNHADADRSPF LQFVDCVWQMTRQFPSAFEFNELFLITLDHLYS CLFGTFLCNCEQQRFKEDVYTKTISLWSYINSQL DEFSNPFFVNYENHVLYPVASLSHLELWNYYV RWNPRMRPQMPIHQNLKELLAVRAELQKRVEG LQREVATRAVSSSSSERGSSPSHFATSVHTLV
3507	A	1	2169	GSSIKIRLTVLCAKNLAKKDFRLLPDPFAKIVVD

SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
				GSGQCHSTD TVKNTLDPKWNQH YDLYVGK TDSI TISVWNHKKIHKKQGAGFLGCVRLLSNAISR LKD TGYQRDLCKLNP SDTDAVRGQIVVSLQTRDRIG TGGSVVDCRGLLENEGTVYEDSGPGRPLSCFME EPAPYTDSTGAAAGGGNCRFVESPSQDQRLQAQ RLRNPDVRGSLQTPQNRPHGHQSPELPEGYEQR T TVQGGQVYFLHTQTGVSTWHDPRIPRDLNSVNC D ELGPLPPGWEVRSTVSGRIYFVDHNNRTTQFTDP RLHHIMNHQCQLKEPSQPLPLPSEGSLEDEELPA QRYERDLVQKLKVL RHESLQQPQAGHCRIEVS REEIFEESYRQIMKMRPKDLKKRLMVKFRGEEG LDYGGVAREWL YLLCHEMLNPYYGLFQYSTDNI YMLQINPDSSINPDHLSYFHFVGRIMGLAVFHGH YINGGFTVPFYKQLLGKPIQLSDLESVDPELHKS L VWILENDITPVL DHTFCVEHNAFGRILQHELKPN GARNVPVTEENKKEYVRLYVNWRFMRGIEAQFL ALQKGFNELIPQHLLKPF DQKELELIIGGLDKIDL NDWKSNTRLKHC VADSNIVRWFQAVETFDEE RRARLLQFVTGSTRVPLQGFKALQGSTG\AAGPR LFTIHLIDANTDNL RKAHTCFNRIDIPPYESYEKL YEKLLTAVEETCGFAVE
3508	A	3	6388	ILYINPADLGWNPPVSSWIEKREIQTERANLTILF DKYLPTCLDTRLTRFKKIPIPEQSMVQM VCHLLE CLLTEDIPADCPKEIYEHYFVFAAIWAFGGAMV QDQLVDYRAEFSKWWLTEFKTVKFPSQGTIFDY YIDPETKKFEPWSKLVPQFEFDPEMPLQACL VHT SETIRVCYFMERLMARQRPVMLVG TAGTGKSVL VGAKLASLDPEAYLVKNVPFNYYTTSAMLQAVL EKPLEKKAGRNYGPPGNKKLIYFIDDMNMPEVD AYGTVQPHTIIRQHLDYGHWYDRSKLSLKEITNV QYVSCMNPTAGSFTINPRLQRHFSVFVLSFPGAD ALSSIYSIILTQHLKLG NFPA SLQKSIPPLIDLALAF HQKIATTF LPTGIKFHYIFNL RDFANIFQGILFSSV ECVKSTWDLIRLYLHESNRVYRDKMVEEKDFDL FDKIQTEVLKKT FDDIEDPVEQTQSPNLYCHFAN GIGEPKYMVPVQSWELLTQTLVEALENHNEVNTV MDLVLFEDAMRHVCHINRILESPRGNALLVG VG GSGKQSLTRLAAFISSMDVFQITLRKGYQIQDFK MDLASLCLKAGVKNLNTVFLMTDAQVADERFL VLINDLLASGEIPDLYSDDEVENIISNVRNEVKSQ GLVDNRENCWKFFIDRIRRLKVTLCFSPVGNKL RVRSRKFPAIVNCTAIHWFHEWPQQALESVSLRF LQNTGIEPTVKQSISKFMAFVHTSVNQTSSQSYLS NEQRYNYTTPKSFLEFIRLYQSL LHRHRKELKCK TERLENGLLKLHSTSAQVDDLKAKLAAQEVELK QKNEDADKLIQVVG VETDKVSREKAMADEEEQ KVAVIMLEVKKQKQKDCEEDLAKAEPALTAQA ALNTLNKTNLTELKSFGSPPLAVSNVSAAVMVL MAPRGRVPKDRSWKAAKV TMAKVDGFLDSLIN FNKENIHENCLKAIRPYLQDPEFNPEFVATKSYA AAGLCSWVINIVRFYEVFC DVEPKRQALNKATA DLTAAQEKLA AIAKIAHLNENLAKLTARFEKA TADKLKCQQEA EVTAVTISLANRLVGGLASENV RWADAVQNFKQQERTLCGDILLITAFISYLGFFT KKYRQSLLDRTWRPYLSQLKTPIPVTPALDPLRM

SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
				LMDDADVAAWQNEGLPADRMSVENATILINCE RWPLMVDPQLQGIKWKNKYGEDLRVTQIGQKG YLQIEQALEAGAVVLIENLEESIDPVLGPLLGRE VIKKGRFIKIGDKECEYNPKFRLILHTKLANPHYQ PELQAQATLINFTVTRDGLDQLLAAVVSMERP DLEQLKSDLTKQQNGFKITLKTLEDSLLSRLSSAS GNFLGETVLVENLEITKQTAAEVEKKVQEAKVT EVKINEAREHYRPAAARASLLYFIMNDLSKIHPM YQFSLKAFSIVFQKAVERAAPDESLRERVANLID SITFSVYQYTIRGLFECDKLTYLAQLTFQILLMNR EVNAVELDFLLRSPVQTGTASPVEFLSHQAWGA VKVLSSMEEFSNLDRIEGSAKSWKKFVESECPE KEKLPQEWKNKTALQRLCMLRAMRPDRMTYAL RDFVEEKLGSKYVVGRALDFATSFEESGPATPMF FILSPGVDPLKDVESQGRKLGTYFNNQNFHNVS LQGGQEVVAEALDLAAKKGHVILQNTLEMCS RETEFKSILFALCYFHAVVAERRKFGPQGWNRSY PFNTGDLTISVNVLYNFLEANAKVPYDDLRYLFG EIMYGGHITDDWDRRLCRTYLGEFIRPEMLEGEL SLAPGFPLPGNMDYNGYHQYIDAELPPESPYYL LHPNAEIGFLTQTSEKLFRTVLELQPRDSQARDG AGATREEKVKALLEILERVTDENIPELMAKVE ERTPIYVVAFQECGRMNILTREIQRSLRELELGLK GELTMTSHMENLQNALYFDMVPESWARRAYPS TAGLAAWFPDLLNRIKELEAWTGDFTMPSTVWL TGFFNPQSFLTAIMQSTARKNEWPLDQMALQCD MTKKNREEFRSPREGAYIHGLFMEGACWDTQA GIITEAKLKDLTPMPVMFIKAIPAD\RDQCGHVY SCPVTKTSQ\RDPTYVWTFNLKTKENPSKWVLA GVALLQI
3509	A	3	6388	ILYINPADLGWNPPVSSWIEKREIQTERANLTILF DKYLPTCLDTRLTRFKKIPIPEQSMVQMVCILLE CLLTEDIPADCPKEIYEHYFVFAAIWAFGGAMV QDQLVDYRAEFSKWWLTEFKTVKFPSQGTIFDY YIDPETKKFEPWSKLVQFEFDPEMPLQACLVHT SETIRVCYFMERLMARQRPVMLVGTAGTGKSVL VGAKLASLDPEAYLVKNVPFNYYTTSAMLQAVL EKPLEKKAGRNYGPPGNKKLIYFIDDMNMPEVD AYGTVQPHTIIRQHLDYGHWDYDRSKLSLKEITNV QYVSCMNPTAGSFTINPRLQRHFSVFVLSFPGAD ALSSIYSIILTQHLKLGNFPAQLQKSIPPLIDLALAF HQKIATTFLPTGIKFHYIFNLRDFANIFQGILFSSV ECVKSTWDLIRLYLHESNRVYRDKMVEEKDFDL FDKIQTEVLKKTFFDDIEDPVEQTQSPNLYCHFAN GIGEPKYMPVQSWELLTQTLVEALENHNEVNTV MDLVLFEDAMRHVCHINRILESPRGNALLVGVG GSGKQSLTRLAAFISSMDVFQITLRKGYQIQDFK MDLASLCLKAGVKNLNTVFLMTDAQVADERFL VLINDLLASGEIPDLYSDDEVENIISNVRNEVKSQ GLVDNRENCWKFFIDRIRRLKVTLCFSPVGNKL RVRSRKFPAIVNCTAIHWFHEWPQQALESVSLRF LQNTGIEPTVKQSISKFMAFVHTSVNQTSQSLS NEQRYNYTTPKSFLEFIRLYQSLLHRHRKELKCK TERLENGLLKLHSTSAQVDDLKAKLAAQEVELK QKNEDADKLIQVVGVEDKVSREKAMADEEEQ

SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
				KVAVIMLEVKKQKQKDCEEDLAKAEPALTAQA ALNTLNKTNLTELKSFGSPPLAVSNVSAAVMVL MAPRGRVPKDRSWKAAKVTMAKVDGFLDSLIN FNKENIHENCLKAIRPYLQDPEFNPEFVATKSYA AAGLCSWVINIVRFYEVFCDVEPKRQALNKATA DLTAAQEKLAIAKAKIAHLNENLAKLTARFEKA TADKLKCQQAQAEVTAVTISLANRLVGGLASENV RWADAVQNFKQQERTLCGDILLITAFISYLGFFT KKYRQSLDRTWRPYLSQLKTPIPVTPALDPLRM LMDDADVAAWQNEGLPADRMSVENATILNCE RWPLMVDPQLQGIKWIKNKYGEDLRVTQIGQKG YLQHEQALEAGAVVLIENLEESIDPVLGPLLGRE VIKKGRFIKIGDKECEYNPKFRLILHTKLANPHYQ PELQAQATLINFTVTRDGLDQLLAAVVSMERP DLEQLKSDLTKQQNGFKITLKTLEDSSLRLSSAS GNFLGETVLVENLEITKQTAAEVEKKVQEAKVT EVKINEAREHYRPAARASLLYFIMNDLSKIHMP YQFSLKAFSIVFQKAVERAAPDESLRERVANLID SITFSVYQYTIRGLFECDKLTYLAQLTFQILLMNR EVNAVELDFLLRSPVQTGTASPVEFLSHQAWGA VKVLSSMEEFNSNLDRIEGSAKSWKKFVESECE KEKLPQEWKNKTALQRLCMLRAMRPDRMTYAL RDFVEEKLGSKYVVGRALDFATSFEESGPATPMF FILSPGVDPLKDVESQGRKLG YTFNNQNFHNVSL GQGQEVVAEALDLAAKKGHVILQNTLEMCS RETEFKSILFALCYFHAVVAERRKFGPQGWNRSY PFNTGDLTISVNVLYNFLEANAKVPYDDLRYLFG EIMYGGHITDDWDRRLCRTYLGEFIRPEMLEGEL SLAPGFPLPGNMDYNGYHQYIDAELPPESPYLYG LHPNAEIGFLTQTSEKLFRTVLELQPRDSQARDG AGATREEKVKALLEILERV TDEFNIPELMAKVE ERTPIYIVVAFQECGRMNILTREIQRSLRELEGLK GELTMTSHMENLQNALYFDMVPESWARRAYPS TAGLAAWFPDLLNRIKELEAWTGDFTMPSTVWL TGFFNPQSFLTAIMQSTARKNEWPLDQMALQCD MTKKNREEFRSPREGAYIHGLFMEGACWDTQA GIUTEAKLKDLTPPMFVMIKAIPAD\RQDCGHVY SCPVTKTSQ\RDPTYVWTFNLKTKENPSKWVLA GVALLQI
3510	A	390	3330	AAGSGSRPPAPAARKMADLAECNIKVMCRFRPL NESEVNRGDKYIAKFQGEDTVVIASKPYAFDRVF QSSTSQEQVYNDCAKKIVKDVLEGYNGTIFA YG QTSSGKTHTMEGKLHDPEGMGIIPRIVQDIFNYIY SMDENLEFHIKVS YFEIYLDKIRDLLDVSKTNLSV HEDKNRVPYVKGCTERFVCSPDEVMDTIDEGKS NRHVAVTNMNEHSSRSHSIFLINVKQENTQTEQK LSGKLYLVDLAGSEKVSKTGAEGAVLDEAKNIN KSLSALGNVISALAEGSTYVPYRDSKMTRILQDS LGGNCRTTIVICCSPPSSYNESETKSTLLFGQRAKTI KNTVCVNVELTAEQWKKKYEKEKEKNKILRNTI QWLENELNRWRNGETVPIDEQFDKEKANLEAFT VDKDITLTNDKPATAIGVIGNFTDAERRKCEEEIA KLYKQLDDKDEEINQQSQLVEKLKTQMLDQEEL LASTRRDQDNMQAELNRLQAENDASKEEVKEV LQALEELAVNYDQKSQEVEDKTKEYELLSDELN

SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serie, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
				QKSATLASIDAELQKLKEMTNHQKKRAAEMMA SLLKDLAEIGIAVGNNDVKQPEGTGMIDEEFTVA RLYISKMKSEVKTMVKRCKQLESTQTESNKKME ENEKELAACQLRISQHEAKIKSLTEYLQNVEQKK RQLEESVDALSEELVQLRAQEKVHEMEKEHLNK VQTANEVKQAVEQQIQSHRETHQKQISSLRDEVE AKAKLITDLQDQNNQKMMLEQERLRVEHEKLKA TDQEKSRKLHELTVMQDRREQARQDLKGLEETV AKELQTLHNLRLKLFVQDLATRVKKS AEIDS\DDT GGSAAQKQKISFLENNLE\QLTKSAQTSWYRDNA DLRCELPKLEKRLRATAERVKALESALKEAKEN ASRDRKRYQQEVDRIKEAVRSKNMARRGHS AQI AKPIRPGQHPAASPTHPSAIRGGGAFVQNSQPVA VRGGGGKQV
3511	A	1	1757	MASVQASRRQWCYLCDLPKMPWAMVWDFSEA VCRGCVNFEGADRIELLIDARQLKRSHVLPEGR SPGPPALKHPATKDLAAAAAQQPQLPPPQAQPQP SGTGGGVSGQDRYDRATSSGRLPLPSPALEYTLG SRLANGLGREEAVAEGARRALLGSMPLMPGL LAAAVSGLGSRGLTLAPGLSPARPLFGSDFEKEK QQRNADCLAEELNEAMRGRAEEWHGRPKAVREQ LLALSACAPFNVRFKKDHGLVGRVFAFDATARP PGYEFELKLFTEYPCGSGNVYAGVLAVARQMFH DALREPGKALASSGFKYLEYERRHGSGEWRQLG ELLTDGVRSEFPAPAEALPQQYPEPAPAALCGP PPRAPSRLAPTPRRRKASPEPEGEAAGKMTTEE QQQRHWVAPGGPYSAETPGVPSPIAALKNVAEA LGHSPKDPGGGGGPVRAGGASPAASSTAQPPTQ HRLVARNGEAEVSPTAGAEAVSGGGSGTGATPG APLC\CTLCRERLEDTHFVQ\CPPVPEHKFCFPCSR KFIKAQGPAGE\VYCPSGDKCPLVGSSVPWAFMQ GEIATILAGDIKVKKERDP
3512	A	3	1994	NTNSSSVTNSAAGVEDLNIVQVTVPDNEKERLSS IEKIKQLREQVNDLFSRKFGAIGVDFPVKVPYR KITFNPGCVVIDGMPPGVVFKAPGYLEISSMRRL EAAEFIKFTVIRPLPGLLSNGEYSTVGKRKIDQE GRVFQEK WERA YFFVEVQNISTCLICKRSMSVSK EYNLRRHYQTNHSHYDQYMERMRDEKLHELK KGLRKYLLGLSDTECEPKQVFANPSPTQKSPVQ PVEDLAGNLWEKLREKIRSFVAYSIAIDEITDINN TTQLAIFIRGVDFNFDVSEELDTVPMTGTSGN EIFS RVEKSLKNFCINWSKLVSVA STGTPPMVDA NNGLVTKLKS RVATFCKGAELKSICCIHPESLCA QKLKMDHVM DVVKS VNWICSRGLNHSEFTTL LYELDSQYGSLLYYTEIKWLSRGLVLKRFFESLE EIDSFMSRSGKPLPQLSSIDWIRDLAFLVDMTMH LNALNISLQHSQIVTQMYDLIRAF LAKLCLWET HLTRNNLAHFPTLKL VSRNESDGLNYIPKIAELK TEFQKRLSDFKLYESELTLFSSPFSTKIDSVHEELQ MEVIDLQCN TVLKTKYDKVG IPEFYKYLWGSYP KYKHHCAKILSMFGSTYICEQLFSIMKLSKTKYC SQLKDSQWDSVLHIAT
3513	A	1836	513	FKSLLSVKWFCSILVLIFLGTRCYWEMTQSRPSP DPHRGRWEGGRSRPKGGEGRRRTRVPGLVTAS GPGNPLPDLRGEMAGGRHRRVVGTLHLLLVAA

SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
				LPWASRGVSPSASAWPEEKNYHQPAILNSSALRQ IAEGTSISEMWQNDLQPLLIERYPGSPGSAARQ HIMQRIQRLQADWVLEIDTFLSQTPTYGYRSFSNII STLNPTAKRHLVLACHYDSKYFSHWNNRVFVG ATDSAVPCAMMLELARALDKKLLSLKTVSDSKP DLSLQLIFFDGEEAFLHWSPQDSL YGSRHLAAKM ASTPHPPGARGTSQLHGMDLLVLLDLIGAPNPTF PNFFPNSARWFERLQAIEHELHELGLLKDHSLEG RYFQNYSGGVQDDHIPFLRRGVPVLHLIPSPFP EVWHTMDDNEENLDESTIDNLNKILQVFVLEYL HL
3514	A	1836	513	FKSLLSVKWFCFSILVLIFLGTRCYWEMTQSRPSP DPHRGRWEGGRSRPKGGEEGRRRTRVPGLVTAS GPGNPLPDRLGEMAGGRHRRVVGTLHLLLVAA LPWASRGVSPSASAWPEEKNYHQPAILNSSALRQ IAEGTSISEMWQNDLQPLLIERYPGSPGSAARQ HIMQRIQRLQADWVLEIDTFLSQTPTYGYRSFSNII STLNPTAKRHLVLACHYDSKYFSHWNNRVFVG ATDSAVPCAMMLELARALDKKLLSLKTVSDSKP DLSLQLIFFDGEEAFLHWSPQDSL YGSRHLAAKM ASTPHPPGARGTSQLHGMDLLVLLDLIGAPNPTF PNFFPNSARWFERLQAIEHELHELGLLKDHSLEG RYFQNYSGGVQDDHIPFLRRGVPVLHLIPSPFP EVWHTMDDNEENLDESTIDNLNKILQVFVLEYL HL
3515	A	114	754	LCRDLTMTSSKRTKTKTKRKPQRATSNVFAMF DQSQIQEFKEAFNMIDQNRDGFIDKEDLHDMLAS LGKNPTDEYLDAMMNEAPGPINFTMFLTMFGEK LNGTDPEDVIRNAFACFDEEATGTIQEDYLRELL TTMGDRFVTEVEVDELYREAPIDKKGGIFNYTE FTRHLETGGPKDKDDRKITFQIPSPNVPWLATFG VFLEIFLLHGP
3516	A	1	5169	MAAAPSALLLPFPVLSTYRLQSRSRPSAPETDD SRVGGIMRGEKNYYFRGAAGDHGSCPTTTSPLA SALLMPSEAVSSSWSESGGGLSGGDEEDTRLLQL LRTARDPSEAFQALQAALPRRGGR LGFP RRKEAL YRALGRVLVEGGSDEKRLCLQLLSDVLRGQGEA GQLEEAFLSALLPQLVVS LREENPALRKDALQIL HICLKRSPEVLR TL IQQGLEST DARLRASTALL PILLTTEDLLLGLDLTEVIISLARKLGDQETEESE TAFSALQQIGERLGQDRFQSYISRLPSALRRHYN RRLESQFGSQVPYYLELEASGFPEPLPCAVTSL NSNLKFGIIPQELHSRLLDQEDYKNRTQAVEELK QVLGKFNPSSTPHSSLVGFISLLYNLLDDSNFKVV HGTLEV LHLVIRLGEQVQQFLGPVIAASVKVLA DNKLVIKQEYMKIFLKLMEVGPQQVLC LLEH LKHKHSRVREEVNICICSLLTYPSEDFDLPKLSF DLAPALVDSKRRVRQAAL EAFV LASSMGSGKT SILFKA VDTVELQDNGDGMNAVQARLARKTLP RLTEQGFVEYAVLMPSSAGGRSNHLAHGADTD WLLAGNRTQSAHCHCGDHVRDSMHIYGSYSPTI CTRRVLSAGKGKNKLPWENEQPGIMGENQTSTS KDIEQFSTYDFIPSAKLKLSQGMPVNDDL CFSRK RVSRNLFQNSRDFNPDCPLCAAGTTGTHQTNLS GKCAQLGFSQICGKTGSGVGS DLQFLGTTSSHQEK

SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
				VYASLNFGSKTQQTFGSQTECTSSNGQNPSPGAY ILPSYPVSSPRTSPKHTSPLIISPKKSQDNSVNFNS WPLKSFEGLSKPKSHRRSLSAQKSS\DPTGR\NHG \ENSQEKPP\VQLTPAL\VRSPSSRRGLNGTKPVPI PRGISLLPKADLSTVGHKKKEPDDIWKCEKDS LPIDLSELNFKDKDLQDEEMHSSRLSLRNSAAKK RAKLSGSTSDLESPDSAMKLDLTMDSPSLSSSPNI NSYSESGVYSQESLTSSLSTTPQGKRIMSDIFPTFG SKPCPTLSSAKKKISHIAEQSPSAGSSSNPQQISS FDFTTTKALSEDSVVVGKGVFGSLSSAPATCSQ SVISSVENGDTSIKQSIEPPSGIYGRSVQQNISSYL DVENEKDAKVSISKSTYNKMRQKRKEEKELFHN KDCEKKEKNSWERMRTGTGTEKMASESETPTGAI SQYKERMPSVTHSPEIMDLSELRFPSKPEIALTEA LRLLADEDWEKKIEGLNFIRCLAAFHSEILNTKL HETNFAVVQEVKNLRSGVSRAAVVCLSDLFTYL KKSMDQELDTTVKVLLHKAGESNTFIREDVDKA LRAMVNNVTPARAVVSLINGGQRYYGRKMLFF MMCHPNFEKMLEKYVPSKDLPIKDSVRNLQOK GLGEIPLDTPSAKGRRSHTGSVGNTRSSSVSRDA FNSAERAVTEVREVTNRKSVPRNSLESAEYLKLIT GLLNAKDFRDRINGIKQLLSDTENNQDLVVGNI KIFDAFKSRLHDSNSKVNLVALETMHKMIPLLRD HLSPINMLIPAIVDNNLNSKNPGIYAAATNVVQA LSQHVDNYLLQPFCTKAQFLNGKAKQDMTEKL ADIVTELYQRKPHATEQKVLVVLWHLGNMTN SGSLPGAGGNIRTATAKLSKALFAQMGNLLNQ AASQPPHIKKSLEELLDMTILNEL
3517	A	1449	252	QDLKPVLDREYLAIYLMVFFTCNACGESVKKI QVEKHVSVCNCECLSCIDCGKDFWGDDYKNH VKCISEDQKYGGKGY/EKVKTHKGD/ASKQQA WIKISELIK\RPNVSPKVRELLEQISAFDNVPQKK AKFQNWMLNSLKVHNEISILDQVWNIFSEASNSE PVNKEQDQRPLHPVANPHAEISTKVPASKVKDA VEQQGEVKKNKRERKEERQKKRKREKKELKLE NHQENSRNQPKKRKKGQEADLEAGGEEVPEA NGSAGKRSKKKKQRKDSASEEEARVGAGKRKR RHSKVETDSKKKKMKLPEHPEGGEPEDEAPAK GKFNWKGTIKAILKQAPDNEITIKLRKKVLAQY YTVTDEHHRSEEELLVIFNKKISKNPFTKLLKDK VKLVK
3518	A	3	635	APDSNARNDFHDACSLRVQAGLSSAGPALGNSG LAALMASPSKAVIVPGNGGGDVTTGHWYGWVK KELEKIPGFQCLAKNMPDPITARESIWLPFME TELHCDEKTHIGHSSGAIAAMRYAETHRVYAIVL VSAYTSDLGDENERASGYFTRPWQWEKIKANCPY TVQFGSTDDPFLPWKEQQEVAD\SWKPNCNTSL TVATFRTQSFMN
3519	A	81	2277	VRETRREMAMMSDSGASRLRRQLESGGFEARL YVKQLSQSDGDRDLQEHRRRIQALAEETAQNL KRNQYQNYRQFIETAREISYLESEMYQLSHLLTE QKSSLESIPLTLLPAAAAAGAAAAAGGEEGVGGA GGRDHLRGQAGFFSTPGGASRDGSGPGEEGKQR TLTTLEKVEGCRHLLTPGQYLVYNGDLVEYD ADHMAQLQRVHGFLMNDCLLVATWLPQRRGM

SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
				YRYNALYSLDGLAVVNVKDNPPMKDMFKLLMF PENRIFQAENAKIKREWLEVEDTKRALSEKRRR EQEEAAAPRGPPQVTSKATNPFEDDEEEPAVPE VEEEKVDLSMEWIQELPEDLDVCIAQRDFEGAV DLLDKLNHYLEDKPSPPVKELRAKVEERVRL TEVLVFELSPDRSLRGGPKATRAVSQIRLGQC TKACELFLRNRAAAVHTAIRQLRIEGATLLYHK LCHVFFTSLLETAREFEIDFAGTDSGCYSAFVW ARSAMGMFVDAFSKQVFDSKESLSTAAECVKVA KEHCQQLGDIGLDLTFIHALLVKDIQALHSYK EIIIEATKHRNSEEMWRRMNLMTPEALGKLKEE MKSCGVSNEFYQTGDDCWVNLSTVVAFTKQT MGFLEEALKLYFPELHMVLLESLVEILVAVQHV DYSLRCEQDPEKKAFIRQNASFLYETVLAPVVEK RFEEGVGKPAKQLQDLRNASRLIRVNPESTTSVV
3520	A	1706	540	FVAHLAWPWRADGDMEDGVLNEGFLVKRGHIV HNWKARWFILRQNTLVYYKLEGGRRVTPPKGRI LLDGCTITCPCLEYENRPLLIKLTQTSTEFLEA CSREE/RRDAWAFENITGAIHAGQARGKVQQLHS LRNSFKLPPHISLHRIVDKMHDSNTGIRSSPNMEQ GSTYKKTFLGSSLVDWLISNSFTASRLEAVTLAS MLMEENFLRPVGVRSMDGAIASGDLAEQFLDDST ALYTFAESYKKKISPKEEISLSTVELSGTVVKQGY LAKQGHKRKNWKVRRFVLRKDPAFLHYDPSK EENRPVGGFSLRGSLVSALEDNGVPTGVKGNVQ GNLFKVITK\DDTHYYIQA\SSKAE\RAE\WIGSLS KSLNMNKDPEGTPDSLPSLPR
3521	A	3	3063	HASVSLSLGCPRPCADTPGPQPQPMDLRVGQRPP VEPPPEPTLLALQRPQRLHHHLFLAGLQQQSV PMRVKMELPACGATLSLVPSLPAFSIPRHQSQSST PCPFLGCRPCPQLSMDTPMPELQEAPQEQLRQL LHKDKSKRSAVASSVVKQKLAEVILKKQQAAL RTVHPNSPGIPYRTLEPLETEGATRSMLSSFLPPV PSLPSDPPEHFPLRKTVSEPNLKLRYKPKKSLERR KNPLLKESAPPSLRRRPAETLGDSSPSSSSTPAS GCSSPNDSEHGPNPILGSEALLGQRLRLQETSVAP FALPTVSLLPAILGLPAPARADSDRRTHPTLGPR GPILGSPHTPLFLPHGLEPEAGGTLP SRLQPILLD PSGSHAPLLTVPGLGPLPFHFAQSLMTTERLSGSG LHWPLSRTRSEPLPPSATAPPPPGPMQPRLEQLKT HVQVIKRSAPSEKPRLRQIPSAEDLETGDDGGPG QVVDGGLHRELGHGQPEARGPAPLQQHPQVLL WEQQLAGRLPRGSTGDTVLLPLAQGGHRPLSR AQSSPAAPASLSAPEPASQARVLSSSETPARTLPF TTGLIYDSVMLKHQCSCGDNSRHPEHAGRIQSIW SRLQERGLRSQCECLRGRKASLEELQSVHSEH LLYGTNPLSRLKLDNGKLAGLLAQRMFVMLPCG GVGVDTDTIWNLHSSNAARWAAGSVTDLAFK VASRELKNGFAVVRPPGHHADHSTAMGFCFFNS VAIACRQLQQQSKASKILIVDWDVHHGNGTQQT FYQDPSVLYISLHRHDDGNFFPGSGAVDEVGAGS GEGFNVNVAWAGGLDPPMGDPEYLA AFRIVVM PIAREFSPDLVLVSAGFDAAEGHPAPLGGYHVSA KCFGYMTQQLMNLAGGAVVLALEGGHDLTAIC DASEACVAALLGNRVDPLSEEGWKQKPNLNAIR

SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
				SLEAVIRVHISKYWGCMQRLASCPDSWVPRVPG ADKEEVEAVTALASLSVGILAEDRPSEQLVEEEE PMNL
3522	A	9	602	KMAALGEPVRLERDICALIELLEKLQRSGEVPPQ KLQALQRVLQSEFCNAVREVEHYETVDISSSP EVRANATAKATVAFAASEGHSHPRVVELPKTE EGLGFNIMGGKEQNSPIYISRIIP/GGIADRHGGLK RGDQLLSVNGVSVEGEHHEKAVELLKAAQGKV KLVVRYTPKVLEEMESRFEKMRSARRQQT
3523	A	645	1465	IMAETSLLEAGASAASTAAALLENLQVEASCSVCL EYLKEPVIIECGHNFCKACITRWEDLERDFPCP VCRKTSRYRSLRPNRQLGSMVEIAKQLRPSSGRS GMRASAPQHHEALSFCYEDQEA VCLICAISHTH RAHTVVPLDDATQEYKEKLQKCLEALNQKLQEI TRCKSSEKKPGELKRLVESRRQILREFEELHRR LDEEQVLLSRLEEEEDILQRLRENAHLGDKR RDLAHLAAEVEGKCLQSGFEMLKVRPLPLHSPS G
3524	A	3	698	PMVRHEAGEALGAIGDPEVLEILKQYSSDPVIEV AETCQLAVRRLEWLQQHGGEPAAAGPYLSVDPAP PAER\DVGRLEALLDESRLFERYRAMFALRN AGGEEAALALAEGLHCGSALFRHEVG YVLGQLQ HEAAVPQLAAALARCTENPMVRHECAEALGAIA RPACLAALQAHADDPERVVRE\SKVALDMYEH ETGRAFYADGLEQLRGAPSLGPNPHPELPEDS
3525	A	1452	694	EGLQRPEYL VASAAGFQGLAWGGEGRGRAGCS SSGFRDAEPLLLSCPGRNEPLKKERLKWSDYP MTDGQLRSKRDEFWD TAPAFEGRKEIWDALKA AA YAAEANDHELAQAILDGASITLPHGTLCECY DELGNRYQLPIYCLSPVNLLEHTEESLEPPEP PPSVRREFPLK VRLSTGKDVRLSASLPD TVGQLK RQLHAQE/GTPKPSWQRWFFSGKLLTDRTRLQET KIQKDFVIQVIINQPPPPQD
3526	A	123	3441	PGNEGLGLAADHNEDLGHL SADAPWPAVTMAP RKRSHHGLGFLCCFGGSDIPEINLRDNHPLQFME FSSPIPNAEELNIRFAELVDELDT DKNREAMFAL PPEKKWQIYCSKKKEQEDPNKLATSWPDYYIDRI NSMAAMQSLYAFDEEETEMRNQVVEDLKTALR TQPMRFVTRFIELEGLTCLLNFLRSM DHATCESRI HTSLIGCIHALMNSQGRAHVLAQPEAISTIAQSL RTENSKTKVAVLEILGAVCLVPGGHKKVLQAML HYQVYAAERTRFQTLLNELDRSLGRYRDEVNLK TAIMSFINAVLNAGAGEDNLEFRLHLRYEFLMLG IQPVIDKLRQHENA ILDKHLDFEMVRNEDDLEL ARRFDMVHIDTKSASQMFELIHKKLKYTEAYPC LLSVLHHCLQMPYKRNGGYFQQWQLLDRI LQOI VLQDERGVDPDLAPLENFNVKNIVNMLINENEV KQWRDQAEKFRKEHME LVSRLEKERECE TKTL EKEEMMRTL NKMMDKLARESQELRQARGQVA ELVAQLSELSTGPVSSPPPPGGPLTLSSSMTTNDL PPPPPLPFACCPPPPPPLPPGGPPTPPGAPPCLG MGLPLQDPYPSSDVPLRKKRVPQSHPLKSFNW VKLNEERVPGTVWNEIDDMQVFRILDLEDFEKM FSAYQRHQELITNPSQQKELGSTEDIYLASRKVK ELSVIDGRRAQNCILL SKLKL SNEEIRQAILKMD

SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
				EQEDLAKDMLLEQLLKFIPEKSDIDLLEEHKHEIER MARADRFLYEMSRIDHYQQRLQALFFKKKFQER LAEAKPKVEAILLASRELVRSKRLRQMLEVILAI GNFMNKGQRGGAYGFRVASLNKIADTKSSIDRN ISLLHYLMILEKHFPDILNMPSELQHLPEAAKVN LAELEKEVGNLRRGLRAVEVELEYQRRQVREPS DKFVPVMSDFITVSSFSFSELEDQLNEARDKFAK ALMHFGEHDSKMOPDEFFGIFDTFLQAFSEARQD LEAMRRRKEEEEERRARMEAMLKEQRERERWQR QRKVLAAGSSLEEGGEFDDLVSALRSGEVFDKD LCKLKRSRKRSQSQALEVTRERAINRLNY
3527	A	1445	714	LLGTRMLAGQLEARDPKEGTHPEDPCPGAGAV MEKTAVAAEVLTEDCNTGEMPPPLQQQIIRLHQE LGRQKSLWADVHGKLRSHIDALREQNMELREKL RALQLQRWKARKKSAASPHAGQESHTLALEPAF GKISPLSADEETIPKYAGHKNQSGHSSWGQRSSS NNSAPPKPSMLKIERISSWKTPPQENRDKNLSRR RQDRRATPTGRPTPCAERRGVSEDGKVASDTCV TLHWPLGKFRFR
3528	A	484	1777	RISKIQVYYSTGYSSRKMNPTLGLAIFLAVLLTVK GLLKPSFSPRNYKALSEVQGWKQRMAAKELAR QNMDLGFKLLKKLAFYNPGRNIFLSPLSISTAFS MLCLGAQDSTLDEIKQGFNFRKMPEKDLHEGFH YIIHELTKTKTQDLKLSIGNTLFIDQRLQPQRKFLE DAKNFYSAETILTQNFQNLMAQKQINDFI/ESKTH GKINNLIENIDPGTVMMLANYIFFRARWKHEFDP NVTKEEDFFLEKNSSVKVPMFMFRSGIYQVGYDD KLSCTILEIPYQKNITAIFILPDEGKLKHLEKGLQV DTFSRWKTLLSRRVVDVSVPRLHMTGTDFDLKKT LSYIGVSKIFEEHGDLTKIAPHRSKLVGEAVNKA ELKMDERGTEGAAGTGAQTLPMETPLVVKIDKP YLLLIYSEKIPSVLFLGKIVNPIGK
3529	A	1	5684	VSSVSHENPTEVFEDGENPPSSRSSES GFTEFIQY QADRTDDIDRELSEGQGAAPIGSTSSETETAST VGSEETHIQTSPSVVTQGTATRSRKTAKTAMQCC LEYVQQFLTRLINLYIIQNNSFSQSLATEHQDGLG REQGETSKWDRNSQGDVKEKNISKQKTSKEYLS AFLAACQLFLECSSFVYIAEGNHTSELRSEKLET DCEHVQPPQWLQTLMNACSQASDFSQSV AISL VMDLVGLTQSVAMVTGENINSVEPAQPLSPNQG RVAVVIRPPLTQGNLRYIAEKTEFFKHVALTLWD QLGDGTPQH HQKSVELFYQLHNLVPSSSICEDVI SQQ LTHKDKKIRMEAHAKFAVLWHLTRDLHINK SSSFVRSFDRSLFIMLDSLNSLDGSTSSVGQAWL NQVLQRHDIARVLEPLLLLLLHPKTQRVSVQRV QAERYWNKSPCYPGEESDKHFMQNFACSNVSQ VQLITSKGNGEKPLTMDEIENFSLTVNPLSDRLSL LSTSSETIPMVVSDFDLPDQQIEILQSSDSGCSQSS AGDNLSYEVDPETVNAQEDSQMPKESSPDDDVQ QVVFDLICKVVSGLVESASVTSQLEIEAMPKPC SDIDPDEETIKIEDDSIQSQNALLSNESSQFLSVS AEGGHECVANGISRNSSSPCISGTTHTLHDSSVAS IETKSRQRSHSSIQFSFKEKLSEKVSEKETIVKESG KQPGAKPKVKLARKKDDDDKKKSSNEK LKQTSV FFSDGLDLENWYSCGEGDISEIESDMGSPGSRKSP

SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
				NFNIHPLYQHVLVLLYLQLYDSSRTLAFSAIKAILK TNPIAFVNAISTTSVNNA YTPQLSLLQNLLARHRI SVMGKDFYSHIPVDSNHNFRSSMYIEILISLCLYY MRSHYPHTHVKVTAQDLIGNRNMQMMSIEILTLL FTELAKVIESSAKGFPSFISDMLSCKKVQKVILHC LLSSIFSAQKWHSEKMAGKNLVAVEEGFSEDSLI NFSEDEFDNGSTLQSLLKVLQRLIVLEHRVM/T IPEENETGFDFVVS/DLEHISPHQPM TSLQYLHAQ SITCQGMFLCAVIRALHQHCACKMHPQWIGLIT STLPYMGKVLQRVVVSVTLQLCRNLDNLIQQYK YETGLSDSRPLWMA SIIPDMILTLEGITAIHYC LLDPTTQYHQLLVSDQKHLFEARSGILSILHMI MSSVTLLWSILHQADSSEKMTIAASASLT TTNLG ATKNLRQQILELLGPISMNHGVHFMAAIAFVWN ERRQNKT TTRTKVIPAASEEQLLVELVRSISVM RAETVIQTVKEVLKQPPAIAKDKKHL SLEVCML QFFYAYIQRIPVPNLVDSWASLLILLKDSIQLSLP APGQFLILGVLNEFIMKNPSLENKKDQDRLQDVT HKIVDAIGAIAAGSSLEQTTWLRRNLEV KPSPKIM VDGTNLESDVEDMLSPAMETANITPSVYSVHAL TLLSEVLAHLLDMVFYSDEKERVIPLLVNIMHYV VPYLRNHSAHNAPS YRACVQLLSSLSGYQYTRR AWKKEAFDLFMDPSFFQMDASCVNHWRAIMDN LMTHDKTTFRDLMT RVAVAQSSSLNLFANRDVE LEQRAMLLKRLAFAIFSSEIDQYQKYL PDIQERLV ESLRLPQVPTLHSQVFLFFRVLLLRMS PQHLTSL WPTMITELVQVFLMEQELTADEDISRTSGPSVA GLETTYTGNGFSTS YNSQRWLNLYLSACKFLD LALALPSENLPQFQMYRWAFIPEASDDSGLEVRR QGIHQREFKPYVVR LAKLLRKRAKNPEEDNSG RTLGWEPGHL LTTICTVRSMEQLLPFFNVLSQVF NSKVTSRCGGHSGSPILYSNAFPNKDMKLENHKP CSSKARQKIEEMVEKDFLEGMIKT
3530	A	1	5684	VSSVSHENPTEVFEDGENPPSSRSSES GFTEFIQY QADRTDDIDRELSEGQGA AAPIGSTSSETETAST VGSEETIIQTPSVVTQGTATRSRKT AQKTAMQCC LEYVQQFLTRLINLYIIQNNSFSQSLATEHQGDLG REQGETSKWDRNSQGDVKEKNISKQKTSKEYLS AFLAACQLFLECSSFVYIAEGNHTSEL RSEKLET DCEHVQPPQWLQ TLMNACSQASDFSVQSV AISL VMDLVGLTQSVAMVTGENINSVEPAQPLSPNQG RVAVVIRPPLTQGNLRYIAEKTEFFKHV ALTLWD QLGDGTPQHHQKSVELFYQLHNLVPSSSICEDVI SQQ LTHKDKKIRMEAHAKFAVLWHLTRDLHINK SSSFVRSFDRSLFIMLDSLNSLDGSTSSVGQAWL NQVLQRHDIARVLEPLLLLLLLHPKTQRVSVQRV QAERYWNKSPCYPG EESDKHFMQNFACSNVSQ VQLITSKGNGEKPLTMDEIENFSLTVNPLSDRLSL LSTSS ETIPMVVSDFDLPDQQIEILQSSDSGCSQSS AGDNLSYEVD PETVNAQEDSQMPKESSPDDDVQ QVVF DLICKVVS GLEVESASVTSQLEIEAMP PKC SDIDPDEETIKIEDDSIQQSQNALLSNESSQFLSVS AEGGHECVANGISRNSSSPCISGTTHTLHDSSVAS IETKSRQRSHSSIQFSFKEKLSEKVSEKETIVKESG KQPGAKPKVKLARKKDDDDKKKSSNEKLLKQTSV

SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
				FFSDGLDLENWYSCGEGDISEIESDMGSPGSRKSP NFNIHPLYQHVLVLYLQLYDSSRTLAFSAIKAILK TNPIAFVNAISTTSVNNAYTPQLSLLQNLLARHRI SVMGKDFYSHIPVDSNHNFRSSMYIEILISLCLYY MRSHYPHTHVKVTAQDLIGNRNMQMMSIEILTLL FTELAKVIESSAKGFPSFISDMLSCKVQKVILHC LLSSIFSAQKWHSEKMA GKNLVAVEEGFSEDSLI NFSEDEFDNGSTLQSLLKVLQRLIVLEHRVM/T IPEENETGDFVVS/DLEHISPHQPM TSLQYLHAQ SITCQGMFLCAVIRALHQHCACKMHPQWIGLIT STLPYMGKVLQRVVSVTLQLCRNLDNLIQQYK YETGLSDSRPLWMA SIIPDMILTLLGITAIHYC LLDPTTQYHQLLVSDQKHLFEARSGILSILHMI MSSVTLLWSILHQADSSEKMTIAASASLTINLG ATKNLRQQILELLGPISMNHGVHFM AIAFVWN ERRQNKTTRTKVIPAASEEQLLVELVRSISVM RAETVIQTVKEVLKQPPALAKDKKHL SLEVCML QFFYAYIQ RIPVPNLVDSWASLLILLKDSIQLSLP APGQFLILGVLNEFIMKNPSLENKKDQRDLQDVT HKIVDAIGAIA GSSLEQTTWLRNLEV KPSPKIM VDGTNLESDVEDMLSPAMETANITPSVYSVHAL TLLSEVLAHLLDMVFYSDEKERVIPLLVNIMHYV VPYLRNHSAHNAPS YRACVQLLSSLSGYQYTRR AWKKEAFDLFMDPSFFQMDASC VNHWRIMDN LMTHDKTTFRDLMTRVAVAQSSSLNLFANRDVE LEQRAMLLKRLAFAIFSSEIDQYQK YLPDIQERLV ESLRLPQVPTLHSQVFLFFRVLLLRMS PQHLSL WPTMITELVQVFLMEQELTADEDISRTSGPSVA GLETTYTGNGFSTSYNSQRWLNLYLSACKFLD LALALPSENLPQFQMYRWAFIPEASDDSGLEVRR QGIHQREFKPYVVRLAKLLRKRAKKNPEEDNSG RTLGWEPGHL TICTVRSMEQLLPFFNVLSQVF NSKVTSR CGHSGSPILYSNAFPNKDMKLENHKP CSSKARQKIEEMVEKDFLEGMIKT
3531	A	553	2470	LISPSALSSQDPALSLKENLEDISGWGLPEARSK ESVSFKDVAVDFTQEEWGQLDSPQRALYRDVM LENYQNLLALGPPLHKPDVISHLERGEEPWSMQ REVPRGPCPEWELKA VPSQQQGICKEEPAQEPIM ERPLGGAQAWGRQAGALQRSQAAPGR\RTCHG LGRP\VEEFPLRCPLFAQQRVPEGGPLLDTRKNV QATEGRTKAPARLCAGENASTPSEPEKFPQVRRQ RGAGAGEGEFVCGECGKA FRQSSSLTLHRRWHS REKAYKCECGKAFTWSTN LLEHRRJHTGEKPFF CGECGKAFSCHSSLN VHQRJHTGERPYKCSACEK AFSCSSLLSMHLRVHTGEKPYRCGECGKA FNQR THLTRHHRIHTGEKPYQCGSCGKAFTCHSSLT VH EKIHSGDKPFKCDCEKAFNSRSLTLHQRTHTG EKPFKCADCGKGF SCHAYLLVHRRJHSGEKPFKC NECGKAFSSHAYLIVHRRJHTGEKPFDCSQCWKA FSCHSSLIVHQRJHTGEKPYKCSECGRAFSQNHCL IKHQKIHSGEKSFKCEKCGEMFNWSSHLTEHQRL HSEGKPLAIQFNKHLSTYYVPGSLLGAGDAGLR DVDPIDALDVAKLLCVVPPRAGRNFSLGSKPRN
3532	A	3931	317	HRELQDSPAEPAGSMPLRHWGMARGSKPVGD GAQPMAMGGLKVLLHWAGPGGGEPWVTFSES

SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
				SLTAEVCIHIAHKVGITPPCFNLFALFDAQAQV WLPPNHILEIPRDASLMLYF\RHRFYSR\NWHGM NPPEPAVYRCGPPGTEASSDQTAQGMQLLDPAS FEYLFEQGKHEFVNDVASLWELSTEEIHHFKNE SLGMAFLHLCHLALRHGIPLEEVAKKTSFKDCIP RSFRRHIRQHSALTRLRLRNVFRRFLRDFQPGRLS QQMVMVKYLATLERLAPRFGTERVPVCHLRLLA QAEGEPCYIRDSGVAPTDPGPESAAGPPTHEVLV TGTGGIQWWPVEEEVNKEEGSSGSSGRNPQASL FGKKAKAHKAFGQPADRPREPLGAYFCDFRDIT HVGLKEHCVSIHRQDNKCLELSLPSRAAALSFSVS LVDGYFRLTADSSHYLCHEVAPPRLVMSIRDGIH GPLLEPFVQAKLRPEDGLYLIHWSTSHPYRLILTV AQRSQAPDGMQSLRLRKFPQEQDGAFFVLEGWG RSFPSVRELGAALQGCLLRAGDDCFSLRRCCLPQ PGETSNLIIMRGARASPRTLNLSQLSFHRVDQKEI TQLSHLGQGTRTNVYEGRLRVEGSGDPEEGKMD DEDPLVPGRDRGQELRVVLKVLDPSHHDIALAF YETASLMSQVSHTHLAFVHGVCVRGPENIMVTE YVEHGPLDVWLRREGRGHVPMAMWMMVVAQQLA SALSYLENKNLVHGNVCGRNILLARLGLAEGTSP FIKLSDPGVGLGALSREERVERIPWLAPECLPGG ANSLSTAMDKWGFATLLEICFDGEAPLQSRSPS EKEHFYQRQHRLPEPSCPQLATLTSQCLTYEPTQ RPSFRTILRDLTRLQPHNLADVLTVNPDSPASDPT VFHKRYLKKIRDLGEGHFGKVSLEYCYDPTNDGT GEMVAVKALKADCGPQHRSGWKQEIDILRTLYH EHIKYKGCCEDQGEKSLQLVMEYVPLGSLRDYL PRHSIGLAQLLLFAQQICEGMAYLHAQHYIHRDL AARNVLLDNDRLVKIGDFGLAKAVPEGHEYRV REDGDSVPFWYAPECLKEYKFYYASDVWSFGVT LYELLTHCDSSQSPPTKFLELIGIAQGQMTVLRIT ELLERGERLPRPDKCPCEVYHLMKNCWETEASF RPTFENLIPILKTVEKYQGQAPS VFSVC
3533	A	182	3465	FRWLDFFRGSINSQFEFGRKKENMTSPAKFKKDK EIIAEYDTQVKEIRAQLTEQMKCLDQQCEL RVQL LQDLQDFFRKKAEIEMDYSRNLEKLAERFLAKT RSTKDQQFKKDQNVLSPVNCWNLLNQVKRES RDHTTLDIYLNNIIPRFVQVSEDSGRLFKKSKEV GQQLQDDLMKVLNELYSVMKTYHMYNADSISA QSKLKEAEKQEEKQIGKSVKQEDRQTPRSPDSTA NVRIEEKHVRSSVKKIEKMKEKRQAKYTENKL KAIKARNEYLLALEATNASVFKYYTHDLSDLIDQ CCDLGYHASLNRALRTFLSAELNLEQSKHEGLD AIENAVENLDATSDKQRLMEMYNNVFCPPMKFE FQPHMGDMASQLCAQQPVQSELLQRCLQLQSRL STLKIENEEVKKTMEATLQTIQDIVTVEFDVSD CFQYSNSMESVKSTVSETFMSKPSIAKRRANQQE TEQFYFTKMKEYLEGRNLITKLQAKHDLLQKTL GESQRTDCSLARRSSTVRKQDSSQAIPLVVESCIR FISRHLQHEGIFRVSGSQVEVNDIKNAFERGEDP LAGDQNDHDMDSIAGVLKLYFRGLEHPLFPKDIF HDLMACVTMDNLQERALHIRKVLLVLPKTTLII MRYLFAFLNHL SQFSEENMMDPYNLAICFGPSL MSVPEGHDQVSCQAHVNELIKTIIQHENIFPSPRE

SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
				LEGPVYSRGGSMEDYCDSPHGETTSVEDSTQDV TAEHHTSDDECEPIEAIKFDYVGRtarelsfkk GASLLLYQRASDDWWEGRHNGIDGLIPHQYIVV QDTEdgvversspkseiEviSEPPeeKVTARAGAS CPSGGHVADIYLANINKQRKRPESGSIRKTFRSDS HGLSSSLTDSSSPGVGASCRPSSQPIMSQSLPKEG PDKCSISGHGSLNSISRHSSLKNRLDSPQIRKTAT AGRSKSFdNHRPMDPEVIAQDIEATMNSALNELR ELERQSSVKHTPDVVLDTLEPLKTSPVVAPTSEPS SPLHTQLLKDPEPAFQRSASTAGDIACAFRPVKS VKMAAPVKPPATRPKPTVFPKTNATSPGVNSST SPQSTDKSCTV
3534	A	1	2640	FRRFVCPASRRPAAGLRDAASSAPRGMASEGPRE PESEGIKLSADVkpFVPRFAGLNVAWLESSEACV FPSSAATYYPFVQEPPVTEQKIYTEDMAFGASTFP PQYLSSEITLHPYAYSPYTLdstQNVYsvPGSQY LYNQPSCYRGFQTVKHRNENTCPLPOEMKALFK KKTYDEKKTYDQQKFDserADGTISSEIKSARGS HHLsiYAENSLKSDGYHKRTDRKSRIIAKNVSTS KPEFEFTTLDfPELQGAENNMSEIQKQPKWGPVH SVSTDISLLREVVKPAAVLSKGEIVVKNNPNESV TANAATNSPSCtRELswTPMGYVVRQTLSTELS AAPKNVTSMINLKTiASSADpKNVSIPsSEALSSD PSYNKEKHIIHPTQKSKASQGSdLEQNEASRKNK KKKEKSTSKYEVLTvQEPPRIEdAEeFPNLAVAS ERRDRIETPKFQSKQPPQDNFKNNVKKSQLPVQL DLGGMlTALEKKQHSQHAKQSSKPVVVSvGAV PVLsKECAsGERGRRMSQMKTPHNPLDSSAPLM KKGKQREIPKAKKPTSLKKIILKERQERKQRLQE NAVSPAFTSDDTQDGESGGDDQfPEQAELSGPEG MDELISTPSVEDKSEEPpGTelQRdTEASHLAPN HTTFPKIHSRRFRDYCSQMLSKEVDACvTDLLKE LVRfQDRMYQKDPVKAKTKRRLVLGLREVLKH LKLKKLKCVIISPNCeKIQSKGGLDDTLHTIIdYA CEQNIPFVFALNRKALGRSLNKAVPVSvVGIFSY DGAQDQFHKMVELTVAARQAYKTMLENVQQE LVGEP\SLRHLPAYPHRAPAALQKMAPQP/VKEK EEPHYIEIWKKHLEAYSGCTLELEESLEASTSQM MNLNL
3535	A	1747	983	LFQFQVCRSVLSPRAAGCTWSLAPRSRGAAGSPR RYRGPQPQPAPPSALPNSRPSVASGREMVVLSV PAEVTVILLDIEGTTTPIAFVKDILFPYIEENVKEY LQTHWEEEECQQDVSLLRKQVfADVVPVVRKW REAGMKVYIYSSGSVEAQKLLFGHSTEGDILELV DGHFDTKIGHKVESESyrKIADSiGCSTNNILFLT DVTREASAAEEADVHVAVVVRPGNAGLTdDEK TYYSLITSfSELYLPsST
3536	A	3	1302	GRPPTAPHTGRPPTANRGDPRLDLKRGCARLLTS IESRGRPAASAGLRDRCALRRWPLRRAPLARAT RRRAGSPRRCAPRPACpQGWSRARHQPGGLCL LLLLLCQFMEDRSAQAGNCWLRQAKNGRCQVL YKTELSKEECSTGRLSTSWTEEDVNDNTLfkW MIFNGGAPNCIPCKETCENVDCGPGKKCRMNKK NKPRCVCAPDCSNITWKGPVCGLDGKTYRNECA LLKARCKEQPELEVQYQGRCKKTCRDVFCPGSS

SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
				TCVVDQTNNA YCVTCNRCPEPASSEQYLCGND GVTYSASACHLRKATCLLGRSIGLAYEGKCIKAK SCEDIQCTGGKKCLWDFKVGRGRCSLDELCPD SKSDEPVCASDNATYASECAMKEAACSSGVLE VKHSGSCNSISEDTEEEEEDEDEDQDYSFPISILEW
3537	A	285	2123	IGLFLQVAPLSVMAKSCPSVCRCDAGFIYCNDRF LTSIPTGIPEDATTLYLQNNQINNAGIPSDLKNLL KVERIYLYHNSLDEFPTNLPKYVKELHLQENNIR TITYDSLSKIPYLEELHLDDNSVSAVSIEEGAFRD SNYLRLLFLSRNHLSTIPWGLPRTIEELRLDDNRIS TISSPSLQGLTSLKRLVLDGNLLNNHGLGDKVFF NLVNLTELSLVRNSLTAAPVNLPGTNLRKLYLQ DNHINRVPPNAFSYLRQLYRLDMSNNNLSNLPQ GIFDDLNDITQLILRNNPWYCGCKMKWVRDWL QSLPVKVNVRGLMCQAPEKVRGMAIKDLNAELF DCKDSGIVSTIQITTAIPNTVYPAQGQWPAPVTK QPDIKNPKLTKDHQTTGSPSRKTITITVKSVTSDTI HISWKLALPMTALRLSWLKLGHSPAFGSITETIVT GERSEYLVTALEPDSPYKVCMPVPMETSNLYLFD ETPVCIEETETAPLRMYNPTTTLNREQEKEPYKNP NLPLAAIIGGAVALVTIALALVCWYVHRNGSLF SRNCAYSKGRRRKDDYAEAGTKKDNSILEIRETS FQMLPISNEPISKEEFVIHTIFPPNGMNLKNNH
3538	A	877	6184	WNVKPSLLVVQLFKFSDKEEHEQND SISGKTGET GVEEMIA TRKVEQDSKETVKLSHEDDHILEDAGS SDISSDA ACTNPNKTENSLVGLPSCVDEVTECNL ELKDTMGIADKTENTLERNKIEPLGYCEDAESNR QLESTEFNKS NLEVVD TSTFGPESNILENAICDVP DQNSKQLNAIESTKIESHETANLQDDRNSQSSSV SYLESKSVKSKHTKPVIHSKQNM TTDAPKKIVAA KYEVIHSKTKVNVKSVKRNTDVPESQQNFHRPV KVRKKQIDKEPKIQSCNSGVKSVKNQAHSVLKK TLQDQTLVQIFKPLTHSLSDKSHAHPGCLKEPHH PAQTGHVSHSSQKQCHKPQQQAPAMKTNSHVK EELEHPGVEHFKEEDKLKLLKPEKNLQPRQRRSS KSFSLDEPPLFIPDNIATIRREGSDHSSSFESKYMW TPSKQCGFCKKPHGNRFMVGCGRCDWDFHGDC VGLSLSQAQQMGEEDEKEYVCVKCAEEDKKTEI LDPDTLENQATVEFHSGDKTMECEKLGLSKHTT NDRTKYIDDTVKHKVKILKRESGEGRNSSDCRD NEIKKWQLAPLRKMGQPVLPRRSSEEKSEKIPKE STTVTCTGEKASKPGTHEKQEMKKKKVÆKGVL NVHPAASASKPSADQIRQSVRHSLKDILMKRLTD SNLKVPEEKA AKVATKIEKELFSFFRDTDAKYKN KYRSLMFNLKDPKNNILFKKVLKGEVTPDHLIR MSPEELASKELAAWRRREN RHTIEMIEKEQREVE RRPITKITHKGEIEIESDAPMKEQEAAMEIQEPAA NKSLEKPEGSEKARKEEVDSMSKDTTSQHRQHLLF DLNCKICIGRMAPPVDDLSPKKVKVVVG VARKH SDNEAESIADALSSTSNILASEFFEBEKEQSPKSTF SPAPRPEMPGTVEVESTFLARLNFIWKGFINMPS VAKFVTKAYPVSGSPEYLTEDLPDSIQVGGRI SPQ TVWDYVEKIKASGTKEICVVRFTPVTEEDQISYT LLFAYFSSRKRYGVAANNMKQVKDMYLIPLGAT DKIPHPLVPFDGPGLELHRPNLLGLIIRQKLKRQ

SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
				HSACASTSHIAETPESAPPIALPPDKKSKIEVSTEE APEEENDFFNSFTTVLHKQRNKPQQNLQEDLPTA VEPLMEVTKQEPKPLRFLPGVLIGWENQPTTLE LANKPLPVDDILQSLGTTGQVYDQVAQSVMEQ NTVKEIPFLNEQTNKIEKTDNVEVTDGENKEIK VKVDNISESTDKSAEITSVVGSSSISAGSLTSLSL RGKPPDVSTEAFLTNLSIQSKQEETVESKEKTLKR QLQEDQENNLQDNQTSNSSPCRSNVGKGNIDGN VSCSENLVANTARSPQFINLKRDPQAAGRSQPV TTSESKDGDSCRNGEKHMLPGLSHNKEHLTEQIN VEEKLCSAEKNSCVQQSDNLKVAQNPSVENIQT SQAEQAKPLQEDILMQNIETVHPFRRGSAVATSH FEVGNTCPSEFPSKSITFTSRSTSPRTSTNFSMPMRP QQPNIQLHLKSSPPGFPPGPPNFPQSMFGFPFHL PPPLLPPPGFGFA\QNPMPVWPPVV\HLP\GQPQR MMGPLSQASRYIGPQNFYQVKDIRRPERRHSDP WGRQDQQQLDRPFNRGKGDRQRFYSDSHHLKR ERHEKEWEQESERHRRRDRSQDKDRDRKSREEG HKDKERARLSHGDRGTDGKASRDSRNVDKKPD KPKSEDEYKDKEREKSKHREGEKDRDRYHKDR DHTDRTKSKR
3539	A	157	1769	GSWTVELSLKPSASPSLKWVCLPGAAAVNKHRS GAGGLIRSLIQCTWAPAGPARRGGRGIEDFPYLF FQLTHCQQRICSVTQAGVQWCDHSSLQPQTPGL NQSSHLSSLSSRDYRMLSSFNEWFWQDRFWLPP NVTWTELEDGRVYPHPQDLLAALPLALVLLA MRLAFERFIGLPLSRWLGVDRDQTRRQVKPNATL EKHFLTEGHRPKPQLSLLAAQCGLTLQQTQRW FRRRRNQDRPQLTKKFCEASWRFLFYLSFVGG SVLYHESWLWAPVMCWDRYPNQLTLSCPAADS EA\SLYWWYLLELGFYLSLLIRLPFDVKRKG SSIKPRPHYDPPSTA\DFKEQVIHHFVAVILMTFSY SANLLRIGSLVLLLDSSDYLLACKMVNYMQY QQVCDALFLFSFVFFYTRLVLFPTQILYTTYYESI SNRGPFPGYFFNGLMLLQLLHVFWSCILRLML YSFMKKGQMEKDIRSDVEEDSSEEAAAAQEPL QLKNGTAGGPRPAPTDGPRSRVAGRLTNRHTTA T
3540	A	267	1397	SPAGYCHSGLLPGCSRSA/CADLAKHQELPGKKL LSEKKLKRYFVDYRRVLVCGGNGGAGASCFHSE PRKEFGGPDGGDGGNGGHVILRVDOQVKSLSSV LSRVYQGFSGEDGSKNCFGRSGAVLYIRVPVGT VKEGGRVVADLSCVGDEYIAALGGAGGKGNRF FLANNRAPVTCTPGQPGQQRVLHLELKTVAHA GMVGFNPAGKSSLLRAISNARPAVASYPFTTLKP HVGIVHYEGHLQIAVADIPGIIRGAHQNRGLGSA FLRHIERCRFLLFVVDLSQPEPWTQVDDLKYELE MYEKGLSARPHAIVANKIDLPEAQANLSQLRDH LGQEVIVLSALTGENLEQLLLHLKVLYDAYAEA ELGQGRQPLRW
3541	A	1	8008	DTQVSETLKRFAKVTASVKERREILSELGKCV AGKDLPEGAVKGLCKLFLTLHRYRDAASRRAL QAAIQQLAEAQPEATAKNLLHSLQSSGIGSKAGV PSKSSGSAALLALTWTCLLVRIVFPSRAKRQGD WNKLEVEVQCLLLLEVLGGSCHKHAVDGAVKKLT

SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
				KLWKENPGLVEQYLSAILSLEPNQNYAGMLGLL VQFCTSHKEMDVVSQHKSAALLDFYMKNILMSK VKPPKYLLDSCAPLLRYLSHSEFKDLILPTIQKSL LRSPENVETISSLLASVTLDLSQYAMDIVKGLAG HLKSNSPRLMDEAVLALRNLARQCSOSSAMESL TKHLFAILGGSEGKLTVAQKMSVLSGIGSVSHH VVSGPSSQVLNGIVAELFIPFLQQEVHEGTLVHA VSVLALWCNRFTEVPKKLTEWFKKAFSLKTST SAVRHAYLQCMLASYRGDTLLQALDLLPLLIQT VEKAASQSTQVPTITEGVAAALLLLKLSVADSQA EAKLSSFWQLIVDEKKQVFTSEKFLVMASEDAL CTVLHLLTERLFLDHPHRLTGKVKVQQYHRALVA VLLSRTWHVRRQAQQTVRKLLSSLGGFKLAHGL LEELKTVLSSHKVLPLEALVTDAGEVTEAGKAY VPPRVLQEALCVISGVPGKGDVTDTEQLAQEM LIISHPSLVAVQSGLWPALLARMKIDPEAFITRH LDQIIPRMTTQSPLNQSSMNAMGSLSVLSPDRV PQLISTITASVQNPALRLVTREEFAIMQTPAGELY DKSIIQSAQQDSIKKANMKRENKAYSFKEQIIIE LKEEIKKKKGIKEEVQLTSKQKEMLQAQLDREA QVRRRLQELDGELEAALGLLDIILAKNPSGLTQYI PVLVDSFLPLKSPLAAPRIKNPFLSLAACVMPSR LKALGTLVSHVTLRLLKPECVLDKSWCQEELSV AVKRAVMLLHTHTITSRVGKGEPGAAPLSAPAFS LVFPFLKMVLTEMPHHSEEEEEWMAQILQILTVQ AQLRASNTPPGRVDENGPELLPRVAMLRLLTW VIGTGSPRLQVLASDTLTTLCASSSGDDGCAFAE QEEVDVLLCALQSPCASVRETVLRGLMELHMVL PAPDTDEKNGLNLLRRLWVVKFDKEEEIRKLAE RLWSMMGLDLQPDLCSLLDVVIYHEAAVRQAG AEALSQAVARYQRQAAEVMGRLEIYQEKLYR PPPVLDALGRVISESPDQWEARCGLALALNKL QYLDSSQVKPLFQFFVPDALNDRHPDVRKCMLD AALATLNTGKENVNSLLPVFEEFLKNAPNDAS YDAVRQSVVVLMSGSLAKHLKSDPKVKPIVAKL IAALSTPSQQVQESVASCLPPLVPAIKEDAGGMIQ RLMQQLLESDKYAERKGAAYGLAGLVKGLGILS LKQQEMMAALTDAIQDKKNFRREGALFAFEM LCTMLGKLFEPYVHVLPHLLLCFGDGNQYVRE AADDCAKAVMSNLSAHGVKLVLPSSLLAALEES WRTKAGSVELLGAMAYCAPKQLSSCLPNIVPKL TEVLTDSHVKVQKAGQQALRQIGSVIRNPEILAI APVLLDALTDPSRKTQKCLQTLDTKFVHFIDAP SLALMPIVQRAFDQDRSTDTRKMAAQIIGNMYSL TDQKDLAPYLPSTPGLKASLLDPVPEVRTVSAK ALGAMVKMGESCFEDLLPWLMTLTYEQSSV DRSGAAQGLAEVMAGLGVEKLEKLMPEIVATAS KVDIAPHVRDGYIMMFNYLPITFGDKFTPYVGPII PCILKALADENEFVRDTALRAGQRVISMYAETAI ALLLPQLEQGLFDDLWRIRFSSVQLLGDLLFHISG VTGKMTTETASEDDNFGTAQSNKAITALGVERR NRVLAGLYMGRSDTQLVVRQASLHVWKIVVSN TPRTLREILPTLFGLLLGFLASTCADKRTIAARTL GDLVRKLGEKILPEIPILEEGLRSQKSDERQGVCI GLSEIMKSTSRDAVLYFSESLVPTARKALCDPLE

SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
				EVREAAAKTFEQLHSTIGHQALEDILPFLKQLD DEEVSEFALDGLKQVMAIKSRVVLPLYVPKL TTP PVNTRVLAFLSSVAGDALTRHLGVILPAVMLAL KEKLGTPDEQLEMANCQAVILSVEDDTGHRHIE DLLEATRSPEVGMQRQAAAILNIYCSRSKADYTS HLRSLVSGLIRLFNDSSPVVLEESWDALNAITKK LDAGNQLALIEELHKEIRLIGNESKGEHVPGFCLP KKGVTSLPVLREGVLTGSPEQKEEAALGLVI RLTSADALRPSVVSITGPLIRILGDRFSWNVKAAL LETLSLLAKVGIALKPFLPQLQTTFTKALQDSNR GVRLKAADALGKLISHIKVDPLFTELLNGIRAME DPGVRDTMLQALRFVIQAGAKVDAVIRKNIVS LLSMLGHDEDNTRISSAGCLGELCAFLTEEELS AVLQQCLLADVSGIDWMVRHGRSLALSVA VNV APGRLCAGRYSSDVQEMILSSATADRIPIAVSGV RGMGFLMRHHIETGGGQLPAKLSSLFVKCLQNP SSDIRLVAEKMIWWANKDPLPLDPQAIKPILKA LLDNTKDKNTVVRAYSDAQIVNLLKMRQGEEVF QSLSKILDVASLEVLNEVNRRSLKKLASQADSTE QVDDTILT
3542	A	62	1130	PWNPQDFPGNRGLMG\QKGEIGPP\GQQGKKGAP GMP\GLMG SNGSPGQPGTPGSKGSKGEPGIQGM GASGLKGEPGATGSPGEPGYMGLPGIQGKKGDK GNQGEKGIQGQKGENGRQGIPGQGGIQGHHGAK GERGEKGEPEGVRGAIGSKGESGVDGLMGPA GPK GQPGDPGPQPPGLDGKPGREFSEQFIRQVCTDV IRAQLPVLLQSGRIRNCDHCLSQHGSPIGPPI GPEGPRGLPGLPGRDGVPLVGVPRPGVRGLK GLPGRNGEKGSQGFYGPGEQPPGPPGPEGPPGI SKEGPPGDPGLPGKDGHDGKPGIQGQPGPPGICD PSLCFSVIARRDPFRKGPNY
3543	A	654	194	PARSLEKMKASVVL SLLGYLVVPSGAYILGRCTV AKKLHDGGLDYFERYSLENWVCLAYFESKFNP S\ AIYENTREGYTGFGLFQMRGSDWCGDHGRNRC HMSCSALLNP NLEKTIKCAKTIVKGKEGMGA WP TWSRYCQYSDTLARWLDGCKL
3544	A	2	1074	SCRLAAGRLAQWLLRASRSGMLRAGWLRGAAA LALLLAARVVA AFEPITVGLAIGAASAITGYLSY NDIYCRFAECCREERPLNASALKLDLEEKLFQGH LATEVTFKALTGFRNNKNPKKPLTSLHGWAGT GKNFVSQMGAE NLHPKGLKSNFVHLFVSTLHFP HEQKIKLYQDQLQKWIRGNVSACANSVFIFDEM DKLHPGII E\AIKPFLDYEHVERVS YR\KAIFILS NAGGDLITKTALDFWRAGRKR EDIQLKDLEPVL SVGVFNKHSGLWHSGLIDKNLIDYFIFLPLEYR HVKMCVRAEMRARGSAIDEDIVTRVAEEMTFFP\ RDEKIYSDKGCKTVQSRLDFH
3545	A	3	273	SAQGRSWGRFYRQKRHPGIIPMIGLICLGMGSA ALYLLRLALRSPDVW*SWDRKNNPEPWNRLSPN DQYKFLAVSTDYKKLKKDRPDF
3546	A	23	591	ALSTETRTPD MRRLLVTSLVVVLLWEAGAVPA PKVPIKMQVKHWPSEQDPEKAWGARVVEPPEK DDQLVVLFPVQKPKLLTTEEKPRGQGRGPILPGT KAWMETEDTLGRVLSPEPDHDSLYHPPPEEDQG EERPRLWVMPNHQVLLGPEEDQDHIYHPQ*GSR

SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
				GHHCPRPVPRPRLGLGPSLPCPS
3547	A	23	591	ALSTETRTPDMRRLLVTSLVVVLLWEAGAVPA PKVPIKMQVKHWPSEQDPEKAWGARVVEPPEK DDQLVVLFPVQKPKLLTTEEKPRGQGRGPILPGT KAWMETEDTLGRVLSPEPDHDSL YHPPPEEDQG EERPRLWVMPNHQVLLGPEEDQDHIYHPQ*GSR GHHCPRPVPRPRLGLGPSLPCPS
3548	A	3	1641	TWLPSVPAEEVQQPEMAAVLNAERLEVSVDGLT LSPDPEERPGAEGAPLAAATAATLATWIRSRPG RLRG TARSPGRR AAGGAAEEARRLEQRWGFGL ELYGLALRFFKEKD GKAFHPTYEEKLKLVALHK QVLMGPYNPDTCPEVGFFDVLGNDRRREWAAL GNMSKEDAMVEFVKLLNRCCHLFSTYVASHKIE KEEQEKRRKEEEERRRREERERLQKEEEKRRR EEEEERLRREEERRRIEERLRLEQQKQQIMAAL NSQTAVQFQQYAAQQYPGNYEQQLIRQLQEQ HYQQYMQQLYQVQLAQQQAALQKQQEVVAG SSLPTSSKVECNCTQVI* CQFNRQAKTHDSSKE LEPEAAEEALENGPKESLPVIAAPSMWTRPQIKD FKEKIQDADSVITVGRGEVTVRVPTHEEGSYL FWEFATDNYDIGFGVYFEWTDSPNTAVSVHVSE SSDDDEEEENIGCEEKAKKNANKPLLDEIVPVY RRDCHEEVYAGSHQYPGRGVYLLKFDNSYSLW RSKSVYYRVYYTR
3549	A	1837	3593	PAVLVLEPASQSRKQNTASATAQHWSAQIHKE SFLAPVFTKDEQKHRRPYEFEVERDAKARGLEQF SATHGHTPIILNGWHGESAMDLSCSSEGSPGATS PFPVSASTPKIGAISLQGALGMDLSGILQAGLIHP VTGQIVNGSLRRDDAATRRRRGRRKHVGGMD LIFLKEQTLQAGILEVHEDPGQATLSTTHPEGPGP ATSAPEPATAASSQAESIPSKSLDWLRQQADY SLEVPFGGANFSDKPKQRRPRCKEPGKLDVSSLS GEERVPAIPKEPGLRGFLPENKFNHTLAEPILRDT GPRRRGRRPRSELLKAPSIVADSPSGMGPLFMNG LIAGMDLVGLQNMNRNMPGIPLTGLVGFPAGFAT MPTGEEVKSTLSMLPMMLPGMAAVPQMFGVGG LLSPPMATTCTSTAPASLSSTTKSGTAVTEKTAE DKPSSHVDVKTDTLAEDKPGPGPFSDQSEPAITTS PVAFNPFILPGVSPGLIYPSMFLSPGMGMALPAM QQAHRHSEIVGLESQKRKKKKTKGDNPNSHPEPA PSCEREPSGDENCAEPSAPLPAEREHGAQAGEGA LKDSNNDTN
3550	A	287	39	QLNLNKIATSQKHRDFVAESVGEKPVGSLAGIGE VMDKKLEEGCFDKAYVVLGQFLVLKKDEDLF*E WLRDTGGARTRGSR
3551	A	21	3925	GDLLEVGLPPGLEFPRGICLRGLRRTMSLDFGSV ALPVQNEDEEYDEEDYEREKELQQLTDLPHDM LDDDLSSPELQYSDCEDGTDGQPHHPEQLEMS WNEQMLPKSQSVNGPSCQGLEPYNKVTYKPYQS SAQNNGSPAQEITGSDTFEGLQQQFLGANENSAE NMQIIQLQVLNKAKERQLENLIEKLNESERQIRY LNHQLVIKDEKDGLTSLRESQKLFQNGKEREIQ LEAQIKALETQIQALKVNEEQMIKKSRRTTEMALE SLKQQVLVDLHHSLSLQRAREQHESIVMGLTKKY EEQVLSLQKNLDATVTALKEQEDICSRLKDHVK

SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
				QLERNQEAIKLEKTEIINKLTRSLEESQKQCAHLL QSGSVQEV AQLQFQLQQAQKAHAMSANMNKA LQEELTELKDEISLYESA AKLGIHPSDSEGELNIEL TESYVDLGIKKVNWKSKVTSIVQEEDPNEELSK DEFILKLKAEVQRL LGSNSMKRHLVSQLQNDLK DCHKKIEDLHQVKKDEKSIEVETKTD TSEKPKNQ LWPESSTSDVVRDDILL LKNEIQVLQQQNQELKE TEGKLRNTNQDLCNQMRQM VQDFDHDKQEAV DRCERTYQQHHEAMKTQIRESLLAKHALEKQQL FEAYERTHLQLRSELDKLNKEVTA VQECYLEVC REKDNLELTLRKTTEKEQQTQEKIKEKLIQQLEK EWQSKLDQTIKAMKKKTLDCGSQTDQVTTSDVI SKKEMAIMIEEQKCTIQQNLEQEKDIAIKGAMKK LEIELELKH CENITKQVEIAVQNAHQRWLGELPE LA EYQALVKA EQKKWEEQHEVSVNKRISFAVSE AKEKWKSELENMRKNILPGKELEEKIHSLOKELE LKNEEVPVIRAE LAKARSEWNKEKQEEIHRIQE QNEQDYRQFLDDHRNKINEVLAAAKEDFMKQK TELLQKETELQTCLDQSRREW TMQEAKRIQLEI YQYEEDILTVLGVL LSDTQKEHISDSEDKQLLEI MSTCSSKWMSVQYFEKLKGC IQKAFQDTLPLL ENADPEWKKRNMAELSKDSASQGTGQGDGP AGHHAQPLALQATEAEADKKKVLEIKDLCCGHC FQELEKAKQECQDLKGKLEKCCRHLQH LERKHK AVVEKIGEENNKVVEELIEENNDMKNKLEELQT LCKTPPRSLSAGAIENACLPSCGGALEELRGQYIK AVKKIKCDMLRYIQESKERA AEMVKA EVL*ERQ ETARKMRKYYLICLQQLQDDGKEGA EKKIMNA ASKLATMAK LLETPISSKSQSKTTQSGMSK
3552	A	771	375	ARTROTSGQAREPEKESPAPGGGGLAEIRS RQQL SQTSRIPPLAKDQAVEAMFPPARGKELLSFEDVA MYFTREEWGHLNWGQKDLYRDVMLENYRNMV LLVYFQFDAAIPLC* TSLAHSSWLQLYFRLYF
3553	A	76	72	PGVRGVEAPGGVAPGRNAMRRGERRDAGGPRP ESPVPAGRASLEPPDGPSAGQATGPGEGRRSTE SEVYDDGTNTFFWRAHTLTVLFILTCTLG YVTLL EETPQDTAYNTKRGIVASILVFLCFGV TQAKDGP FSRPHPAYWRFWLCVSVVYELFLIFILFQTVQDG RQFLKYVDPKLGVP LPERDYGGNCLYDPDNET DPFHNIWDKLDGFVPAHFLGWY LKTLMIRDWW MCMISVMFEFLEYSLEHQLPNFSECWWDHWIM DVLVCNGLGIYCGMKTLEWLSLKY KWQGLWN IPTYKGKMKRIAFQFTPYSWVRFEWKPASSLR WLAVCGIILVFL LAELNTFY LKFVLWMPPEHYLV LLRLVFFVN VGGVAMREIYDFMDDPKPHKKLGP QAWLVAAITATELLIVVKYDPHTLTL SLPFYISQC WTLGSVLALTWT VWRFFLRDITLRYKETRWQK WQNKDDQGSTVGN GDQHPLGLDEDLLGPGVAE GEGAPTPN*PRGPAPRPLPSAPRA VCGASSRR
3554	A	2	2106	FDEFSALPSPSLQTSWSFGPMSRRALRR LRGEQR GQEPLGPGALHFDLRDDDDAEEEGPKRELGVRR PGGAGKEGVRVNNRFELINIDDEDDPVVNGERS GCALTDAVAPGNKGRGQRGNTESKTDGDDTET VPSEQSHASGKL RKKKKKKQKNKKSSTGEASENG LEDIDRILERIEDSTGLNRPGPAPLSSRKHVLVYE

SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
				HRHLNPDTELKRYFGARAILGEQRPRQRQRVYP KCTWLTTPKSTWPRYSKPGLSMRLLESKKGLSFF AFEHSEYQQAQHKFLVAVESMEPNNIVVLLQT SPYHVDSLLQLSDACRFQEDQEMARDLVERALY SMECAFHPLFSLTSGACRLDYRRPENRSFYALY KQMSFLEKRGCPRTALEYCKLILSLEPDEDPLCM LLIDHLALRARNYEYLIRLFQEWEVGASLAHRN LSQLPNFAFSVPLAYFLLSQQTDLPCEQSSARQ KASLLIQQALTMFPGVLLPLESCSVRPDASVSSH RFFGPNAEISQPPALSQLVNLYLGRSHFLWKEPA TMSWLEENVHEVLQAVDAGDPAVEACENRRKV LYQRAPRNIHRHVILSEIKEAVAALPPDVTTQSV MGFDPLPPSDTIYSYVRPERLSPISHGNTIALFFRS LLPNYTMGERPEEGVAGGLNRNQGLNRLMLA VRDMMANFHLNDLEAPHEDDA*GEGEWD
3555	A	2	2106	FDEFSALPSPSLQTSWSFGPMSRRALRRLRGEQR GQEPLGPGALHFDLRDDDDAEEEGPKRELGVRR PGGAGKEGVRVNNRFELINIDDEDDPVVNGERS GCALTDAPGNGKGRGQRGNTESKTDGDDTET VPSEQSHASGKLRRKKKKKQKNKKSSTGEASENG LEDIDRILERIEDSTGLNRPGPAPLSSRKHVLYVE HRHLNPDTELKRYFGARAILGEQRPRQRQRVYP KCTWLTTPKSTWPRYSKPGLSMRLLESKKGLSFF AFEHSEYQQAQHKFLVAVESMEPNNIVVLLQT SPYHVDSLLQLSDACRFQEDQEMARDLVERALY SMECAFHPLFSLTSGACRLDYRRPENRSFYALY KQMSFLEKRGCPRTALEYCKLILSLEPDEDPLCM LLIDHLALRARNYEYLIRLFQEWEVGASLAHRN LSQLPNFAFSVPLAYFLLSQQTDLPCEQSSARQ KASLLIQQALTMFPGVLLPLESCSVRPDASVSSH RFFGPNAEISQPPALSQLVNLYLGRSHFLWKEPA TMSWLEENVHEVLQAVDAGDPAVEACENRRKV LYQRAPRNIHRHVILSEIKEAVAALPPDVTTQSV MGFDPLPPSDTIYSYVRPERLSPISHGNTIALFFRS LLPNYTMGERPEEGVAGGLNRNQGLNRLMLA VRDMMANFHLNDLEAPHEDDA*GEGEWD
3556	A	3388	1650	KTRGTMFYYPNVLQRHTGCFATIWLAAATRGSR VKREYLRVNVVKTCEEILNYVLVRVQPPQGLP RPRFSLYLSAQLQIGVIRVYSQQCQYLVEDIQHIL ERLHRAQLQIRIDMETELPSLLPNHLAMMETLE DAPDPFFGMMSVDPRLPSPFDIPQIRHLEAAIPE RVEEIPPEVPTPREPERIPVTVLPPEAITILEAEPIR MLEIEGERELPEVSRRELDLLIAEEEEAILLEIPRL PPPAPAE*GQELLDQVGCQCWEGSPHFSCPFPLR VEGMGEALGPEELRLTGWEPGALLMEVTPPEEL RLPAPPSPERRPPVPPPPRRRRRRLLFWDKETQI SPEKFQEQLQTRAHCWECMVQPPERTIRGPAEL FRTPTLSGWLPELLGLWTHCAQPPPKALRREL EAAAEEERRKIEVPSEIEVPREALEPSVPLMVSL EISLEAAEEKSRISLIPPEERWAWPEVEAPEAPA LPVVPELPEVPMEMPLVLPPELELLSLEAVHRAV ALELQANREPDFSSLVSPLSPRRMAARVFYLLLV LSAQQILHVKQEKPYGRLLIQGPRFH
3557	A	3388	1650	KTRGTMFYYPNVLQRHTGCFATIWLAAATRGSR VKREYLRVNVVKTCEEILNYVLVRVQPPQGLP

SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
				RPRFSLYLSAQLQIGVIRVYSQQCQYLVEDIQHIL ERLHRAQLQIRIDMETELPSLLLPNHLLAMMETLE DAPDPFFGMMSVDPRLPSPFDIPQIRHLLEAAIPE RVEEIPPEVPTPREPERIPVTVLPPEAITILEAEPIR MLEIEGERELPEVSRRELDLLIAEEEEAILLEIPRL PPPAPAE*GQELLDQVGCQCWEGSPHFSCPFPLR VEGMGEALGPEELRLTGWEPGALLMEVTPPEEL RLPAPPSPERRPPVPPPPRRRRRRRLFWDKETQI SPEKFQEQQLQTRAHCWECMVQPPERTIRGPAEL FRTPTLSGLWLPPELLGLWTHCAQPPPKALRREL EEAAAEERKIEVPSEIEVPREALEPSVPLMVSL EISLEAAEEEEKSRISLIPPEERWAWPEVEAPEAPA LPVVPPELPEVPMEMPLVLPPELELLSLEAVHRAV ALELQANREPDFSLSVSPSPRRMAARVFYLLL LSAQQILHVQKQEKPYGRLLIQGPRFH
3558	A	489	2360	IRPRPRGRRRALDSPNAAAPPVYVCRSPGEPTSL VNMASEDIKLAETLAKTQVAGGQLSFKGKSLK LNTAEDAKDVIKEIEDFDSLEALRLEGNTVGVEA ARVIAKAL*KKSELKRCHWSDMFTGRLRTEIPPA LISLGEGLITAGACLVELDLSDNAFGPDGVQGF ALLKSSACFTLQELKLNNCGMGIGGGKILAAALT ECHRKSSAQGKPLALKVVFVAGRNRLENDGATAL AEAFRVIGTLEEVMHPQNGINHPGITALAQAFV NPLLRVINLNDNTFTEKGAVAMAETLKTLRQVE VINFGDCLVRSGAVAIADAIRGGLPKLKLNL FCEIKRDAALAVAEAMADKAELEKLDLNGNTLG EEGCEQLQEVLEGFNMAKVLASLSDDEDEDEDE EGEEEEEEAEEEEEEDEEEEEEEEEEEEEEPQQRG QGEKSATPSRKILDPNTGEPAPVLSSPPADVSTF LAFPSPEKLLRLGPKSSVLIAQQTDTSDPEKVSA FLKVSSVFKDEATVRMAVQDAVDALMQKAFNS SSFNSNTFLTRLLVHMGLLKSEDKVKAIANLYGP LMALNHMVQQDYFPKALAPLLAFVTKPNSALE SCSFARHSLQLTYKV
3559	A	489	2360	IRPRPRGRRRALDSPNAAAPPVYVCRSPGEPTSL VNMASEDIKLAETLAKTQVAGGQLSFKGKSLK LNTAEDAKDVIKEIEDFDSLEALRLEGNTVGVEA ARVIAKAL*KKSELKRCHWSDMFTGRLRTEIPPA LISLGEGLITAGACLVELDLSDNAFGPDGVQGF ALLKSSACFTLQELKLNNCGMGIGGGKILAAALT ECHRKSSAQGKPLALKVVFVAGRNRLENDGATAL AEAFRVIGTLEEVMHPQNGINHPGITALAQAFV NPLLRVINLNDNTFTEKGAVAMAETLKTLRQVE VINFGDCLVRSGAVAIADAIRGGLPKLKLNL FCEIKRDAALAVAEAMADKAELEKLDLNGNTLG EEGCEQLQEVLEGFNMAKVLASLSDDEDEDEDE EGEEEEEEAEEEEEEDEEEEEEEEEEEEEEPQQRG QGEKSATPSRKILDPNTGEPAPVLSSPPADVSTF LAFPSPEKLLRLGPKSSVLIAQQTDTSDPEKVSA FLKVSSVFKDEATVRMAVQDAVDALMQKAFNS SSFNSNTFLTRLLVHMGLLKSEDKVKAIANLYGP LMALNHMVQQDYFPKALAPLLAFVTKPNSALE SCSFARHSLQLTYKV
3560	A	2	1198	FVRELPRPRGAATAAIMVSVINTVDTSHEDMIH DAQMDYYGTRLATCSSDRSVKIFDVRNGGQILIA

SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
				DLRGHEGPVWQVAWAHPMYGNILASCSYDRKV IIWRENGTWEKSHEHAGHDSSVNSVCWAPHDY GLILACGSSDGAISLLTYTGEGQWEVKKINNAHT IGCNAVSWAPAVVPGSLIDHPSGQKPNYIKRFAS GGCDNLIKLWKEEEDGQWKEEQKLEAHSDWVR DVAWAPSIGLPTSTIASCSQDGRVFIWTCDDASS NTWSPKLLHKFNDVVWHVSWSITANILAVSGGD NKVTLWKESVDGQWVCISDVNKGQGSVSASVT EGQQNEQ*QDRWGLAPHPAPGLPLPGPTNQTT GKSPQLQQDYFPRRSYRCSHRLIICLNVIDAL
3561	A	540	86	WRVKEMTSTLPKALGRKTASRSHHTLQGGSCCP VLWTAKLRCRKLRFPLPPPPSSSAWPWQGWGI RGEQEAEGPLGETGPPVGPELSGLRQWRKLIKGR YGEWRGSGQKTGQPS*TTMQGGETEENRTETTT GNKQRESEAPWVRHTYIT
3562	A	1920	242	PMMAMPFFERFKSSIQRPSPVLVLSQNTKRESGR KVQSGNINAAKTIADIHRTCLGPKSMMKMLLDP MGGIVMTNDGNAILREIQVQHPAAKSMIEISRTQ DEEVGDGTTSVIILAGEMLSVAEHFLEQQMHPTV VISA YRKALDDMISTLKKISIPVDISDSMMMLNIN SSITTKAISRWSSLACNIALDAVKMVQFEENGRK EIDIKKYARVEKIPGGIIEDSCVLRGVMINKDVTH PRMRRYIKNPRIVLLDSSLEYKKGESQTDIEITRE EDFTRILQMEEYIQQLCEDIIQLKPDVVITEKGIS DLAQHYLMRANITAIRRVKTDNNRLARACGARI VSRPEELREDDVGTGAGLLEIKKIGDEYFTFITDC KDPKACTILLRGASKEILSEVERNFDAMQVCRN VLLDPQLVPGGGASEMAVAHALTEKSKAMTGV EQWPYRAVAQALEVIPRTLQNCGASTIRLLTSLR AKHTQENCETWGVNGETGTLVDMKELGIWEPL AVKLQTYKTAVETA VLLLRIDDIVSGHKKKGDD QSRQGGAPDAGQE
3563	A	1571	560	GPSLLGTRGTPNPARTLQIFFLIIGRRLTGRMAAV DDLQFEEFGNAATSLTANPDATTVNIEDPGETPK HQPGRGSGREEDDELLGNDDSDKTELLAGQK KSSPFWTFEYYQTFDVDYQVFDRIKGSLLPIPG KNFVRLYIRSNPDLYGPFWICATLVFAIAISGNLS NFLIHLGEKTYHYVPEFRKVSIAATIIYAYAWLVP LALWGFLMWRNSKVMNIVSYSFLEIVCVYGYSL FIYIPTAILWIIPHKAVRWILVMIALGISGSLAMT FWPAVREDNRRVALATIVTIVLLHMLLSVGCLA YFFDAPEMDHLPTTTATPNQTVAAAKSS
3564	A	1	328	NSRVDDFVAHLQRPLLGPASCLGILRPAMTAHSF ALPGIIFTTFWGLVGIAGPWFVPKGPNRGVITML VATAVCCYLFWLIAILAQLNPLFGPQLKNETIWY VRFLWE
3565	A	2	1081	FVTDFFPARSMAATSLMSALAAARLLQPAHSCSLRL RPFHLAAVRNEAVVISGRKLAQQIKQEVQRQVEE WVASGNKRPHLSVILVGENPASHSYVLNKTRAA AVVGINSETIMKPASISEEELNLINKLNDDNDVD GLLVQLPLPEHIDERRICNAVSPDKDVGDFHVIN VGRMCLDQYSMLPATPWGVWEIKRTGIPTLGK NVVVAGRSKNVGMPIAMLLHTDGAHERPGGDA TVTISHRYTPKEQLKKHTILADIVISAAGIPNLITA DMIKEGAAVIDVGINRVHDPVTAKPKLVGDVDF

SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
				EGVRQKAGYITPVPGGVGPMTVAMLMKNTIIAA KKVLRLEEREVLKSKELGVATN
3566	A	3	1130	SCRRGRQQRRNVSLSSQFAHTMAAPAQQTTP GGGKRKGKAQYVLAKRARRCDAGGPRQLEPGL QGILITCNMNERKCV E EAYSL LNEYGDDMYGPE KFTDKDQQPSGSEGEDDDAEAAALKKEVGDICAS TEMLRRLFQSVESGANNVVFIRTLGIEPEKL VHHI LQDMYKTKKKKTRVILRMLPISGTCKAFLED MK KYAETFLEPWFKAPNKGTFQIVYKSRNNSHVNR EEVIRELAGIVCTLNSENKVDLTNPQYTVVVEIK AVCCLSVVKDYMLFRKYNLQEVVKSPKDP SQLN SKQGNNGKEAKLESADKSDQNNTAEGKNNQQVP ENTEELGQTKPTS NPQVVNEGGAKEPELASQATE GSKSNENDFS
3567	A	248	3498	GKKDSSPWTCPFHPPLQLFFVIRNTRQLGDFHLA KIKVRNYWTADGDL DIGAKNVKLYVNRNLIFNG KLDKGDREAPADHSILVDQKNEKSEQLEEAMNA HSEESKGTHEMAGASGDKEGLGCSPPAETLAD AKLSSQGNVSGKRKNSTNCRKDSLSQLEEYLRIS AVPTSMGDMPSAPATSPPVKCPPVHEEPSLIQQL ENLMGRKICEPPGKTPSWLQPSPTGKDRKQGGR KPKPLWLSPEKPLAWKGRLP SDDVIGEGPGETEA RDKGLRHEPGWGTSRSVNTKERPQRATTKVHSD DSDIFNQPPNRERPASGRGRSRKDAGSSSHGDDQ PASREDTWSSRTPSRSRWRSEQEHTLHESWSSL AFDRSHRGRISNTELP GDILDELLQKSSRHS DLP PSKKGEQPGLSRGQDGYSGETDAGGDFKIPVLPY GQRLVIDIKSTWGD RHYVGLNGIEIFSSKGEPVQI SNIKADPPDINILPAYGKDPRVVTNLIDGVNRTQ DDMHVWLAPFTRGRSHSITIDFTHPCHVALIRIW NYNKSRIHSFRGVKDITMLLDTCIFEGEIAKASG TLGAPEHFGDTILFTTDDDI EAFYSD E MFDLD VGS LDSLQDEEAMRRPSTADGEGDERPFTQAGL GADERIPELELPSSSPVPQVTTPEPGIYHGICLQLN FTASWGD LHYLGLTGLEVVGKEGQALPIHLHQIS ASPRDLNELPEYSDDSR TLDKLIDGTNITMEDEH MWLIPFSPGLDHVV TIRLDRAESIAGLRFWNYNK SPEDTYRGAKIVHVS LDGLCVSPPEGFLIRKGP NCHFDFAQEILFVDYLRAQLLPQPARRLDMRSLE CASMDYEAPLMPCGFIFQFQLLTSWGD PYYIGLT GLELYDERGEKIPLSENNIAAFPDSVNSLEGVGG DVRTPKLIDQVNDTSDGRH MWLAPILPGLVNR VYVIFDLPTTVSMIKLWNYAKTPHRGVKEFGLL VDDL LVYNGILAMVSHLVGGILPTCEPTVPYHTI LFTEDRDIRHQEKHTTISNQAEDQDVQMMNENQ IITNAKRKQSVVDPALRPKTCISEKETRRRC
3568	A	50	1724	AQGGTLSAASRFCRGGLLPWLHPASEMAATLD LKSKEEKDAELDKRIEALRRKNEALIRRYQEIEE DRKKAELGVAVTAPRKGRSVEKENVAVESEKN LGPSRRSPGTPRPPGASKGGRTPPQQGGRAGMG RASRSWEGSPGEQPRGGGAGGRGRRGRGRGSPH LSGAGDTSISDRKSKWEERRRQNI EKMNEEME KIAEYERNQREGVLEPNPVRNFLDDPRRRSGPLE ESERDRREESRRHGRNWGGP DFERVRCGLEHER QGRAGLGSAGDMTLSMTGRERSEYLRWKQER

SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
				EKIDQERLQRHRKPTGQWRREWD AEKTDGMFK DGPVPAHEPSHRYDDQAWARPPKPPTFGEFLSQ HKA EASSRRRRKSSRPQAKAAPRAYSDHDDRWE TKEGAASPAPETPQPTSPETSPKETPMQPPEIPAP AHRPPEDEGEENE GEEDEE WEDISEDEEEEEIEVE EGDEE E PAQDHQAPEAAPTGIPCSEQA HGVPFSP E E P L L E P Q A P G T P S S P F S P P S G H Q P V S D W G E E V E L NSPR T T H L A G A L S P G E A W P F E S V
3569	A	1	912	MGRVGRAGVQLGRRRTTWAAERTGQAAAGGP GRALRGQRPD LRSGGAADSPAAGRGELYCGVLP RSPWFLSERRRQMA DFD TYDDRAYSSFGGGRGS RGSAGGHGSR SQKELPTEPPYTAYVGNLPFNTV QGDIDAIFKDL SIRS VRLVRDKD TD KFKGFCYVE FDEVDSLKEAL TYDGALLGDRSLRVDIAEGRKQ DKGGFGFRKGGPDDR GFRDDFLGGRGGS R P G D R RTGPPMGS RFRDGPPLRGSNMDFREPT E E E R A Q R PRLQLKPRTVATPLNQVANPNSAIFGGARPREEV VQKEQE
3570	A	1	912	MGRVGRAGVQLGRRRTTWAAERTGQAAAGGP GRALRGQRPD LRSGGAADSPAAGRGELYCGVLP RSPWFLSERRRQMA DFD TYDDRAYSSFGGGRGS RGSAGGHGSR SQKELPTEPPYTAYVGNLPFNTV QGDIDAIFKDL SIRS VRLVRDKD TD KFKGFCYVE FDEVDSLKEAL TYDGALLGDRSLRVDIAEGRKQ DKGGFGFRKGGPDDR GFRDDFLGGRGGS R P G D R RTGPPMGS RFRDGPPLRGSNMDFREPT E E E R A Q R PRLQLKPRTVATPLNQVANPNSAIFGGARPREEV VQKEQE
3571	A	28	131	RHFFGNLCAMRAKWRKKRMRLKRKRKMRQ RSK
3572	A	3	1202	QSEPHRKVRVDPPVRDRPPHPPLL VQRALPGQ GQAE GSDGADGAKRRAMAHQTGIHATEELKEFF AKARAGSVRLIKV VIEDEQLVLGASQEPVGRWD QDYDRAVLPLLD AQQPCYLLYRLDSQNAQGFE WLFLAWSPDNSPVRLKMLYAATRATVKKEFGG GHIKDELFGTVKDDLSFAGYQKHLSSCAAPALT SAERELQQIRINEVKTEISVESKHQTLQGLAFPLQ PEAQRALQQLKQKMVNYIQMKL DLERETIELVH TEPTDVAQLPSRVPRDAARYHFFLYKHTHEGDP LESVVFIYSMPGYKCSIKERMLYSSCKSRLLDSV EQDFHLEIAKKIEIGDGAELTAEFLYDEVHPKQH AFKQAFAPKPGPGGKRGHKRLIRGPGENGDDS
3573	A	49	1869	PHCEPNPGAGAMVLLHVLFEHAVGYALLALKEV EEISLLQPQVEESVLNLGKFHSIVRLVAFCPFASS QVALENANAVSEGVVHEDLRLLLETHLPSK K K K VLLGVGDPKIGAAIQEELGYNCQTGGVIAEILRG VRLHFHNLVKGLTDL SACKAQLGLGHSYSRAKV KFNVN RVDNMIIQSISLLDQLDKDINTFSMRVRE WYGYHFPELVKIINDNATYCRLAQFIGNRRELNE DKLEKLEELTMDGAKAKAILDASRSSMGMDISAI DLINIESFSSRVVSLSEYRQSLHTYLRSKMSQVAP SLSALIGEAVGARLIAHAGSLTNLAKYPASTVQIL GAEKALFRALKTRGNTPKYGLIFHSTFIGRAAAK NKGRISRYLANKCSIASRIDCFSEVPTSVFGEKLR EQVEERLSFYETGEIPRKNLDVMKEAMVQAEAE

SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
				EAAAEITRKLEKQEKKRLKKEKKRLAALALASS ENSSSTPEECEETSEKPKKKKKQKPQEVQENGM EDPSISFSKPKKKKSFSKEELMSSDLEETAGSTSIP KRKKSTPKEETVNDPEEAGHRSRSKSKKRKFSKEE PVSSGPEEAVGKSSSKKKKKKFHKASQED
3574	A	284	2032	CGNERTARLWVQPVVSTMPQASEHRLGRTREPP VNIQPRVGSKLPPFAPRARSKERRNPASGPNPMLR PLPPRPGLPDERLKKLELGRGRTSGPRPRGPLRA DHGVPLPGSPPTVALPLPSRTNLARSKSVSSGDL RPMGIALGGHRTGELGAALSRLALRPEPPTLR STSLRRLGGFPPTLFSIRTEPPASHGSFHMISAR SSEPFYSDDKMAHHTLLGSGHVGLRNLGNTCF LNAVQLCLSTRPLRDFCLRRDFRQEVPGGGA QELTEAFADVIGALWHPDSCEAVNPTRFRAVFQ KYVPSFSGYSQQDAQEFLKLLMERLHLEINRRGR RAPPILANGPVSPRRGGALLEPELSDDDRANL MWKRYLEREDSKIVDLFGQLKSLCKCQACGY RSTTFEVFCDLSLPIPKKFAGGKVSLRDCFNFT KEEELESENAPVCDRCRQKTRSTKKLTVQRFPR LVLHLNRFASARGSIKKSSVGVDPLQRLSLGDF ASDKAGSPVYQLYALCNHSGSVHYGHYTALCR CQTGWHVYNDSRVSPVSENQVASSEGYVLFYQL MQEPPRCL
3575	A	1	2408	RELDLADLPERIKPPYANGLSTSHLRSSSVEDVK LIISEGRPTIEVRRCSMPVICEHTKQFQTISEESN QGSLLTVPGDTSPSPKPEVFSNVPERDLNSVSNH SSFATSPTGASNSKYVSADRNLKNTAPVNTVMD SPVHLEPSSQVGVIQNKSWEMPVDRLETSTRDF ICPNSNIPDQESSLQSFCSSENKVLKENADFLSLR QTELPGNSCAQDPASFMPPQQPCSFPSQSLSDAES ISKHMSLSYVANQEPGILQQKNAVQIISALDTD NESTKDTENTFVLGDVQKTDAPVPVYSDSTIQEA SPNFEKAYTLPVLPSEKDFNGSDASTQLNTHYAF SKLTYKSSSGHEVENSTTDQVISHEKENKLESL VLTHLSRCDSDLCENAGMPKGNLNEQDPKHC PESEKCLLSIEDEESQQSILSSLENHSQQSTQPEM HKYGQLVKVELEENAEDDKTENQIPQRMTRNK ANTMANQSKQILASCTLLSEKDSSESSSPRGRILT EDDDPQIHHPKRKRKVSVPQPVQVSPSLLQAKEK TQQSLAAIVDSLKLDEIQPYSSERANPYFEYLHIR KKIEEKRLKLLCSVIPQAPQYYDEYVTFNGSYLLD GNPLSKICIPTITPPPSLSDPLKELFRQQEVVRMKL RLQHSIEREKLIVSNEQEVLRVHYRAARTLANQT LPFSACTVLLDAEVYNVPLDSQSDDSKTSVRDRF NARQFMSWLQDVDDKFDKLTCLLMRQQHEA AALNAVQRLEWQLKLQELDPATYKSISIYEIQEF YVPLVDVNDDEFELTPI
3576	A	5	1421	LRLAWHDGARWPLGTPRAAATRREAAALPPVT LALLCLDGVFLSSAENDFVHRIQEELDRFLQKQ LSKVLLFPPLSSRLRYLIHRTAENFDLLSSFSVGE GWKRRTVICHQDIRVPSSDGLSGPCRAPASCPSR YHGPRPISNQGAAAVPRGARAGRWRGRKPDQ PLYVPRVLRQEEWGLTSTSVLKREAPAGRDPPEE PGDVGAGDPNSDQGLPVLMTQGTEDLKGPGQR CENEPLDPVGPEPLGPESQSGKGMVEMATRF

SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
				GSTLQLDLEKGKESLLEKRLVAEEEEDEEEVEED GPSSCEDDYSELLQEITDNLTKKEIQIEKIHLDT SFMEELPGEKDLAHVVEIYDFEPALKTEDLLATF SEFQEKGFRIQWVDDTHALGIFPCRASAAEALTR EFSVLKIRPLTQGTKQSKLKALQRPKLLRLVKER PQTNAVARRLVARALGLQHKKKERPAVRGPLP P
3577	A	102	1998	DTRTPGSLEMGPLQFRDVAIEFSLEEWHCCLDTAQ RNLRYRNVMLNYSNLVFLGIVVSKPDIAHLEQG KKPLTMKRHEMVANPSGPVICSHFAQDLWPEQN IKDSFQKVILRRYEKRGHGNLQLIKRCESVDECK VHTGGYNGLNQCSTTTQSKVFQCDKYGKVFHK FSNSNRHNIRHTEKKPFKCIIECGKAFNQFSTLITH KKIHTGEKPYICEECGKAFKYSSALNTHKRIHTG EKPYKCDKCDKAFIASSTLSKHEIHTGKKPYKCE ECGKAFNQSSLTTKHKKIHTGEKPYKCEECGKAF NQSSLTTKHKKIHTGEKPYVCEECGKAFKYSRIL TTHKRIHTGEKPYKCNKCGKAFIASSTLSRHEFIH MGKKHYKCEECGKAFFWSSVLRHKKRVHTGEKP YKCEECGKAFKYSSTLSSHKRSHTGEKPYKCEEC GKAFVASSTLSKHEIHTGKKPYKCEECGKAFNQ SSSLTKHKKIHTGEKPYKCEECGKAFNQSSSLTK HKKIHTGEKPYKCEECGKAFNQSSSLTIKHKKIHT REKPYKCEECGKAFHLSTHLTTHKILHTGEKPYR CRECGKAFNHSATLSSHKKIHSGEKPYECDKCG KAFISPSLSRHEIHTGEKP
3578	A	1725	445	RPRRRGTHHFSCVLGSFRVSAMFPRVSTFLPLRP LSRHPLSSGSPETSAAAIMLLTVRHGTVRYRSSA LLARTKNNIQR YFGTNSVICSKKDKQSVRTEETS KETSESQDSEKENTKKDLLGIIKGMKVELSTVNV RTTKPPKRRPLKSLEATLGRLRRATEYAPKKRIEP LSPELVAAASAVADSLPFDKQTTKSELLSQLQQH EESRAQRDAKRPKISFSNIISDMKVARSATARV RSRPELRIQFDEGYDNYPGQEKTDLLKKRKNIFT GKRLNIFDMMAVTKEAPETDTSPSLWDVEFAKQ LATVNEQPLQNGFEELIQWTKEGKLWEFPINNEA GFDDDGSEFHEHIFLEKHLESFQKQPIRHFMEV TCGLSKNPYLSVKQKVEHIEWFRNYFNEKKDILK ESNIQFKLRPWKFLFRNN
3579	A	1725	445	RPRRRGTHHFSCVLGSFRVSAMFPRVSTFLPLRP LSRHPLSSGSPETSAAAIMLLTVRHGTVRYRSSA LLARTKNNIQR YFGTNSVICSKKDKQSVRTEETS KETSESQDSEKENTKKDLLGIIKGMKVELSTVNV RTTKPPKRRPLKSLEATLGRLRRATEYAPKKRIEP LSPELVAAASAVADSLPFDKQTTKSELLSQLQQH EESRAQRDAKRPKISFSNIISDMKVARSATARV RSRPELRIQFDEGYDNYPGQEKTDLLKKRKNIFT GKRLNIFDMMAVTKEAPETDTSPSLWDVEFAKQ LATVNEQPLQNGFEELIQWTKEGKLWEFPINNEA GFDDDGSEFHEHIFLEKHLESFQKQPIRHFMEV TCGLSKNPYLSVKQKVEHIEWFRNYFNEKKDILK ESNIQFKLRPWKFLFRNN
3580	A	3673	1619	LYCVAPYSRHLLGRMSHLPMLLRKKIEKRNK LRQRNLKFQGNLTLSETQNGDVSEETMGSRK VKKSKQKPMNVGLSETQNGGMSQEA VGNIKVT

SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
				KSPQKSTVLTNGEAAAMQSSNSESKKKKKKKRK MVNDAEPDTKKAKTENKGKSEESAETTKETEN NVEKPDNDEDESEVPSLPLGLTGAFEDTSFASLC NLVNENTLKAIKEMGFTNMTEIQHKSIRPLLEGR DLLAAAKTGSGKTLAFLIPAVELIVKLRFMPRNG TGVILSPTRELAMQTFGVKELMTHHVHTYGLI MGGSNRSAEAQKLGNGINIIVATPGRLLDHMQN TPGFMYKNLQCLVIDEADRILDVGFEELKQIIKL LPTRRQTMFLSATQTRKVEDLARISLKKEPLYVG VDDDKANATVDGLEQGYVVCPSKRFLLLFTFL KKNRKKKLMVFFSSCMSVKYHYELLNYIDLPLV AIHGKQKQNKRTTTFQFCNADSGTLLCTDVAA RGLDIPEVDWIVQYDPPDDPKEYIHRVGRTARGL NGRGHALLILRPEELGFLRYLKQSKVPLSEFDFS WSKISDIQSQLEKLEKNYFLHKSQAQEAQKSYIRA YDSHSLKQIFNVNLLNLPQVALSFGFKVPPFVDL NVNSNEGKQKKRGGGGGGFGYQKTKKVEKSKIF KHISKKSSDSRQFSH
3581	A	23	453	LCRCICIKNITPHCLWDKVL SQFTYILDNLSNFMS HHPHSLRNSCLIRMDLLYWQFTIYTITFCFSHLSG RLTLSAQHISHRPCLLSYSLFWKVHHLFLEGFPC SPRLDEMSFHQFPQHPVHVSVVHLPIVYKGSMT QVSPH
3582	A	3	950	TRGCGNKMAGKKNVLSSLAVYAEDSEPESDGEA GIEAVGSAAEEKGGLVSDAYGEDDFSRLGGDED GYEEEEEDENSROSEDDDETEKPEADDPKDNT AEKRDPQELVASFSEVRNMSPEIKIPPEPPGRC SNHLQDKIQKLYERKIKEGMDMNYIIQRKKEFRN PSIYEKLIQFCAIDELGTNYPKDMFDPHGWS YALAKAQKIEMDKLEKAKKERTKIEFVTGK KGTTTATSTTTTASTAVADAQKRKSKWDSAI PVTIAQPTILTTTATLPAVVTVTTSASGSKTTVIS AVGTIVKKAKQ
3583	A	3	950	TRGCGNKMAGKKNVLSSLAVYAEDSEPESDGEA GIEAVGSAAEEKGGLVSDAYGEDDFSRLGGDED GYEEEEEDENSROSEDDDETEKPEADDPKDNT AEKRDPQELVASFSEVRNMSPEIKIPPEPPGRC SNHLQDKIQKLYERKIKEGMDMNYIIQRKKEFRN PSIYEKLIQFCAIDELGTNYPKDMFDPHGWS YALAKAQKIEMDKLEKAKKERTKIEFVTGK KGTTTATSTTTTASTAVADAQKRKSKWDSAI PVTIAQPTILTTTATLPAVVTVTTSASGSKTTVIS AVGTIVKKAKQ
3584	A	3	1139	PGSTISSRADRLGAPVLAHPKMAERQEEQRGSP LRAEGKADAEVKLILYHWTHSFSSQKVRLVIAE KALKCEEHDVSLPLSEHNPEWFMRLNSTGEVPV LIHGENIICEATQIIDYLEQTFLDERTPRLMPDKES MYYPVQHYRELLDSLPMDAYTHGCILHPELTV DSMIPAYATTRIRSQIGNTESELKKLAEENPDQ EAYIAKQKRLKSKLLDHDNVKYLKKILDELEKVL DQVETELPRRNEETPEEGQQPWLCGESFTLADVS LAVTLHRLKFLGFARRNWGNGKRPNLETYYERV LKRKTFNKVLGHVNNILISAVLPTAFRVAKKRAP KVLGTTLVVGLLAGVGYFAFMLFRKRLGSMILA LRPRPNYF

SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
3585	A	1	1777	RRHSPGSPAFAPSSRATAICPRAARAPATLLLALG AVLWPAAGAWELTILHTNDVHSRLEQTSSESSK CVNASRCMGGVARLFTKVQQIRRAEPNVLLDA GDQYQGTIWFTVYKGA EVAHFMNALRYDAMA LGNHEFDNGVEGLIEPLLKEAKFILLSANIKAKGP LASQISGLYLPYKVLPGDEVVGVGYTSKETPF LSNPGTNLVFEDEITALQPEVDKLTNLVNVKIAL GHSGFEMDKLIAQKVRGVDVVGGHSNTFLYT GNPPSKEVPAGKYPFIVTSDDGKVPVQAYAF GKYLGYLKIEFDERGNVSSHGNPILLNSSIPEDPS IKADINKWRIKLDNYSTQELGKTIVYLDGSSQSC RFRECNMGNLICDAMINNNLRHTDEMFWNHVS MCILNGGGIRSPIDERNNGTITWENLAAVLPFGG TFDLVQLKGSTLKKAFEHSVHRYGQSTGEFLQV GGIHVVYDLSRKPGDRVVKLDVLCTKCRVPSYD PLKMDEVYKVILPNFLANGGDGFQMIKDELLRH DSGDQDINVVSTYISKMKVIYPAVEGRIKFSTGS HCHGSFSLIFLSLWAVIFVLYQ
3586	A	1399	881	LSNKDVLSPQLKDENSRLRRKLNEVQSFSEAQTE MVRTLERKLEAKMIKEESDYHDLESVVQQVEQN LELMTKRAVKAENHVVKLKQEISLLQAQVSNFQ RENEALRCGQGASLTVVKQNADVALQNLRVVM NSAQASIEQLVSGAETLNLVAEILKSIDRISEVKD EEEDS
3587	A	88	1639	GCVGRGLPLPPRHPTPPSSSSSPFVLLAFLLLVRL DPAVSGKMAAPRPPPARLSGVMVPAPIQDLEAL RALTALFKEQRNRETAPRTIFQVLDILKKSSHA VELACRDPSQVENLASSLQLITECFRCLRNACIEC SVNQNSIRNLDTIGVAVDLILLFREL RVEQESLLT AFRCGLQFLGNIASRNEDSQSIVWVHAFPELFLS CLNHPDKKIVAYSSMILFTSLNHERMKELEENLN IAIDVIDAYQKHPSESWPFLIITDLFLKSPELVQA MFPKLNQERVTLDDLMIAKITSDEPLTKDDIPVF LRHAELIASTFVDQCKTVLKLASEEPPDDEEALA TIRLLDVLCEMTVNTELLGYLQVFPGLLERVIDL LRVIHVAGKETTNIFSNCGCVR AEGDISNVANGF KSHLIRLIGNLCYKNKDNQDKVNELDGIPLILDN CNISDSNPFLTQWVIYAIRNLTEDNSQNQDLIAK MEEQGLADASLLKKVGFEVEKKGEKLILKSTRD TPKP
3588	A	3	1462	DSPRNRFEILGRPTRTPTRPGPRPAMEDLDALLSD LETTTSHMPRSGAPKERPAEPLTPPPSYGHQPQT GSGESSGASGDKDHLYSTVCKPRSPKPAAPAAPP FSSSSGVLGTGLCELDRLQLQELNATQFNITDEIMS QFPSSKVASGEQKEDQSEDKKRPSLPSSPSPGLPK ASATSATLELDRLMASLSDFRVQNHLPASGPTQP PVVSSTNEGSPSPPEPTGKGSLDTMLGLLQSDLSR RGVPTQAKGLCGSCNKPIAGQVV TALGRAWHPE HFVCGGCSTALGGSSFFEKDGAPFCPECYFERFSP RCGFCNQPIRHKMVTALGTHWHPEHFCCVSCGE PFGDEGFHEREGRPYCRRDFLQLFAPRCQGCQGP ILDNYISALSALWHPDCFVCRECFAPFSGGSFFEH EGRPLCENHFHARRGSLCATCGLPVTGRCVSAL GRRFHPDHFTCTFCLRPLTKGSFQERAGKPYCQP CFLKLF

SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
3589	A	226	6793	SPPKKS RKC NLS FRLISA ERWRFFLLILMEMPRKP RLTLFVQRR IENIATEREFDPEEFYLL EAAEGHA KEGQGIKTDIPRYIISQLGLNKDPLEEMAH LGNY DSGTAETPETDES VSSSNASLKLRRKPRESD FETI KLISNGAYGAVYFVRHKESRQRFAMKKINKQNL ILRNQIQQAFVERDILTFAENPFVVS MYCSFETR HLCMVMEYVEGGDCATLMKNMGPLPVD MARM YFAETVLALEYLHNYGIVHRDLKPDNLLVTSMG HIKLTDFGLSKVGLMSMTTNLYEGHIEKDAREFL DKQVCGTPEYIAPEVILRQGYGKPV DWWAMGII LYEFLVGCVPFFGDTPEELFGQVISDEINWPEKDE APPPDAQDLITLLLRQNPLERLGTGGA YE VKQHR FFRSLDWN SLLRQKA EFIPQLESEDDTSYFDTRSE KYHHMETEEEDDTNDEDFNVEIRQFSSCSHRFSK VFSSIDRITQNSAE EKEDSVDKTKSTLPSTETLS WSSEYSEMQLSTSNSSD TESNRHKLSSGLLPKL AISTEGEQDEAASCPGDPHEEPGKPALPPECAQ EEPEVTTTASTISSSTLSVGSFSEHLDQINGRSECV DSTDNSSKPSSEPASHMARQRLESTEKKKISGKV TKSLSASALSLMIPGDMFAVSPLGSPMSPHSLSSD PSSSRDSSPSRDSSAASASPHQPIVIHSSGKNYGFT IRAIRVYVGDSDIYTVHHIVWNVEEGSPACQAGL KAGDLITHINGEPVHGLVHTEVIELLLKSGNKVSI TTTPFENTSIKTGPARRNSYKSRMVRRSKKSKKK ESLERRRSLFKKLAKQPSPLLHTRSFSCLNRSLS SGESLPGSPTHSLSPRSPTPSYRSTPDFPSGTNSSQ SSSPSSSAPNSPAGSGHIRPSTLHGLAPKLGGQRY RSGRRKSAGNIPLSPLARTPSPTPQPTSPQRSPSPL LGHSLGNSKIAQAFPSKMHSPTIVRHIVRPKSAE PPRSPLLKR VQSEEKLSPSYGSDKKHLCSRKHSL EVTQEEVQREQSQREAPLQSLDENVC DVPPLSRA RPVEQGCLKRPVSRKVGRQESVDDLDRDKLKAK VVVKKADGFPEKQESHQKFHGP GSDLENFALFK LEEREKKVYPKAVERSSTFENKASMQEAPPLGSL LKDALHKQASVRASEGAMSDGPVPAEHRQGGG DFRRAPAGTLQDGLCHSLDRGISGKGEGTEKSS QAKELLRCEKLD SKLANIDYLRKKMSLEDKEDN LCPVLKPKMTAGSHECLPGNPVRPTGGQQEPPPA SESRAFVSSTHAAQMSAVSFVPLKALTGRVDSGT EKPGLVAPESPVRKSPSEYKLEGRSVSCLEPIEGT LDIALLSGPQASKTELPSPE SAQSPSPSGDVRA SV PPVLPSSSGKKN DTTSA RELSPSSLKMNKS YLLEP WFLPPSRGLQNSPAVSLPDPEFKRDRKGPHPTAR SPGTVMESNPQQREGSSPKHQDHTTDPKLLTCLG QNLHSPDLARPRCPLPPEASPSREKPG LRESSERG PPTARSERSAARADTCREPSMELCFPETAKTSDN SKNLLSVGRTHPDFYTQTQAMEKAWAPGGKTN HKDGPGEARPPPRDNSSLHSAGIPCEKELGKVRR GVEPKPEALLARRSLQPPGIESEKSEKLS SFPSLQ KDGAKEPERKEQPLQRHPSSIPPPPLTAKDLSSPA ARQHCSSPSHASGREPGAKPSTAEPSSSPQDPPKP VAAHSESSSHKPRPGPDGPPKTKHPDRSLSSQK PSVGATKGKEPATQSLGGSSREGKGHSKSGPDVF PATPGSQNKASDGIGQEGGSPVPLHTDRAPLDA KPQPTSGGRPLEVLEKPVHLPRPGHPGPSEPADQ

SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
				KLSAVGEKQTLSPKHPKPSTVKDCPTLCKQTDN RQTDKSPSQPAANTDRRAEGKKCTEALYAPAEG DKLEAGLSFVHSENRLKGAERPAAGVGKGFPEA RGKGPQPQKPPTADKPNGMKRSPSATGQSSFRS TALPEKSLSCSSFPETRAGVREASAASSDTSSAK AAGGMLELPAPSNRDHRKAQPAGEGRTHMTKS DSLPSFRVSTLPLESHHPDPNTMGGASHRDRALS VTATVGETKGKDPAPAQPPPPARKQNVGRDVTKP SPAPNTDRPISLSNEKDFVVRQRRGKESLRSSPHK KAL
3590	A	3	935	RATTPKNEVDYVSVEYLSPHMGGTDPFKYSY PPLVDDDFQTPLCENGPISEDETSSKEDIESDGK ETLETISNEEQTPLLKKINPTTESTSKAEENEKVDS KVKAFFKKPLSVFKGPLLHISPAAELYFGSTESGEK KTLIVLTNVTKNIVAFKVRTTAPEKYRVKPSNSS CDPGASVDIVVSPHGGTLVSAQDRFLIMAAEME QSSGTGPAELTQFWKEVPRNKVMEHRLRCHTVE SSKPNTLTCLKDNAFNMSDKTSEDICLQLSRLLES NRKLEDQVQRCIWFQQLLSLTMLLLAFVTSFFY LLYS
3591	A	303	2	GGSWGPLCPVSPAMSLSDPGLGYHPTCWTLRWP PLCSLHALHVFHCLFSSRLGTPVSPRLAMPNCS CEAGGSCACAGSCKCKCKCTSCCKSCCSCCPL
3592	A	1052	1779	GKTMMRKMLLAAALSVTAMTAHADYQCSVTP RDDVIVSPQTVQVKGENGNLVITPDGNVMYNGK QYSLNAAQREQAKDYQAE LRSTLPWIDEGAKSR VEKARIALDKIIVQEMGESSKMRSRLTKLDAQVK EQMNRIETRS DGLTFHYKAIDQVRAEGQQLVNQ AMGGILQDSINEMGAKAVLKSGGNPLQNVLGSL GGLQSSIQT EWKKQEKDFQQFGKDVCSRVTLE DSRKALVGNLK
3593	A	3	1837	LSFEKVDIQTDNDLT KEMYEGKENVSFELQRDFS QETDFSEASLLEKQQEVHSAGNIKKEKSNTIDGT VKDETSPEECFFSQSSNSYQCHTITGEQPSGCTG LGKSISFDTKLVKHEINSEERPFCCEELVEPFRCD SQLIQHQENNT EEPYQCSECGKA FKSINEKLIWH QRLHSGEKPFKCECGKSFSYSSHYITHQTIHSGE KPYQCKMCGKA FSVNGSLSRHQRIHTGEKPYQC KECGNGFSCSSAYITHQRVHTGEKPYECNDCGK AFNGNAKLIQHQRHTGEKPYECNECGKGFRCSS QLRQHQSHTGEKPYQCKEKGKGFNNNTKLIQH QRIHTASLAEQLFKASGNHPNWGCCLTISSPGPS VYGPKMNM MRGAPNSRLAGGREKRTQDTDFGQC SFLPSHSPSCFEPWNVTDYDSSWYRQKQVLSGV WSSPLSILKLPRTLIRISIHQEMDTPGEMLM TGR GSLGPTLTTEAPAAAQPGKQGPPTGRCLQAPGT EPGEQTPEGARELSPLQESSPPGGVKAEEEQRAG AEPGTRPSLARSDDNDHEVGALGLQQGKSPGAG NPEPEQDCAARAPVRAEAVRRMPPGAEGSVVL DD
3594	A	39	261	RAAMMDTSRVQPIKLAIVIKVLGRTGSQGQCTQ VRVEFMDDTSRSIIRSVKGPVREGDVLTLLESERE ARRLR
3595	A	973	68	GRVGTKHQMADDAGAAGGPGGPGGPGMGNRG GFRGGFGSGIRGRGRGRGRGRGRGRGARGGKAE

SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
				DKEWMPVTKLGRLVKDMKIKSLEEIYLFSLPIKE SEIDFFLGASLKDEVLKIMPVQKQTRAGQRTF KAFVAIGDYNHGVGLGVKCSKEVATAIRGAILA KLSIVPVRRGYWGNKIGKPHTVPCKVTGRCGSV LVRLIPAPRGTGIVSAPVPKLLMMAGIDDCYTS ARGCTATLGNFAKATFDAISKTYSYLTPDLWKE TVFTKSPYQEFTHLVKTHTRVSVQRTQAPAVA TT
3596	A	106	2960	DERRVGAADMFGRSRSWVGGGHGKTSRNIHSL DHLKYLHYVLTKNNTTVTEQNRNLLVETIRSITEIL IWGDQNDSSVDFDFLEKNMFVFFLNILRQKSGRY VCVQLLQTLNLFENISHETSLYYLLSNNYVNSII VHKFDFSDEEIMAYYISFLKTLCLKNNHTVHFF YNEHTNDFALYTEAIKFFNHPESTMVRIAVRTITL NVYKVSLDNQAMLHYIRDKTAVPYFSNLVWFIG SHVIELDDCVQTDDEHRNRGKLSDLVAEHLDDL HYLNDILINCEFLNDVLTDHLLNRLFLPLYVYSL ENQDKGGERPKISLPVSLYLLSQVFLIIHHAPLVN SLAEVILNGDLSEMYAKTEQDIQRSSAKPSIRCFI KPTETLERSLEMNKHKGKRRVQKRPNYKNVGEE EDEEKGPTEDAQEDAEEKAGTEGGSGKIKTSGES EEIEMVIMERSKLSLAASSTVQEQTNTDEEKSA AATCSESTQWSRPFLDMVYHALDSPDDDYHALF VLCLLYAMSHNKGMDPEKLERIQLPVPNAAEKT TYNHPLAERLIRIMNNAAQPDGKIRLATLELSCL LLKQQVLMASAGCIMKDVHLACLEGAREESVHLV RHFYKGEDIFLDMFEDEYRSMTMKPMNVEYLM MDASILLPPTGTPLTGIDFVKRLPCGDVEKTRRAI RVFFMLRSLSLQLRGEPETQLPLTREEDLIKTDV LDLNNSDLIACVTITKDGGMVQRSLAVDIYQMS LVEPDVSRLLGWGVVKFAGLLQDMQVTGVEDDS RALNITHKPASSPHSKFPILQATFIFSDHIRCIAK QRLAKGRIQARRMKMQRIAALLDLPIQPTTEVLG FGLGSSTSTQHLPRFYDQGRRGSSDPTVQRSVF ASVDKVPGFVAQAQCINEHSSPSLSSQSPPSASGSP SGSGSTSHCDSGGTSSSSTPSTAQSPAGIGHVTQ
3597	A	427	277	GVRRIQHWAQMHECNVHTYASLFCLFLLHTG KLCCLNSHRHFHCIKYSK
3598	A	1	503	FRPRTKKATAMYLEHYLDSIENLPCELQRNFQL MRELDQRTEDKKAIEDILAAEYISTVKTLSPDQR VERLQKIQNAYSCKKEYSDDKVQLAMQTYEMV DKHIRRLDADLARFEADLKDKMEGSDFESSGGR GLKKGRGQKEKRGSRGRGRRTSEEDTPKKKKH KGG
3599	A	2	3907	KTITALAFSPDGKYLVTGESGHMPAVRVWDVAE HSQVAELQEHKYGVACVAFSPSAKYIVSVGYQH DMIVNVWAWKKNIVVASNKVSSRVTAVSFSED CSYFVTAGNRHIKFWYLDSDSKTSKVNA TVPLL RSGLLGELRNLFDTDVACGRGKKADSTFCITSSG LLCEFSDRRLLDKWVELRVYPEVKDSNQACLPP SSFITCSSDNTIRLWNTESGVBHGSTLHRNILLSSDL IKIYVDGNTQALLDTELPGGDKADASLLDPRVGI RSVCVSPNGQHLASGDRMGTLRVHELQSLSEML KVEAHDSEILCLEYSKPD TGLKLLASASRDRLIH VLDAGREYSLQQTLDEHSSSITAVKFAASDGQVR

SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
				MISCGADKSIYFRTAQKSGDGVQFTRTHHVVRK TTLYDMDVEPSWKYTAIGCQDRNIRIFNISSGKQ KKLFGKSQGEDGTLIKVQTDPSGIYIATSCSDKNL SIFDFSSGECVATMFGHSEIVTGMKFSNDCKHLIS VSGDSCIFVWRLSSEMTISMQRQLAELRQRQGG KQQGPSSPQRASGPNRHQAPSM LSPGPALSSDS KEGEDEGTEEELPALPVLAKSTKKALASVPSPAL PRSLSHWEMSRAQESVGFLDPAPAA NPGPRRRG RWVQPGVELSVRSM LLDLROLET LAPSLQDPSQD SLAIPSGPRKHGQEALETSLTSQNEKPPRPQASQ PCSYPHIIRLLSQEEGVFAQDLEPAPIEDGIVYPEP SDNPTMDTSEFQVQAPARGTLGRVYPGSRSEK HSPDSACSVDYSSSCLSSPEHPTEDSESTEPLSVD GISSDLEEPAEGDEEEEEEGGMGPYGLQEGSPQ TPDQEQFLKQHFETLASGAAPGAPVQVPERSESR SISSRFLQVQTRPLREPS PSSSSSLALMSRPAQVPQ ASGEQPRGNGANPPGAPPEVEPSSGNPSPQQAAS VLLPRCRLNPDSSWAPKR VATASPFSG LQKAQS VHSLVPQERHEASLQAPSPGALLSREIEAQDGLG SLPPADGRPSRPHSYQNPTTSSMAKISR SISVGEN LGLVAEPQAHAPIRV SPLSKLALPSRAHLVLDIPK PLPDRPTLA AFSPVTKGRAPGEAEKPGFPVGLGK AHSTTERWACL GEGTTPKPRTECAHPGPSSPCA QQLPVSSLFQGPENLQPPPPEKTPNPMECTKPGA ALSQDSEPAVSLEQCEQLVAELRGSVRQAVRLY HSVAGCKMP SAEQSRIAQLLRDTFSSVRQELEAV AGAVLSSPGSSPGAVGAEQTQALLEQYSELLLRA VERRMERKL
3600	A	1688	916	IPGSTISCSMALCEAAGCGSALLWPRLLLFGDSIT QFSFQQGGWGASLADRLVRKCDVLNRGFSGYN TRWAKIILPRLIRKGNLSDIPVAVTIFFGANDSAL KDENPKQHIPLEEY AANLKSMVQYLKSVDIPENR VILITPTPLCETA WEEQCHIQGCKLNRLNSVVGEY ANACLQVAQDCGTDVLDLW TLMQDSQDFSSYL SDGLHLSPKGNEFLF SHLWPLIEKKVSSLPLLLPY WRDVAEAKPELSLLGDGDH
3601	A	44	223	VHFPLIPQLAKCFWTMNRARNKSEKRY YSEFL QLAHLFNYGLSSFLREFIIFLIKLLQ
3602	A	37	1124	VPKPASGKRRLEFRPQDSKACAA TPHPGRITSR TRGSQKVRSPVPRLPWAQASASTDWEGLRGVPG PALRRENFL EAAASGRSGRTPTGGVGFRDVGGP HFPIFPAAHFLWCNLHTPRRPACNAPWHSPVGEI SPPPRESQLRRDPEVHFESPAHPLGFRLLPGRGLP ANAVTVETAAMAAPRQIPSHIVRLKPS CSTDSSF TRTPVPTVSLASREL PVSSWQVTEPSSKNLWEQI CKEYEA EQPPFPEGYKVKQEPVITVAPVEEMLFH GFSAEHYFPVSHFTMISRTPCPQDKSETINPKTCS PKEYLET FIFPVLLPGMASLLHQAKKEKCFEVL QMTPSGGKACVWGHL PSSSHTI
3603	A	286	587	NISNKA EVSSHPSVISHSMDSFGQRPEDNQSVLR RMQKKYWKTKQVFIKATGKK EDEHLVASDAEL DAKLEV FHSVQETCTELLKIEKYQLRLNGMKS
3604	A	103	2440	QPRRRVFPAAGRGPGRKCSQWGRQASVSFEDVT VDFSKEEWQHLDPAQRRLYWDVTLENYSHLLS VG YQIPKSEAAFKLEQGE GPWMLEGEAPHQSCS

SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
				GEAIGKMQQQGIPGGIFFHCERFDQPIGEDSLCSI LEELWQDNDQLEQRQENQNNLLSHVKVLIKERG YEHKNIEKIIHVTTKL VPSIKRLHNCDTILKHTLN SHNHNRSATKNLGKIFGNGNFPSPSSTKNEN AKTGANSCEHDHYEKHL SHKQAPTHHQKIHPEE KLYVCTECVMGFTQKSHLFEHQRIHAGEKSREC DKSNKVFPQKPQVDVHPSVYTGEKPYLCTQCGK VFTLKS NLITHQKIHTGQKPYKCSECGKAFFQRS DLFRHLRIHTGEKPYECSECGKGFSQNSDL SIHQ KTHTGEKHYECNECGKAFTTRKSALRMHQRIHTG EKPYVCADCGKAFIQKSHFNTHQRIHTGEKPYEC SDCGKSFTKKSQ LHVHQRIHTGEKPYICTECGKV FTHRTNLTTHTQKTHTGEKPYMCAECGKAFTDQS NLIKHQKTHTGEKPYKCNGCGKAFIWKSR LKIH QKSHIGERHYECKDCGKAFIQKSTLSVHQRIHTG EKPYVCECGKAFIQKSHFIAHHRHTGEKPYECS DCGKCFTKKSQ LRVHQKIHTGEKPNICAECGKAF TDRSNLITHQKIHTREKPYECGDCGKTFTWKSRL NIHQKSHTGERHYECSKCGKAFIQKATLSMHQII HTGKKPYACTECQKAFTDRSNLIKHQKMHSGEK RYKASD
3605	A	3	322	SFRMSGRGKGGKGLGKGGAKRHRKVLRDNIQGI TKPAIRRLARRGGVKRISGLIYEETRGVLKVLEN VIRDAVTYTEHAKRKTVTAMDVVYALKRQGR LYGFGG
3606	A	1	1749	VPVTAEAKLMGFTQGCVT FEDVAIYFSQEEWGL LDEAQRLLYRDVMLENFALITALVCWHGMEDE ETPEQSVSVEGVPQVRTPEASPSTQKIQSCDMCV PFLTDILHLTDLPQEL YLTGACAVFHQDQKHHS AEKPLESDMDKASFVQCCLFHESGMPFTSSEVG KDFLAPLGILQPQAIANYEKP NKISKCEEAFHVG SHYKWSQCRRESSHKHTFFHPRVCTGKRLYESS KCGKACCCECSLVQLQRVHPGERPYECSECGKS FSQTSHLNDHRRHTGERPYVCGQCGKSFSQRAT LIKHHRVHTGERPYECGECGKSFSQSSNLIEHCRI HTGERPYECDECGKAFGSKSTLVRHQRTHTGEK PYECGECGKLFRQSFSLVVHQRIHTTARPYECGQ CGKSFSCLKGLIQHQLIHSGARPFECDECGKSFSQ RTTLNKHKKVHTAERPYPVCGECGKAFMFKSKL VRHQRTHTGERPFECSECGKFFRQSYTLVEHQKI HTGLRPYDCGQCGKSFIQKSSLIQHQQVVHTGERP YECGKCGKSFTQHSGLILHRKSHTVERPRDSSKC GKPYSR SNIV
3607	A	92	331	AMAGPGPGPDPEQYDFLFLVLVGDA SVGKT CVVQRFKTGAFSERQGSTIGVDFTMKTLEIQGKR VKLQIWDTAGQER
3608	A	545	379	AIKGYIHL SAPRNR YMHTTASNGRMLFMKV TM YMRRGVQIMGWSVRMAFMACFTQ
3609	A	118	873	VWMAWQVSLLELEDRLQCPICLEVFKE SMLQC GHSYCKGCLVSLSYHLDTKVRCPMCWQVVDGS SSLPNVSLAWVIEALRLPGDPEPKVCVHHRNPLS LFCEKDQELICGLCGLLGSHQHHPVTPVSTVCSR MKEELAALFSELKQEQKKVDELI AKLVKNRTRIV NESDVFSWVIRREFQELRHPVDEEKARCLEGIGG HTRGLVASLDMQLEQAQGTRERLAQAECVLEQF

SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
				GNEDHHEFIWKFHSMASR
3610	A	2	987	DPRVRPPLLQPPPLLPRLVILKMAPLDLDKYVEI ARLCKYLPENDLKRLCDYVCDLLLEESNVQPV TPVTVCGDHGGFYDLCELFRITGGQVPDNYIFM GDFVDRGYYSLETFTYLLALKAKWPDRITLLRG NHESRQITQVYGFYDECQTKYGNANAWRYCTK VFDMLTVAALIDEQILCVHGGGLSPDIKTLQIRTI ERNQEIPHKGAFCDLVWSDPEDVDTWAISPRGA GWLFGAKVTNEFVHINNKLICRAHQLVHEGYK FMFDEKLVTVWSAPNYCYRCGNIASIMVFKDVN TREPCLFRAVPDSERVIPRTTTPYFL
3611	A	2459	869	AEKMTAELREAMALAPWGPVKVKKEEEEEENF PGQASSQQVHSENIKVWAPVQGLQTGLDGSEEE EKGQNISWDMVVLKATQEAPAASTLGSYSLPG TLAKSEILETHGTMNFLGAETKNLQLLVPKTEIC EEAEKPLISERIQAADPQGPGEACEKGNMLK RQRIKREKKDFRQVIVNDCHLPESFKEEENQKCK KSGGKYSLSNGAVKNPKTQLGQKPFTCSVCGKG FSQSANLVVHQRIHTGEKPFECHECGKAFIQSAN LVVHQRIHTGQKPYVCSKCGKAFTQSSNLTVHQ KIHSLEKTFKCECEKAFFSYSSQLARHQKVHTE KCYECNECGKTFTRSSNLIVHQRIHTGEKPFACN DCGKAFTQSANLIVHQRSHTGEKPYECKECGKA FSCFSLIVHQRIHTAEKPYDCSECGKAFFSLSCL IVHQRIHSGDLPYVCNECGKAFTCSSYLLIHQRIH NGEKPYTCNECGKAFFRQRSSLTVHQRTHTGEKP YECEKCGAFAISNSHLMRHHRTHLVE
3612	A	318	2245	SPMAEALVNTQPQPMVTEEFVKPSQGHVTFEDI AVYFSQEEWGLLDEAQRCLYHDMLENFSLMA SVGCLHGIEAEEAPSEQTLAAGVVSQARTPKLGP SIPNAHSCMCILVMKDILYLSEHQGTLPWQKPY TSVASGKWFSFGSNLQQHQNQDSGEKHIREESS ALLNSCKIPLSDNLFPCKDVEKDFPTILGLLQHQ TTHSRQEYAHRSRETFQRRYKCEQVFNEKVHV TEHQRVHTGEKAYKRREYGKSLNSKYLVEHQ THNAEKPYVCNICGKSFLHKQTLVGHQQRITRE RSYVCIECGKSLSSKYSLEHQRTNHEKPYVCN VCGKSFRHKQTFVGHQQRITGERPYVCMCEGK SFIHSYDRIRHQRVHTGEGAYQCSECGKSFIYKQ SLLDHHRITGERPYECKEKGKAFIHKRLLEHQ RIHTGEKPYVCNICGKSFISSDYMHRHQRIHTGER AYECSDCGKAFISKQTLKHHKIHTREPYECSE CGKGFYLEVKLLQHQRITREQLCECNECGKVF SHQKRLLEHQKVHTGEKPCECSECGKCFRHTS LIHQKVHSGERPYNCTACEKAFIYKNKLVEHQ RIHTGEKPYECGKCGKAFNKRYSLVRHQKVHIT EEP
3613	A	817	3345	NQSHPDSETVTVEGGRRKMKSQERSNECLPPK KREIPATSRSSSEKAPTLPSDNHRVEGTAWLPGN PGGRGHGGGRHGPAGTSVELGLQQGIGLHKALS TGLDYSPPSAPRSVPVATTLPAAYATPQPGTPVSP VQYAHLPHTFQFIGSSQYSGTYASFIPSQLIPTAN PVTSAVASAAGATTPSQRSQLEAYSTLLANMGS LSQTPGHKAEQQQQQQQQQQQQQQQQQQQQQQ QQQHQQQQQQQQQQQQQQQQHLSRAPGLITPGSP

SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
				PAQQNQYVHISSSPQNTGRTASPPAIPVHLHPHQ TMIPHTLTLGPPSQVVMQYADSGSHFVPREATK KAESSRLQQAIAKEVLNGEMEKSSRRYGAPSSA DLGLGKAGGKSVHPYESRHVVVHPSPSDYSSR DPSGVRASVMVLPNSNTPAADLEVQQATHREAS PSTLNDKSGHLHGKPGHRSYALSPHTVIQTTHSA SEPLPVGLPATAFYAGTQPPVIGYLSGQQQAITY AGSLPQHLVIPGTQPLLIPVGSTDMEASGAAPAIV TSSPQFAAVPHTFVTTALPKSENFNPEALVTQAA YPAMVQAQIHLPVVQSVASPAAPPTLPPYFMK GSHQLANGELKKVEDLKTEDFIQSAEISNDLKIDS STVERIEDSHSPGVAVIQFAVGEHRAQVSVEVLV EYPFFVFGQGWSSCCPERTSQLFDLPCSKLSVGD VCISLTLKNLKNKSVKKGQVPDPASVLLKHSKA DGLAGSRHRYAEQENGINQGSQAQMLSENGELKF PEKMGLSAAAPFLTKEPSKPAATRKRRWSAPESR KLEKSEDEPPLTLPKPSLIPQEVKICIEGRSNVGK
3614	A	3	114	FFESRLRCKCCEPRGSWARFGCWRLQPEFKPKQ LEG
3615	A	3	1603	DAWALTNQFSDSKQHIEVLKESLTAKEQRAAILQ TEVDALRLREEKETMLNKKTKQIQDMAEEKGT QAGEIHDLDKMDLVKERKVNVLQKKIENLQEQ RDKEKQMSSLKERVKSLQADTTNTDTALTLEE ALAEKERTIERLKEQRDRDEREKQEEIDNYKKDL KDLKEKVSLQGDLEKEASLLDLKEHASSLASS GLKKDSRLKTLEIALEQKKEECLKMESQLKKAH EAALEARASPEMSDRIQHLEIRETRYKDESSKAQ AEVDRILLEILKEVENEKNDKDKKIAELESLSRQ VKDQNKKVANLKHKEQVEKKKSAQMLEEARRR EDNLNDSSQQLQDSLRRKKDDRIEELEEALRESVQ ITAEREMVLAQEEASARTNAEKQVEELLMAMEKV KQELESMAKLSSTQQLAEKETHLTNLRAERR KHLEEVLEMKQEALLAAISEKDANIALLELSSSK KKTQEEVAALKREKDRLVQQLKQQTQNRMKLM ADNYEDDHFKSSHNSQTNHKPSPDQDEEEGIWA
3616	A	244	1420	RRRWRARGGLVPTLAWAEATGAYVPGRDKPDL PTWKRNFRLNRKEGLRLAEDRSKDPHDPHKI YEFVNSGVGDFSQPDTSPTDNGGGSTSDTQEDIL DELLGNMVLAPLPDPGPPSLA VAPEPCPQLRSPS LDNPTFPNLPSENPLKRLLVPGEEWFEVTA YRGRQVFQQTISCPEGLRLVGSEVGDRTLPGWP VTLDPGMSLTDRGVMSYVRHVLSCLGGLAL WRAGQWLWAQRLGHCHTYWAVSEELLPNSGH GPDGEVPKDEGGVFDLGPFI VGS LGPPDLITFE GSGRSPRYALWFCVGESWPQDQPWTKRLVMVK VVPTCLRALVEMARVGGASSLENTVDLHISNSHP LSLTSDQYKAYLQDLVEGMDFQGPGES
3617	A	852	304	RGGLLSKMARVLKAAAANAVGLFSRLQAPIPTV RASSTSQPLDQVTGSVWNLGRLNHVAIAVPDLE KAAAFYKNILGAQVSEAVPLPEHGVS VVFN LG NTKMELLHPLGRDSPIAGFLQKNKAGGMHHICIE VDNINAAVMDLKKKKIRSLSEEVKIGAHGKPVIF LHPKDCGGVLVELEQA
3618	A	3	5992	DNIDETYGVNVQFESDEEEGEDVDYGEVREEAS DDDMEGDEAVVRCTLSANMYVDEILVWCASEL

SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
				NIPEFFPLESPHKKVG YGLSSRTWLQGGGK VIEA GRDLLVASGELMSSKKKDLHPRDIDAFWLQRQL SRFYDDAIVSQKKADEVLEILKTASDDRECENQL VLLGFNTDFIKVLRQHRMMILYCTLLASAQSE AEKERIMGKMEADPELSKFLYQLHETEKEDLIRE ERSRRERVRQSRMDTDLETMDLDQGGGEALAPRQ VLDLEDLVFTQGSFHMANKRCQLPDGSFRRQRK GYEEVHVPALKPKPFGSEEQLLPVEKLPKYAQA GFEGFKTLNRIQSKLYRAALETDENLLLCAPTGA GKTNVALMCMLEIGKHINMDGTINVDDFKIYI APMRSLVQEMVGSFGKRLATYGITVAELTGDHQ LCKEEISATQIIVCTPEKWDIITRKGGERTYTQLV RLILDEIHLHDDRGPVLEALVARAIRNIEMTQE DVRLIGLSATLPNYEDVATFLRVDPAKGLFYFDN SFRPVPLEQTYVGITEKKAIKRFQIMNEIVYEKIM EHAGKNQVLV FVHSRKETGKTARAI RDMCLEKD TLGLFLREGSASTEVLRTEAEQCKNLELKDLLPY GFAIHHAGMTRVDRTLVEDLFGDKHIQVLVSTA TLA WGVNLP AHTVIKGTQVYSPEKGRWTELGA LDILQMLGRAGRPQYDTKGEGILITSHGELQYYL SLLNQQLPIESQMVS KL PDMLNAEIVLGNVQNA KDAVNWLGYAYLYIRMLRSPTLYGISHDDLKGD PLLDQRLDLVHTAALMLDKNNLVKYDKKTGN FQVTELGR IASHYYITNDTVQTYNQLLKPTLSEIE LFRVFSLSSEFKNITVREEEKL ELQKLLERVPIPVK ESIEEPSAKINVLLQAFISQLKLEGFALMADMVY VTQSAGRLMRAIFEIVLNRGWAQLTDKTLNLCK MIDKRMWQSMCPLRQFRKLPEEVVKKIEKKNFP FERLYDLNHNEIGELIRMPKMGKTIHKYVHLFPK LELSVHLQPITRSTLKV ELTITPDFQWDEKVHGSS EAFWILVEDVDSEVILHHEYFLLKAKYAQDEHLI TFFVPVFEPLPPQYFIRVVS DRWLSCETQLPV SFR HLILPEKYPPPT ELDDLQPLPV SALRNSAFESLYQ DKFPFFNP IQTQVFNTVYNSDDNVFVGAPTGSGK TICAFAILRMLLQNSEGR CVYITPMRLWQE QVY MDWYEKFQDR LNKKVLLTGETSTD LKLLGKG NIIISTPEKWDILSRRWKQRKNVQNINL FVVDEV HLIGGENGPVLEVICS RMRYISSQIERPIRIVALSSS LSNAKDVAHWLGCSATSTFN FHPNVRPVPLELHI QGFNISHTQTRLLSMAKPVFHAITKHSPKKPVIVF VPSRKQTRLTAIDILTTCAADIQRQFLHCTEKDL IPYLEKLS DSTLKETLLNGVGYLHEGLSPMERRL VEQLFSSGAIQVVVASRSLCWGMNVA AHLVIIM DTLYYNGKIHAYVDYPIYDVLQMVGHANRPLQ DDEGRCVIMCQGSKKDFFKKFLYEPLPVESHLD HCMHDHFNAEIVTKTIENKQDAVDYLTWTFLYR RMTQNPNYYNLQGISHRHLSDHLS ELVEQTLSDL EQSKCISIEDEMDVAPLNLGMIAA YYYINYTTIEL FSMSLNAKTKVRGLIEISNA AEYENIPIRHHEDN LLRQLAQKVPHKLNPNKFNDPHVKTNLLQ AHL SRMQLSAELQSDTEEILSKAIRLIQACVDVLSSNG WLSPALAA MELAQMTQAMWSEDSYLRRLPPF PSGLFKRCTDKGVESVFDIMEME DEERNALLQLT DSQIADVARFCNRYPNIELSYEVVDKDSIRSGGP VVVLVQLEREEV TGPVIAPLFPQKREEGWVVV

SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
				IGDAKSNSLISIKRLTLQQKAKVKLDFVAPATGG RHNTLYFMSDAYMGCDQEYKFSVDVKEAETDS DSD
3619	A	3	5992	DNIDETYGVNVQFESDEEEGDEDEVYGEVREEAS DDDMEGDEAVVRCTLSANMYVDEILVWCASEL NIPEFFPLESPHKKVG YGLSSRTWLQGGGKVIEA GRDLLVASGELMSSKKKDLHPRDIDAFWLQRQL SRFYDDAIVSQKKADEVLEILKTASDDRECENQL VLLGFTNFDKIKVLRQHRMMILYCTLLASAQSE AEKERIMGKMEADPELSKFLYQLHETEKEDLIRE ERSRRERVRQSRMDTDLETMDLDQGGEALAPRQ VLDLEDLVFTQGSHEFMANKRCQLPDGSFRRQRK GYEEVHVPALKPKPFGSEEQLLPVEKLPKYAQA GFEGFKTLNRIQSKLYRAALETDENLLLCAPTGA GKTNVALMCMLREIGKHINMDGTINVDDFKIYI APMRSLVQEMVGSFGKRLATYGITVAELTGDHQ LCKEEISATQIIVCTPEKWDITRKGGERTYTQLV RLIILDEIHLHDDRGPVLEALVARAIRNIEMTQE DVRIGLSATLPNYEDVATFLRVDPAKGLFYFDN SFRPVPLEQTYVGITEKKAIKRFQIMNEIVYEKIM EHAGKNQVLV FVHSRKETGKTARAI RDMCLEKD TLGLFLREGSASTEVLRTEAEQCKNLELKDLLPY GFAIHHAGMTRVDR TLVEDLFGDKHIQVLVSTA TLAWGVNLP AHTVIKGTQVYSPEKGRWTELGA LDILQMLGRAGRPQYDTKGEGILITSHGELQYYL SLLNQQLPIESQMVS KL PDMLNAEIVLGNVQNA KDAVNWLGYAYLYIRMLRSPTLYGISHDDLKGD PLLDQRRDLVHTAALMLDKNNLVKYDKKTGN FQVTELGRIASHYYITNDTVQTYNQLLKPTLSEIE LFRVFSLSSEFKNITVREEEKLELQKLLERVPIPVK ESIEEPSAKINVLLQAFISQLKLEGFALMADMVY VTQSAGRLMRAIFEIVLNRGWAQLTDKTLNLCK MIDKRMWQSMCPLRQFRKLPEEVVKKIEKKNFP FERLYDLNHNEIGELIRMPKMGKTIHKYVHLFPK LELSVHLQPITRSTLKVELTITPDFQWDEKVHGSS EAFWILVEDVDSEVILHHEYFLKAKYAQDEHLI TFFVPVFEPLPPQYFIRVVSDRWLSCETQLPVSR HLILPEKYPPTELLDLQPLPVSA LRNSAFESLYQ DKFPFFNPIQTQVFNTVYNSDDNVFVGAPTGSGK TICAEFAILRMLLQNSEGRCVYITPMRLWQEQVY MDWYEFQDRLNKKVLLTGETSTD LKLLGKG NIIISTPEKWDILSRRWKQRKNVQNNL FVVDEV HLIGGENGPVLEVICS RMRYISSQIERPIRIVALSSS LSNAKDVAHWLGCSATSTFNHFPNVRPVPLELHI QGFNISHTQTRLLSMAKPVFHAITKHSPKKPVIVF VPSRKQTRLTAIDILTTCAADIQRQRFLHCTEKDL IPYLEKLS DSTLKETLLNGVGYLHEGLSPMERRL VEQLFSSGAIQVVVASRSLCWGMNVA AHLVIIM DTLYYNGKIHAYVDYPIYDVLQMVGHANRPLQ DDEGRCVIMCQGSKKDFFKKFLYEPLPVESHLD HCMHDHFNAEIVTKTIENKQDAVDYLTWTFLYR RMTQNPNYNQLQGISHRHLSDHLS ELVEQTLSDL EQSKCISIEDEMDVAPLNLGMIAAYYIN YTTIEL FSMSLNAKTKVRGLIEISNAAEYENIPIRHHEDN LLRQLAQKVPHKLNNPKFNDPHVKTNLLQAHL

SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
				SRMQLSAELQSDTEEILSKAIRLIQACVDVLSSNG WLSPALAAAMELAQMVTQAMWSEDSYLRRLPPF PSGLFKRCTDKGVESVFDIMEMEDEERNALLQLT DSQIADVARFCNRYPNIELSYEVVDKDSIRSGGP VVVLVQLEREEVETGPVIAPLFPQKREEGWVWV IGDAKSNSLISIKRLTLQQKAKVKLDFVAPATGG RHNTLYFMSDAYMGCDQEYKFSVDVKEAETDS DSD
3620	A	1205	323	VIKMALAAARLLPQFLHSRSLPCGAVRLRTPAVAE VRLPSATLCYFCRCRLGLGAALFPRSARALAASA LPAQGSRWVLSPLSPGLPAAFAFPACPQRSYSYE EKPOQHOKTKMIVLGFSPINWVRTRIKAFIWA YFDKEFSITEFSEGAQAFHVSLLSQCKFDLL EELVAKEVLHALKEKVTSLPDNHKNALANIDEI VFTSTGDISIYYDEKGRKFVNLMCFWYLTSAIP SETLRGASVFQVKLGNNQNVETKQLLSASYEFQR EFTQGVKPDWTIARIEHSLLE
3621	A	2	2995	SSSRSRHSSISPVRLPLNSSLGAELSRKKKRAAA AAAAKMDGKESSYERSGSYSGRSPSPYGRRRSSS PFLSKRSLRSPLPSRKSMKSRSRSPAYSRRHSSSH SKKKRSSSRHSSISPVRLPLNSSLGAELSRKKK ERAAAAAAKMDGKESSYERSGSYSGRSPSPYG RRRSSSPFLSKRSLRSPLPSRKSMKSRSRSPAYS RHSSSHSKKKRSSSRHSSISPVRLPLNSSLGAEL SRKKKRAAAAAAAKMDGKESKGPVFLPRKE NSSVEAKDSGLESKKLPRSVKLEKSAPDTELNV THLNTEVKNSSDTGKVKLDENSEKHLVKDLKAQ GTRDSKPIALKEEIVTPKETETSEKETPPPLPTIASP PPPLPTTTPPPQTPPLPPLPIPALPQQPPLPPSQA FSQVPASSTSTLPPSTHSTSAVSSQANSQPPVQV SVKTQVSVTAAIHLKTSTLPPPLPPLPGDDDM DSPKETLPSKPVKKEKEQRTTHLLTDLPLPELPG GDLSPPDSPEPKAITPPQPPYKKRPKICCPRYGER RQTESDWGKRCVDKFDIIGIIGEGTYGQVYKAKD KDTGELVALKKVRLDNEKEGFPITAIKILRQL IHRSVVNMKEIVTDKQDALDFKKDKGAFYLVFE YMDHDLMLGLESGLVHFSEDHKSFMKQLMEGL EYCHKKNFLHRDIKCSNILLNNSGQIKLADFGLA RLYNSEESRPYTNKVITLWYRPPKLLLGEERYTP AIDVWSCGCLGELFTKKPIFQANLELAQLELISR LCGSPCPAVWPDVIKLPYFNTMKPKKQYRRRLR EEFSFIPSAALDLDHMLTLDPSKRCTAEQTLQSD FLKDVELSKMAPDLPWQDCHELWSKKRRRQ RQSGVVVEPPPSKTSRKETTSGTSTEPVKNSSPA PPQPAPGKVESGAGDAIGLADITQQLNQSELAVL LNLLQSQTDLSPQMAQLLNHNSNPEMQQLEAL NQSISALTEATSQQQDSETMAPEESLKEAPSAPVI LPSAEQTTLASSTPADMQNILAVLLSQLMKTQE PAGSLEENNSDKNSGPGQPRRTPTMPQEEAAGRS NGGNAL
3622	A	16	390	TPERGSAYPETAARRPAGECPITMSDLEAKLST EHLGDKIKDEDIKLRVIGQDSSEIHFVKMTTPLK KLKKSQCQRQGVVNSLRFLFEGQRIADNHTPEE LGMEEDVIEVYQEIQIGHSTV
3623	A	2	1544	PPPAPGPDGLNEGCLHRLSMPHQRPRTCAMNPE

SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
				LTMESLGT LHGARGGGSGGGGGGGGGGGGGGGGGP GHEQELLASPSPHHARRGPRGSLRGPPPPPTAHQ ELGTAAAAAAAASRSAMVTSMASILDGGDYRPE LSIPLHHAMSMSCDSSPPGMGMSNTYTTLTLPQP LPPISTVSDKFHHHPHHPHHHHHHHHHQRSGN VSGSFTLMRDERGLPAMNNLYSPYKEMPGMSQS LSPLAATPLGNGLGGLHNAQQSLPNYGP PGHDK MLSPNFDAHHTAMLTRGEQHLRGLGTPPAAM MSHLNGLHHPGHTQSHGPVLAPSRERPPSSSSGS QVATSGQLEEINTKEVAQRITAE LKRY SIPQAIFA QRVLCRSQGTLSDLLRNPKPWSKLKSGRETFR MWKWLQEP EFQMSALRLAACKRKEQEPNKDR NNSQKKSRLVFTDLQRRTLFAIFKENKRPSKEMQ ITISQQLGLELTTVSNFFMNARRRSLEKWQDDLS TGGSSSTSSTCTKA
3624	A	27	2152	SARKAEAATSGTAARDGSVGRNLVPPPSASAPK AEVESNEKDNRP EEEEEQVIHEDDERPSEKNEFSR RKRSKSEMDNVQSKRRRYMEE EYAEFQVKIT AKGDINQKLQKVIQWLLEEKLCALQCAVFDKTL AELKTRVEKIECNKRHKT VLT ELQAKIARLT KRF EAAKEDLKKRHEHPPNPPVSPGKT VNDVNSNNN MSYRNAGTVRQMLESKRNVSESAPPSFQTPVNT VSSTNLVTPPAVVSSQPKLQTPVTSGLTATSVP APNTATVVATTQVPSGNPQPTISLQPLPVILHVPV AVSSQPQLLQSHPGTLVTNQPSGNVEFISVQSPPT VSGLTKNPVS LPSLPNPTKPNNVPSVPSIQRNP TASAAPLGTTLA VQAVPTAHSIVQATRSLPTVG PSGLYSPSTNRGP IQMKIPISAFSTSSAAEQNSNTT PRIENQTNKTIDASVSKKAADSTSQC GKATGSDS SGVIDLTMDDEESGASQDPK KLNHTPVSTMSSSQ PVSRLQPIQPAPPLQPSGVPTSGPSQTTIHL LPTA PTTVNVTHR PVTVTTRLPVPRAPANHQVVYTT LPAPPAQAPLRGTVMQAPAVRQVNPQNSVTVRV PQTTTYVVNGLTLGSTGPQLTVHHRPPQVHTEP PRPVHPAPLPEAPQPQRLPPEAGSTSRPSEATLEV SHA FRVKMAIVLVM ECPGGGSKLCHC
3625	A	210	1115	ASPFLRPQGHDSGEREPFSQTPGLMQPFSIPVQIT LQGSRRRQGR TAFPASGKKRETDYSDGDPLDVH KRLPSSSTGEDRAVMLGFAMMGFSVLMFFLLGTT ILKPFMLS IQREESTCTAIHTDIMDDWLDCAFTCG VHCHGQ GKYPCLQVFVNLSHPGQKALLHYNEE AVQINPKCFYTPKCHQDRNDLLNSALDIKEFFDH KNGTPFSCFYSPASQSE DVILIKKYDQMAIFHCLF WPSLTLLGGALIVGMVRLTQHLSLLCEKYSTVV RDEVGGKV PYIEQH QFKLCIMRRSKGRAEKS
3626	A	9	921	SSVVEFSALSVSMACLSPSQLQKFQQDGFLVLEG FLSAEECVAMQQRIGEIVAEMDVPLHCRTEFSTQ EEEQLRAQGSTDYFLSSGDKIRFFFEKGVFDEKG NFLVPPEKSINKIGHALHAHDPVFKSITHSFKVQT LARSLGLQMPVVVQSMYIFKQPHFGGEVSPHQD ASFLYTEPLGRVLGVWIAVEDATLENGCLWFIPG SHTSGVSRRMVRAPVGSAPGTSFLGSEPARDNSL FVPTPVQRGALVLIHGEVVHKSKQNLSDRSRQA YTFHLM EASGTTWSPENWLQPTAELPPFQLYT
3627	A	231	644	INSSPRTGRDHQELNLHTERDSRSQRAVLKIPRQ

SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
				NPGIFYWIFLPSRSHSASHGSRQRQVSCQGTQDEI LKMRNTFAELKNSLEALSSRMDQAEERIGTQAG VQWRDHGSLQPQPPEFKQCFHLSLPSSWDYRAC LS
3628	A	2	810	GCKHLLQNSWYDPRVREADRVGQRARRPRAAM DWLMGKSKAKPNGKKPAAEERKAYLEPEHTKA RITDFQFKELVVLPREIDLNEWLASNTTFFHHIN LQYSTISEFCTGETCQTMAVCNTQYYWYDERGK KVKCTAPQYVDFVMSSVQKLVTDDEVFPTKYG REFPSSFESLVRKICRHLFHVLAHIYWAHFKETLA LELHGHLNTLYVHFILFAREFNLLDPKETAIMDD LTEVLCSGGRRGSTVGAVGMGPAAGAPGAQNH VKER
3629	A	699	1604	CSHGSSAVSAWSPLFQASEVERQLSMQVHALRE DFREKNSSTNQHIIRLESQAIEKMLSDRKRELEH RLSATLEENDLLQGTVEELQDRVLILERQGHDKD LQLHQSQLELQEVRLSCRQLQVKVEELTEERSLQ SSAATSTSLSEIEQSMEAELEQEREQLTLLSVE MTALKEERDRLRVTSDEKPEQLQKAIRDRDE AIAKKNAVELELAKCRMDMMSLNSQLLDAIQQ KLNLSQQLEAWQDDMHRVIDRQLMDTHLKERS QPAAALCRGHSAGRGDEPSIAEGKRLFSFRKI
3630	A	423	1	PAKVLTLDIYLSKTEGAQVDEPVVITPRAEDCGD WDDMEKRSSGRRSGRRRGSKSTDSPGADAELP ESAARDDAVFDDEVAPNAASDNASAEKKVKSPR AALDGGVASAASPESKPSPGTKGQLRGESDRSK QPPPASSP
3631	A	2082	674	WSGFWQLPGVRGVGSAPGGDGAFTSRRGSSRR PGAACPGCRGAGSERAPGGMGRRRAPELYRAPF PLYALQVDPSTGLLIAAGGGGAAKTGKNGVHF LQLELINGRLSASLLHSHDTETRAMNLALAGDI LAAGQDAHCQLLRFQAHQQQGNKAEKAGSKEQ GPRQRKGAAPAEKKCGAETQHEGLELRVENLQA VQTDFFSDPLQKVVCFNHDNTLLATGGTDGYVR VWKVPSLEKVLFEKAHEGEIEDLALGPDGKLV VGRDLKASVWQKDQLVTQLHWQENGPTFSSTP YRYQACRFGQVPDQPAGLRLFTVQIPHKRLRQPP PCYLTAWDGSNFLPLRTKSCGHEVVSCLDVSES GTFLGLGTVTGSVAIYIAFSLQCLYYVREAHGIV VTDVAFLPEKGRGPPELLGSHETALFSVAVDSRCQ LHLLPSRRSVPVWLLLLLCVGLIIVTILLQSAFPG FL
3632	A	942	40	PWCQRVEVRSCGSSKRSCSRWSGSSWDGSRSLG RGLNHTSLNRSPFPTDPTMTHCCSPCCQPTCCRT TCCRTTCWKPTTVTTCSTPCCQPSCCVPSCCQP CCHPTCCQNTCCRTTCCQPTCVASCCQPSCCSTP CCQPTCCGSSCCGQTSCGSSCCQPICGSSCCQPCC HPTCYQTICFRTTCCQPTCCQPTCCRNTSCQPTCC GSSCCQPCCHPTCCQPTICRSTCCQPSCVTRCCSTP CCQPTCCGSSCCSQTCCNESSYCLPCCRPTCCQTT CYRTTCCRPSCCCSPCCVSSCCQPSCC
3633	A	605	3004	GPEGYRGRRARHPSLGSTTGHCGGGRGAEGTGT DPAAPAARLNVDGLLVYFPYDYIYPEQFSYMRE LKRTLDAKGHVLEMPSGTGKTVSLLALIMAYQ RAYPLEVTKLIYCSRTVPEIEKVIEELRKLLNFYE

SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
				KQEGEKLPFLGLALSSRNLCIHPEVTPLRFGKD VDGKCHSLTASYVRAQYQHDTSLPHCRFYEEFD AHGREVPLPAGIYNLDDLKALGRRQGWCPYFLA RYSILHANVVVYSYHYLLDPKIADLVSKELARK AVVVFDEAHNIDNVCIDSMNVNLTTRTLDRQCQ NLETQKTVLRKETDEQRLRDEYRRLVEGLREA SAARETDAHLANPVLPEVLQEA VPGSIRTAEHF LGFLRRLLEYVKWRLRVQHV VQESPPAFLSGLA QRVCIQRKPLRFCAERLRSLHTLEITDLADFSPL TLLANFATLVSTYAKGFTTHIEPFDDRTPTIANPIL HFSCMDASLAIKPVFERFQSVIITSGTLSPLDIYPK ILDFHPVTMATFTMTLARVCLCPMIIGRGNDQVA ISSKFETREDIAVIRNYGNLLEMSA VVPDGIVAF FTSYQYMESTVASWYEQGILENIQRNKLLFIETQ DGAETSVALEKYQEACENGRGAILLSVARGKVS EGIDFVHHYGRAVIMFGVPYVYTQSRILKARLEY LRDQFQIRENDFLTDFDAMRHAAQC VGRAIRGKT DYGLMVFADKRFARGDKRGKLPRWQEHLTDA NLNLTVDEGVQVAKYFLRQMAQPFHREDQLGL SLLSLEQLESEETLKRIEQIAQQL
3634	A	159	384	LKMSSKTASTNNIAQARRTVQQLRLEASIERIKV SKASADLMSYCEEHARSDDLIGIPTSENPFKDKK TCIIL
3635	A	5	409	TELSQLEKAHPPADMGRKSKRKPPPKKKMTGT LETQFTCPFCNHEKSCDVKMDRARNTGVISCTV CLEEFQTPITCILGNLGGFFQRVGRGLESGPCSSGP LCALVQGQSRPEEQVPPSDFCGVRRCRAGFQCQ
3636	A	48	282	DHLKSCYQDSHEDPTKMKRFLFLLLTISLLVMVQ IQTGLSGQNDTSQTSSPSASSMSGGIFLFFVANAI IHLFCFS
3637	A	1	1248	ARAGSVVGSAAARGPPAGCRCERAARLPSSPAR RRRCDWVEDGAGRMEILMTVSKFASICTMGAN ASALEKEIGPEQFPVNEHYFGLVNFNTCYCNSV LQALYFCRPFREKGLAYKSQPRKKESLLTCLADL FHSIATQKKKVGVIKKFITRLRKENELFDNYM QQDAHEFLNYLLNTIADILQEERKQEKQNGRLPN GNIDNENNNSTPDPTWVHEIFQGTLTNETRCLTC ETISSKDEDFDLSDVDEQNTSITHCLRGFSNTET LCSEYKYCEECRSKQEAHKRMKVKKLPMLAL HLKRFKYMDQLHRYTKLSYRVVFPLELRLFNST GDATNPDRMYDLVAVVVHCGSGPNRGHYIAIV KSHDFWLLFDDDIWEKIDAQAIEEFYGLTSDISK SESGYILFYQSRD
3638	A	11	630	PAGIPVSTISSDRRASTDLTRKMKPDETPMFDPNL LKEVDWSQNTATFSPAISPTHGEGLVLRPLCTA DLNRGFFKVLGQLTETGVVSPEQFMKSFEHMKK SGDYVTVVEDVTLGQIVATATLIEHKFIHSCAK RGRVEDVVVSDECRGKQLGNLLSTLTLLSKKL NCYKITLECLPQNVGFYKKFGYTVSEENYMCRR FLK
3639	A	2	1200	PRVRLRPSRSRSCRGLLSTRAPGPSFRSLHSSPL LPHAMKSPFYRCQNTTSVEKGNSAVMGGVLFST GLLGNLLALGLLARSGLGWCSRRPLRPLPSVYF MLVCGLTVDLLGKCLLSPVVLAAAYAQNRLRV LAPALDNSLCQAFAFFMSFFGLSSTLQLLAMALE

SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
				CWLSLGHPFFYRRHITLRLGALVAPVVSASFSLAF CALPFMGFGKFVQYCPGTWCFIQMVHEEGSLSV LGYSVLYSSLMALLVLATVLCNLGAMRNLYAM HRLQRHPRSTRDCAEPRADGREASQPPEELD HLLLALMTVLFTMCSLPVIYRAYYGAFKDVKE KNRTSEEAEADLRALRFLSVISIVDPWIFIIFRSPVFR IFFHKIFIRPLRYRSRCSNSTNMESSL
3640	A	930	182	PLPPPTLAMFLTRSEYDRGVNTFSPEGRLFQVEY AIEAIKLGSTAIGIQTSEGVCLAVEKRITSPLMEPS SIEKIVEIDAHIGCAMSGLIADAKTLIDKARVETQ NHWFTYNETMTVESVTQAVSNLALQFGEEDADP GAMSRPFGVALLFGGVDEKGPQLFHMDPSGTFV QCDARAIGSASEGAQSSLQEVYHKSMTLKEAIKS SLIILKQVMEEKLNA TNIELATVQPGQNFHMF TK EELEEVIKDI
3641	A	2	1254	PTGQGGRRAEARSCLLSKAMLGRSGYRALPLGD FDRFQQSSFGFLGSQKGCCLSPERGGVGTGADV PQ SWPSC LCHGLISFLGFLLLVTFPISGWFALKIVPT YERMIVFRLGRIRTPQGP GMVLLLPFIDSFQRVDL RTRAFNVPPCKLASKDGAVLSVGADVQFRIWDP VLSVMTVKDLNTATRMTAQNAMTKALLKRPLR EIQMEKLIKISDQLLLEINDVTRA WGLEVDRELA VEAVLQPPQDSPAGPNLDSTLQQLALHFLGGSM NSMAGGAPSPGPADTVEMVSEVEPPAPQVGARS SPKQPLAEGLLTALQPFLSEALVSQVGACYQFNV VLPSGTQSA YFLDLTTGRGRVGHGVDPGIPDVV VEMAEADLRALLCRELRPLGAYMSGRLKVKG D LAMAMKLEAVLRALK
3642	A	1	237	RRGEIDMATEGDVELELETETSGPERPPEKPRKH DSGAADLERVTDY AEEKEIQSSNLETAMSVIGDR RSREQKAKQER
3643	A	94	541	RKERRRRRRRMEAVVFVFSLLDCCALIFLSVYFII TLDLECDYINARSCCSKLNKWWIPELIGHTIVTV LLMSLHWFIFLLNLPVATWNIYRYIMVPSGNM GVFDPTEIHNRGQLKSHMKEAMIKLGFHLLCFF MYLYSMILALIND
3644	A	95	2808	TSCRHFPITSEDPLNYLLILTVERIYAYQALPLGFL FCSRDPVPEYLNHCGVKYVLISDRASFCAHIFFS PFRNVFRPAAGGGIAPPPRLWFQPSLSDAEMEIPK LLPARGTLQGGGGGGIPAGGGRVHRGPDSPAGQ VPTRLLLPRGPQDGGPGRREEASTASRGPGPS LFAPRPHQPSGGGGGGGDDFFLVLLDPVGGDVE TAGSGQAAGPVLREEAEEGPGLQGGESGANPAG PTALGPRCLSAVPTPAPISAPGPAAAFAGTVTIHN QDLLRFENGVLTLATPPPHA WEPGAAPAQQPG CLLAPQAGFPHA AHPGDCPELPPDLLAEPAEPAP APAEPEEAEGPAAALGPRGPLGSGPGVVLYLCPE ALCGQTFAKKHQLKMHLLTHSSSQGQRPFKCPL GGCGWTFTTTSYKLRHLQSHDKLRPFGCPAEGC GKSFTTVYNLKAHMKGHEQENSFKCEVCEESFP TQAKLGAHQRSHFEPERPYQCAFSGCKKTFITVS ALFSHNRAHFREQELFSCSFPGCSKQYDKACRLK IHLRSHTGERPFLCDFDGCWNFTSMSKLLRHKR KHDDDRRFMC PVEGCGKSFTRAEHLKGHSITHL STKPFVCPVAGCCARFSARSSLYIHSKKHLQDVD

SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
				TWKSRCPISSCNKLFSTKHSMTKTHMVKRHKVGO DLAQLEAANSLTPSSELTQRQNDLSDAEIVSLF SDVPDSTSAALLDTALVNSGILTIDVASVSSTLAG HLPANNNSVVGQAVDPPSLMATSDPPQSLDTSLF FGTAATGFGQSSSLNMDEVSSVSVGPLGSLDSL MKNSSPEPQALTPSSKLTVDITDTPSSTLCENSV SELLTPAKAEWSVHPNSDFFGQEGETQFGFPNAA GNHGSQKERNLITVTGSSFLV
3645	A	2194	1707	TVSFHKTMAHLKSTVVCVICLEKPKYRCPACRV PYCSVVCFRKHKEQCNPETRPVEKKIRSALPTKT VKPVENKDDDDSIADFLNSDEEEDRVSLQNLKN LGESATLRSLLLNPFLRQLMVNLDQGEDKAKLM RAYMQEPLFVEFADCCLGIVEPSQNEES
3646	A	85	1948	ERGGGKAAAAAAAAAAAAARALAASGQDPRPHPR APPWDDSGDDDEATTPADKSELHHTLKNLSLKL DDLSTCNDLIAKHGAALQRSLTELDGLKIPSESG EKLKVVNERATLFRITSNAMINACRDFLELAEIHS RKWQRALQYEQEQRVHLEETIEQLAKQHNSLER AFHSAPGRPANPSKSFIEGSLTPKGEDSEEDT EYFDAMEDSTSFITVITEAKEDSRKAEGSTGTSSA DWSSADNVLDGASLVPKGSSKVKRRVRIPNKN YSLNLWSIMKNCIGRELSRIPMPVNFNEPLSMLQ RLTEDLEYHLLDKAVHCTSSVEQMCLVAAFV SSYSTTVHRIAKPFNPMLGETFELDRLLDDMGLRS LCEQVSHPPSAAHYVFSKHGWSLWQEITISSKF RGKYISIMPLGAHLEFQASGNHYVWRKSTSTVH NIIVGKLWIDQSGDIEIVNHKTNDRCQLKFLPYSY FSKEAARKVTGVVSDSQGKAHYVLSGSWDEQM ECSKVMHSSPSSSDGKQKTVYQTLAKLLWK KYPLPENAENMYFSELALTLNEHEEGVAPTDS RLRPDQRLMEKGRWDEANTEKQRLEEKQRLSR RRRLEACGPGSSCSSEE
3647	A	46	5007	PTGDACVSTSCELASALSHLDASHLTENLPKAAS ELGQQPMTELDSSSDLISSPGKKGAHPDPSKTS VDTGQVSRPENPSQPASPRVTKCKARSPVRLPHE GSPSPGEKAAAPPDYKTRSASETSTPHNTRRVA ALRGAGPGAEGMTPAGAVLPGDPLTSQEQRQGA PGNHSKALEMTGIHAPESSQEPSLLEGADSVSSR APQASLSMLPSTDNTKEACGHVSGHCCPGGSRE SPVTDIDSFIKELDASAARSPSSQTGDSGSQEGSA QGHPPAGAGGGSSCRAEPVPGGQTSSPRRAWAA GAPAYPQWASQPSVLDSINPDKHFTVNKNFLSN YSRNFSSFHEDSTLSGLGDSTEPSLSSMYGDAE DSSSDPESLTEAPRASARDGWSPPRSRLVSLHKED PSESEEEQIEICSTRGCPNPPSSPAHLPTQAAICPAS AKVLSLKYSTPRESVASPREKVACLPGSYTSGPD SSQPSSLLEMSSQEHETHADISTSQNHRPSCAET TEVTSASSAMENSLSKVARHFHSPPIILSSPNMV NGLEHDLDDDELNQNQYETSINAAASLSSFSVDVP KNGESVLENLHISESQDLDDLQPKPMIARRPIM AWFKEINKHNQGTHLRSKTEKEQPLMPARSPDS KIQMVSSSQKKGVTVPHPSPQPKTNLENKDLSKK SPAEMLLTNGQKAKCGPKLRLSLKGKAKVNSE APAANAVKAGGTDHRKPLISPQTSHKTLKAVS QRLHVADHEDPDRNTTAAPRSPQCVLESKPPLAT

SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
				SGPLKPSVSDTSIRTFVSPLTSPKPVPEQGMWSRF HMAVLSEPDRCPTTPKSPKCRAEGRAPRADSG PVSPAASRNGMSVAGNRQSEPRASHVAADTAQ PRPTGEKGGNIMASDRLERTNQLKIVEISAEAVSE TVCGNKPAESDRRGGLAQGNCQEKSEIRLYRQ VAESSTSHPSLPSHASQAEQEMSRFSMAKLAS SSSSLQTAIRKAEYSQGKSSLMSDSRGVPRNSIPG GPSGEDHLYFTPRPATRTYSMPAQFSSHFGREGH PPHSLGRSRDSQVPVTSSVVPEAKASRGGLPSLA NGQGIYSVKPLLDTSRNLPAATDEGDIISVQETSCL VTDKIKVTRRHYYCYEQNWPHESTSFSSVKQRIKS FENLANADRPVAKSGASPFLSVSSKPPIGRRSSGS IVSGSLGHPGDAAARLLRRSLSSCSENQSEAGTL LPQMAKSPSIMTLTISRQNPPTSSKGSDELKKS LGPLGIPTPTMTLASPVKRNKSSVRHTQPSVRS KLQELRALSMPLDKLCEDESAGPSAVLFKTEL EITPRRSPGPPAGGVSCPEKGGNRACPGGSGPKT SAAETPSSASDTGEAAQDLPRRSWSVNLDQLLV SAGDQQLRQSVLSSVSGSKSTILTIQEAKAQSENE EDVCFIVLNRKEGSLGFSVAGGTDVEPKSITVH RVFSQGAASQEGTMNRGDFLLSVNGASLAGLAH GNVLKVLHQAQLHKDALVVIKKGMDQPRPSAR QEPPTANGKLLSRKTIPLEPGIGRSVAVHDALC VEVLKTSAGLGLSLDGGKSSVTGDGPLVIKRVY KGGAAEQAGIIEAGDEILAINGKPLVGLMHFDA WNIMKSVPEGPVQLLIRKHRNSS
3648	A	337	1564	KSRLSVTLMPVQLSEHPEWNEHSLRISVGGLP VLASMTKAADPRFRPRWKVVLTFVGAAILWLL CSHRPAPGRPPTHNAHNWRLGQAPANWYNDTY PLSPQRTAGIRYRIA VIADLDTESRAQEENTWF TYLKKGYLTFSDSGDKVAVEWDKDHGVLESHL AEKGRGMELSDLIVFNGKLYSVDDRTGVVYQIE GSKAVPWVILSDGDGTVEKGFKAEWLAVKDER LYVGGLGKEWTTTTGDVVNENPEWVKVVGK GSVDHENWVSNNALRAAAGIQPPGYLIHESAC WSDTLQRWFFLPRRASQERYSEKDDERKGANLL LSASPDFGDIASHVGA VVPTHGFSSFKFIPNTDD QIIVALKSEEDSGRVASYIMAFITLDGRFLLPETKI GSVKYEGIEFI
3649	A	1	775	PTRPGSGSAGGARVGSGEFGVEMAALAPLPLPA QFKSIQHHLRTAQEHDKRDPVVA YYCRLYAMQ TGMKIDSKTPECRKFLSKLMDQLEALKKQLGDN EAITQEIVGCAHLENYALKMFLYADNEDRAGR HKNMIKSFYTASLLIDVITVFGELTDENVKHKY ARWKATYIHNCLKNGETPQAGPVGIEEDNDIEEN EDAGAASLPTQPTQPSSTYDPSNMPSGNYTGI QIPGAHAPANTPAEVPHSTGVAK
3650	A	20	963	KMAATLGPLGSWQQWRRCLSARDGSRLLLLL LLGSGQGPQQVGAGQTFEYLKREHSLSKPYQGE APRPCFLRDWELQVHFKIHGQGGKKNLHGDGLAI WYTKDRMQPGPVFGNMDKFVGLGVFVDTPNE EKQQERVPYISAMVNNGSLSYDHERDGRPTL GGCTAIVRNLYHYDTFLVIRYVKRHLTIMMDIDGK HEWRDCIEVPGVRLPRGYFYTSSITGDLSDNHD VISLKL FELTVERTPEEEKLHRDVFLPSVDNMKL

SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
				PEMTAPLPPLSGLALFLIVFFSLVFSVFAIVIGIILY NKWQEQRKRFY
3651	A	1	1218	RSWAYVKKCKNNMCPNRGLHDGPEPCWLHHA AGTVSAVQARGLQPSQSRSRPRVPGLATALAYG PAHTPPLSRIGWAMQPPPPGPLGDCLRDWEDLQ QDFQNIQVSAAADAGSPPSRVSLAQQGQSGSPGC KPSPAEAEAGAAQELNQMKERQGLFFDMEA YL PKKNGLYLSLVLGNNVTLSSKQAKFAYKDEYE KFKLYLTILILISFTCRLLNSRVTDAAFNLLVW YYCTLTIRESLINNGSRIKGWVVFHHYVSTFLSG VMLTWPDLGMYQKFRNQFLSFSMYQSFVQFLQ YYYQSGCLYRLRALGERHTMDLTVEGFQSWMW RVLTFLLPFLFFGHFWQLFNALTFLNLAQDPQCK EWQVLMCGFPFLLFLGNFFTTLRVVHHKFHSQ RHGSKKD
3652	A	640	164	VTTSCIPFAFGLGVRASERLAEIDMPYLLKYQPM MQTIGQKYCMDPAVIAGVLSRKSPGDKILVNMG DRTSMVQDPGSQAPTSWISESQVFQTTEVLTRI TELQRRFPTWTPDQYLRGGLCAYSGGAGYVRSS QDLSCDFCNDVLARAKYLKRHGF
3653	A	2	909	IVRRDWQEVSDIHLAMANCKMTKSIRFPALHC YTGGEVVLPKDQEEWKRRTGLLLYENYGQSETG LICATYWGMKIKPGFMGKATPPYDVQFHMEASV ENCIIVSMNTADPGSQGITHSLLLQVIDDKGSILPP NTEGNIGIRIKPVRPVSLFMCYEGDPEKTAKVEC GDFYNTGDRGKMDEEGYICFLGRSDDIINASGYR IGPAEVESALVEHPAVAESA VVGSPDPIRGEVVK AFIVLTPQFLSHDKDQLTKELQQHVKSVTAPYKY PRKVEFVSELPKTITGKIERKELRKKETGQM
3654	A	2	909	IVRRDWQEVSDIHLAMANCKMTKSIRFPALHC YTGGEVVLPKDQEEWKRRTGLLLYENYGQSETG LICATYWGMKIKPGFMGKATPPYDVQFHMEASV ENCIIVSMNTADPGSQGITHSLLLQVIDDKGSILPP NTEGNIGIRIKPVRPVSLFMCYEGDPEKTAKVEC GDFYNTGDRGKMDEEGYICFLGRSDDIINASGYR IGPAEVESALVEHPAVAESA VVGSPDPIRGEVVK AFIVLTPQFLSHDKDQLTKELQQHVKSVTAPYKY PRKVEFVSELPKTITGKIERKELRKKETGQM
3655	A	2	2364	SPGPSLPESAESLDGSQEDKPRGSCAEPFTDTG MVAHINNSRLKAKGVGQHDNAQNFGNQSFEE RAACLRKGELFEDPLFPAEPSSLGFKDLGPNSKN VQNISWQRPKDINNPLFIMDGISPTDICQGILGDC WLLAAIGSLTTCPKLLYRVVPRGQSFKKNYAGIF HFQIWQFGQWVNVVDDRLPTKNDKLVFVHST ERSEFWSALLEKAYAKLSGSYEALSGGSTMEGL EDFTGGVAQSFQLQRPQNLLRLLRKAVERSSL MGCSIEVTSDESLESMTDKMLVRGHAYSVTGLQ DVHYRGKMETLIRVRNPWGRIEWNGAWSDSAR EWEEVASDIQMQLLHKTEDGEFWMSYQDFLNN FTLLEICNLTPDTLSGDYKSYWHTTFYEGSWRTG SSAGGCRNHPGTFTWNPQFKISLPEGDDPEDDAE GNVVVCTCLVALMQKNWRHARQQAQLQTIGF VLYAVPKEFQNIQDVHLKKEFFTKYQDHGFSEIF TNSREVSSQLRLPPGEYIIIPSTFEPHRDADFLLRV FTEKHSESWEDEVNYAEQLQEEKVSEDDMDQ

SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
				DFLHLFKIVAGEGKEIGVYELQRLLNRMAIKFKS FKTKGFGLDACRCMINLMDKDGSGKLGLLEFKI LWKKLKKWMDIFRECDQDHSGTLNSYEMRLVIE KAGIKLNNKVMQVLVARYADDDLIIDFDSFISCF LRLKTMFTFFLTMDPKNTGHICLSLEQVLGEGW EGICRIAPACPSTPPPPSSDVPGPASCPRLFPPWDL LPVSTVAADHDHVGIEAL
3656	A	3	174	PLCTHYLLPELPEKSSRTSPRSRPGNMLSGDPHLP QPLCHCLDHCPCCFSGKRLVA
3657	A	1	444	DTRSTYHNAHSLPTYVKSPAPCQMTYIKSPAPCQ TQTCYVQGASPCQSYVYQAPASGSTSQYCVTD CSAPCSTS YCCLAPRTFGVSPLRRWIQRPNQNT GSSGCCENSGSSGCCGSGGCGCSCGCGSSGCCCL GIIPMKSRSPALL
3658	A	92	1537	SEAPVQPQPYTMTSFYSTSSCPLGCTMAPGARNV FVSPIDVGCQPVAEANAASMCLLANVAHANRVR VGSTPLGRPSLCLPPTSHTACPLPGTCHIPGNIGIC GAYGKNTLNGHEKETMKFLNDRLANYLEKVRQ LEQENAELETTLLERSKCHESTVCPDYQSYFRTIE ELQKKILCSKAENARLIVQIDNAKLAADDFRIKL ESERSLHQLVEADKCGTQKLLDDATLAKADLEA QQESLKEEQLSLKSNHEQEVKILRSQGEKFRIEL DIEPTIDLNRVLGEMRAQYEAMVETNHQDVEQ WFQAQSEGISLQAMSCSEELQCCQSEILELRCTV NALEVERQAQHTLKDCLQNSLCEADRYGTCLA QMQLISNLEEQLSEIRADLERQNOEYQVLLDVK ARLENEIATYRNLTPQLSLFHACLLYFLSKLWPC HRWVSLWPWSQHGMILKARVRRLRLVALGSG VPSPCPVFLQD
3659	A	2	402	DLIQLNQLYSASTEMSCQQSQQQCQPPPKCTP KCPPKCTPKCPPKCPPKCPPQYSAPCPPPVSSCCG SSSGGCCSSEGGGCCLSHHRPRQSLRRRPQSSSC CGSGSGQQSGGSSCCHSSGGSGCCHSSGGCC
3660	A	26	710	CSAVEVKMAARTAFGAVCRRLWQGLGNFSVNT SKGNTAKNGLLLSTNMKWVQFSNLHVDVPKD LTKPVVTISDEPDILYKRLSVLVKGHDKAVLDSY EYFAVLAKELGISIKVHEPPRKIERFTLLQSVHI YKKHRVQYEMRTLRYRCLELEHLTGSTADVLEY IQRNLPEGVAMEVTKFCFFIFLDTIRTVTRTHQGA NLGNTIRRKRRKQVIKPGGHFCLNLK
3661	A	2	370	DVSVAASEPTVYRNPTKMSCQQNQQQCQPPPKC PIPKYPPKCPKSCASSCPPPISSCCGSSSGGCCSSG GCGCCSSEGGGCCLSHHRHHRSHCHRPKSSNCY GSGSGQQSGGSGCCSGGGCC
3662	A	205	1277	RKSLPHPNPQKMLKKPLSAVTWLCIFIVAFVSH AWLOKLSKHKTPAQPOLKAANCCEEVKELKAQ VANLSSLLSELNKKQERD WVSVMQVMELESN SKRMESRLTDAESKYSEMNNQIDIMQLQAAQTV TQTSAGKETSPLRERGVPPhLQHCFYTPDDFLGS PELEVFCDMETSGGGWTIIQRRKSGLVSFYRDW KQYKQGFSGIRGDFWLGNELHRLSRQPTRLRVE MEDWEGNLRYAESHFVLGNELNSYRLFLGNY TGNVGNDA LQYHNNTAFSTKDKDNDNCLDKCA QLRKGGYWYNCCTDSNLNGVYYRLGEHNKHL GITWYGWHGSTYSLKR VEMKIRPEDFKP

SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
3663	A	64	1456	LSSAKETLAQMYNTVWNMEDLDLEYAKTDINC GTDLMFYIEMDPPALPPKPPKPTTVANNGMNNN MSLQDAEWYWGDISREEVNEKLRDADGTFLV RDASTKMHGDTLTLRKGGNNKLIKIFHRDGKY GFSDPLTFSSVELINHYRNESLAQYNPKLDVKL LYPVSKYQQDQVVKEDNIEAVGKKLHEYNTQFQ EKSREYDRLYEEYTRTSQEIQMKRTAIEAFNETIK IFEEQCQTQERYKEYIEKFKREGNEKEIQRIMHN YDKLKSRISEIIDSRRRLEEDLKKQAAEYREIDKR MNSIKPDLIQLRKTRDQYLMWLTQKGVRRQKKL NEWLGNENTEDQYSLVEDDEDLPHHDEKTNV GSSNRNKAENLLRGKRDGTFLVRESSKQGCYAC SVVVDGEVKHCVINKTATGYGFAEPYNLYSSLK ELVLHYQHTSLVQHNDNLNTLAYPVYAQQRR
3664	A	944	406	GATVEDQSCNFGSLRWVSVPHISARSCPDPLLS RTGRVPGGRGAGLPRHHSRCLQVFFNGANVR QVDVPTLTGAFGILAAHVPTLQVLRPGLVVVHA EDGTTSKYFVSSGSIAVNADSSVQLLAEAVTLD MLDLGAAKANLEKAQAELVGTADEATRAEIQR IEANEALVKALE
3665	A	98	1388	ASQLAFGGKLTSTPSRDFQGCGRGAVTCCSFHEH RHQSGRCLSTGMAPNLKGRPRKKKPCPQRDSF SGVKDSNNNSDGKAVAKVKCEARSALTKPKNN HNCKKVSNEEKPKVAIGEECRADEQAFLVALYK YMKERKTPIERIPYLGFKQINLWTMFQAAQKLG GYETITARRQWKHIYDELGGNPGSTSAATCTRR HYERLILPYERFIKGEEDKPLPIKPRKQENSSQE NENKTKVSGTKRIKHEIPKSKKEKENAPKPQDAA EVSSEQEKEQETLISQKSIPEPLPAADMKKKIEGY QEFSAKPLASRVDPKDNEDTQGSNSEKVAEEA GEKGPTPLPSAPLAPEKDSALVPGASKQPLTSPS ALVDSKQESKLCCFTESPESPESEPFRLPHHTG HRWQTRMRRRMTNCPWPQITLPTAP
3666	A	113	1492	LLQEMCTKTIPVLWGCFLWNLVSSSQTIYPGI KARITQRALDYGVQAGMKMIEQMLKEKKLPDL SGSESLEFLKVDYVNYNFSNIKISAFSPNTSLAF VPGVGICALTNHGTANISTDWGFESPLFVLYNSF AEPMEKPILKNLNEMLCPIIASEVKALNANLSTLE VLTKIDNYTLLDYSLISSPEITENYLDNLKGVFY PLENLTDPPFSPVPFVLPERSNSMLYIGIAEYFFKS ASFAHFTAGVFNVTLSLEEISNHFVQNSQGLGNV LSRIAEIYILSQPFMVRIMATEPPIINLQPGNFTLDI PASIMMLTQPKNSTVETIVSMDFVASTSVGLVIL GQRLVCSLSLNRFLALPESNRSNIEVLRFENILSS ILHFGVLPLANAKLQQGFPLPNPHKFLFVNSDIEV LEGFLLISTDLKYETSSKQQPSFHVWEGNLISRQ WRGKSAP
3667	A	1	181	FRGRLGSGRNGGGS MNAPPAFESFLLFEGEKITIN KDTKVPNA CLFTINKEDHTLGNIIK
3668	A	212	431	VAGEAVPFFPM MYSEPLKPSYLALVLWYFLLTG YCITKPEVIFKIEQGEEPWILEKGFP SQCHPAKYL WCLHD
3669	A	458	1056	FSGVCFAGIAGSMATLLHDAVMNPAEVVKQRLQ MYSQHRSAISCIRTVWRTEGLGAFYRSYTTQLT MNIPFQSIHFITYEFLQE QVNP HRTYNPQSHIISGG

SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
				LAGALAAAATTPLDVCKTLLNTQENVALSLANIS GRLSGMANAFRTVYQLNGLAGYFKGIQARVIYQ MPSTAISWSVYEFFKYFLTKRQLENRAPY
3670	A	145	298	RNPCPLTFLPSTLMVLLSLTFFSALTFHSICQLRN TGVEVDIVFQRVSFL
3671	A	3	462	ILKVAKKERTMSSLPVPYKLPVSLSVGSCVIKGT PIHSFINDPQLQVDFYTDMDSDIAFRFRVHFG NHVVMNRRREFGIWMLEETTDYVPFEDGKQFELC IYVHYNEYEIKVNGHThLRALSHRIPPSFVEDGC KCPRRYLPWTSVCVCN
3672	A	1	1028	HYAKLGTRPRLKFMSSPSLSDLGKREPAAAAD RGTTQRRACANATWNSIHNGVIAVFQRKGLPDQ ELFSLNEGVRQLLKTGLSFFTEYLQNQLLTKGM VILRDKIRFYEGQKLLDSLAEWDFFFSDVLPML QAIFYPVQGKEPSVRQLALLHFRNAITLSVKLED ALARAHARVPPAIVQMLLVLQGVHESRGVTEDY LRLETLVQKVVSPLYGLTYGLHSSEGPFTHS CILEKRLRRSRSGDVLAKNPVVRSKSYNTPL LNPVQHEAEGAAAGGTSIRRHVSSEMTSCPEP QGFSDPPGQGPTGTFRSSPAPHSGPCPSRLYPT TQPPEQGLD PTRS
3673	A	2	712	RPPRVWYPELRELSAAAPRWSHRTAPGIMVFYF TSSSVNSSAYTIYMGKDKYENEDLIKHWPE DIWFHVDKLSSAHVYLRHLKGENIEDIPKEV LMDC AHLVKANSIQGCKMNNVNVVYTPWS NLKKTADMDVGQIGFHRQKDVKIIVTEKKV NEILNRLEKT KVERFPDLAAEKECRDREER NEKKAQIQEMKKR EKEEMKKKREMDLRSY SSLMKVENMSSNQDGNDSDEFM
3674	A	2	712	RPPRVWYPELRELSAAAPRWSHRTAPGIMVFYF TSSSVNSSAYTIYMGKDKYENEDLIKHWPE DIWFHVDKLSSAHVYLRHLKGENIEDIPKEV LMDC AHLVKANSIQGCKMNNVNVVYTPWS NLKKTADMDVGQIGFHRQKDVKIIVTEKKV NEILNRLEKT KVERFPDLAAEKECRDREER NEKKAQIQEMKKR EKEEMKKKREMDLRSY SSLMKVENMSSNQDGNDSDEFM
3675	A	921	1321	VTLAKMRVHISSCLKVQEQMANCPKFVPV VPTS QPIPSNIPNRSTFACPYCGARNLDQ QELVKHCVE SHRSDPNRVVCPICSAMPW GDPSYKSANFLQHL LHRHKFSYDTFVDY SIDEEAAFQAALALSSEN
3676	A	3	1856	TLGRWLLGVYETVAPTLACLPRPRLRRRR RRR RRMISRYTRKAVPQSLELKGITKHAL NHPPPEK LEEISPTSDSHEKDTSSQSKSD ITRESSFTSADTGN SLSAFPSYTGAGISTE GSSDFSWGYGELDQNATE KVQTMFTAIDEL LYEQKLSVHTKSLQECCQWT ASFPHLRIL GRQIITPSEGYRLYPRSPSAVSASYET TSLQERDSTIFGIRGKKLHFSSSYAHKASS IAKSSS FCSMERDEEDSIIVSEGIIEEYLA FDHIDIEEGFHG KKSEAATEKQKLGYPPIA PFYCMKEDVLAYVFD SVWCKVVSCMEQL TRSHWEGFASDDESNVAVT RPDSESSCVL SELHPLVLPRVPQSKVLYITSNPMS LCQAS RHQPNVNDLLVHGMPQLQPRNLSLMDKLL DLDDKLLMRPGSSTILSTRNWPNAVEFST SLS YTVQSTRRRNPPRRTLHPISTSHSCAET PRSVEEIL

SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
				RGARVPVAPDSLSSPSPTPLSRNNLLPPIGTAEVE HVSTVGPQRQMKPHGDSSRAQSAVVDEPNYQQ PQERLLLPDFFRPNTTQSFLDTQYRRSCAVEYP HQARPGRGSAGPQLHGSTKSQSGGRPVSRTTRQG P
3677	A	246	757	MRLQGAIFVLLPHLGPILVWLFTRDHMSGWCEG PRMLSWCPFYKVLVLLVQTAIYSVVGYASYLVWK DLGGGLGWPLALPLGLYAVQLTISWTVLVFFFT VHNPGALALLHLLLYGLVVSTALIWHPIKLAAL LLPYLAWLTVTSALTYHLWRDSLCPVHQPQPT EKSD
3678	A	20	1508	RGKAEFFLAMAGTNALLMLENFIDGKFLPCSSYI DSYDPSTGEVYCRVPNSGKDEIEAAVKAAREAFP SWSSRSPQERSRVLNQVADLLEQSLEEFQAESK DQGKTLALARTMDIPRSVQNFRFFASSSLHHTSE CTQMDHLGCMHYTVRAPVGVAGLISPWNPLPY LLTWKIAPAMAAGNTVIAKPSELTSVTAWMLCK LLDKAGVPPGVVNVFVGTGPRVGEALVSHPEVPL ISFTGSQPTAERITQLSAPHCKKLSLELGGKNPAII FEDANLDECIPATVRSSFANQGEICLCTSRIFVQK SIYSEFLKRFVEATRKWKVGIPSDPLVSIGALISK AHLEKVRSYVKRALAEGAQIWCGEVVDKLSLPA RNQAGYFMLPTVITDIKDESCCMTEEIFGPVTCV VPFDSEEEVIERANNVKYGLAATVWSSNVGRVH RVAKKLQSGLVWTCWLIRELNLPGGMKSSGI GREGAKDSYDFFTEIKTITVKH
3679	A	1862	502	MAGTKPYMEIQTTIREYYEHL YANKLENLEEMD KFLDTYTLPRLNQEEVESLNRPTGSEIEAIINSLP TKKIPGPDRTAKFYQRYKEELSNLIHYLGLSHH LLALNFIIVSFGKKSASWSSAQVKVTDTFDGV RVFEGPPKPEEPLKRSVVYIHGGGWALASAKIRY YDELCTAMAEELNAVIVSIEYRLVPKVYFPEQIH DVVRATKYFLKPEVLQKYMVDPGRICISGDSAG GNLAAALGQQFTQDASLKNKLKLQALIYPVLQA LDFNTPSYQQNVNTPILPRYVMVKYWVDYFKG NYDFVQAMIVNNHTSLDVEEAAAVRARLNWTS LLPASFTKNYKPVVQTTGNARIVQELPQLLDARS APLIADQAVLQLLPKTYILTCEHDVLRDDGIMYA KRLESAGVEVTLDFHEDGFHGCMIFTSWPTNFSV GIRTRNSYIKWLDQNL
3680	A	249	2146	RSWGAPWFWRMRLRRRHMPRLAMVGCFAFV LFLFLLHRDVSSREEATEKPWLKSLVSRKDHVLD LMLEAMNNLRDSMPKLQIRAPEAQQTLSINQSC LPGFYTPAELKPFWERPPQDPNAPGADGKAFQK SKWTPLETQEKEEGYKKHCFNAFASDRISLQSL GPDTRPECVDQKFRRCPLATTSVIIVFHNEAWS TLLRTVYSVLHTTPAILLKEILLVDDASTEHLKE KLEQYVKQLQVVRVVRQEERKGLITARLLGASV AQAEVLTFLDAHCECFHGWLEPLLARIAEDKT VVSPDIVTIDLNTFEFAKPVQRGRVHSRGNFDWS LTFGWETLPPHEKQRRKDETYPIKSPTFAGGLFSI SKSYFEHIGTYDNQMEIWGGENVMSFRVWQC GGQLEIIPCSVVGHVFRTKSPHTFPKGTSVIARNQ VRLAEVWMDSYKKIFYRRNLQAAKMAQEKSFG DISERLQLREQLHCHNFSWYLNHNVYPEMFV PDL

SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
				TPTFYGAIKNLGTNQCLDVGENNRGGKPLIMYS CHGLGGNQYFEYTTQRDLRHNIQKQLCLHVSKG ALGLGSCHFTGKNSQVPKDEEWELAQDQLIRNS GSGTCLTSQDKKPAMAPCNPSDPHQLWLFV
3681	A	2982	1869	LKDTLKSQMTQEASDEAEDMKEAMNRMIDELN KQVSELSQLYKEAQAELEDYRKRKSLEDVTAEY IHKAHEHEKLMQLTNVSRKAEDALSEMKSQYSK VLNELTQLKQLVDAQKENSVSITEHLQVITTLRT AAKEMEEKISNLKEHLASKEVEVAKLEKQLLEE KAAMTDAMVPRSSYEKLQSSLESESVLASKLK ESVKEKEKVHSEVVQIRSEVSQVKREKENIQTL KSKEQEVNELLQKFQQAQEELAEMKRYSESSSK LEEDKDKKINEMSKEVTKLKEALNSLSQLSYSTS SSKRQSQQLEALQQQVKQLQNQLAECKKQHQE VISVYRMHLLYA VQGQMDDEDVQKVLKQILTMC KNQSQKK
3682	A	447	1024	AQALTAGRQLALAAPFIAPISPLPRLNPPSQSW NSTPFFKVKLPPQKEVITSDELMAHLGNCLLSIKP QEKSEGLQLNFQQNVDDAMTVLPKLATGLDVN VRFTGVSDFEYTPECSVFDLLGIPL YHG WLVDPO QSPEAVRAVGKLSYNQL/VGEDHHLQTLQ*HQP RDRKPDCRAVPGDHRGPSDLPRTV
3683	A	2	942	LEIKQEEKFVGQCIKEELMHGECVKEEKDFLKKE IVDDTKVKEEPPINHPVGCKRKLAMSRCECTGTE EAKYRCPRCMRYSCSLPCVKKHKAELTCNGVRD KTAYISIQQFTEMNLLSDYRFLEDVARTADHISR DAFLKRPISNKYMYFMKNRARRQGINKLLPNG FTKRKENSTFFDKKKQQFCWHVKLQFPQSQA\ST *KKRVPDDKTINEILKPYIDPEKSDPVIRQLKAYI RSQTGVQILMKIEYMQQNLVRYEYLDPYKSLLD NLRNKVIIIEYPTLHVVLKGSNNDMKVLHQVKSE STKNVGNEN
3684	A	119	1533	SLQENVQEKVRVCPGLGGLLPNGTPSITAAAAP QVLWRHVQPGCSHHLHACVIRAACRAGEGHAD RHAGPPET/PVTLPSWPWSSPWERQCPMHL*AP GHAFRPVPTHEHRRGWAALGHHRAAAGPLREPAS GSQPAPASC*PECHHGCPEQTRQCQDLLREAVV APEQRG*PCAHLQT*ATATTLCPQVPAGR VWP GHSCHLLPHRHDGSH*HCAAHRRPVTRRQAAH GVPLPDACYSPHHTLPAAPPPATRPAGHTATHPE *GGDLTPVPDGPDCPRDVQGIPGAGGGSQ LAPC CPPFPAAPVSVQGTQGLGPKNV LH*QWEGIRWQ KEPE/PGPPPEVELKRGAKCRIGDHGLGAVLGQG EYAS*SPSIPW*ASSSACPPLHPTP/TVYTQSPAAA PGWTRPPSP/PPPGLYPGP/PASHAPGVRGGISHQL YSLP*LCRECCSCP/PPPAHGGRCPSLLPPEALAK LLL
3685	A	101	438	AWVLQCKINTELQTEVVMLKSMVLWLGEQVQS LQLQQQLHCHFNHTHICVTNLEYN\KEYPWDLV KAHLQGASTSNITFDIGELQKKVLDLNLKQTQEFQ PSL*AWTEFQQGLE
3686	A	105	845	VSDVVKNQLVEVQCRQDGCDAVENVHQMFMF NWFTDCLWTLFLSNYQPSVESSSPGGSATSDDHE FDPSADMLVHDFDDERTLEEEEMMEGETNFSSEI EDLAREGDMPIHELLSLYGYGSTVRLPEEDEEEE

SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
				EEEEEGEDDEDADNDDNSGCSGENKEENIKDSS GQEDETQSSNDPSQSVASQDAQEIRPRRCKYF DTNSEVEEESEEDDYIP/SIISFFQSSDGI*SSSSSE DWKKEIMVGS
3687	A	49	1225	PVLVTSLRMREADTLRPPQLMEVSADIISTVEFN HTGELLATGDKGGRVVIFQREPESKNAPHSQGE YDVYSTFQSHEPEFDYLSLEIEEKINKIKWLPQQ NAAHSLSTNDKTIKLWKITERDKRPEGYNLKDE EGKLKDLSTVTSLQVPVLKPMMDLMVEVSPRRIFA NGHTYHINSISVNSDCETYMSADDLRINLWHLAI TDRSFTP\NIVDIKPANMEDLTEVITASEFHPHHC NLFVYSSSKGSLRLCDMRAAALCDKHSKLFEEPE DPSNRSFFSEIIS\SVSDVKFSHSDRYMLTR\DYLT VKVWDLNMEARPIETYQVHDYLRSLCSLYEND CIFDKFECAWNGSDR/IIMTGAYNNFFRMFDRNT KRDVTLEASRGSSKPRAVL
3688	A	1	401	KKVPGRLSEMSFSLNFTLPANTTSSPVTDCGPSL GLAAGIPLL VATALLVALLFTLIHRRRSSIEAMEE SDRPCEISEIDNPKISENPRRSPTHEKNTMGAQE AHYVKT VAGSEEPVH DRYRPTIEMERRR
3689	A	698	889	GRVLVHCAMGVSR SATLVLAFLMIYENMTLVEA IPDGAGPPQISALTQAFVRQLQVLDNRLGRE
3690	A	61	153	MGAHLVRRYLGDASVEPDPLQMPTFPPDYGF
3691	A	61	153	MGAHLVRRYLGDASVEPDPLQMPTFPPDYGF
3692	A	3	2831	PLVRLLRQTLRRVGGARAVREAVMRAVLTWR DKAEHCINDIAFKPDGTQLILAAGSRLLVYDTS GTLQLKPLKGHKDTVYCVAYAKDGKRFASGSAD KSVIIWTSKLEGILKYTHNDAIQCVSYNPITHQLA SCSSSDFGLWSPEQKSVSKHKSSSKIICCSWTNDG QYLALGMFNGIISIRNKNKEEKVKIERPGGSLSPI WSICWNPSSRWESFWMNRENEDAEDVIVNRYIQ EIPSTLKS AVYSSQGSEAE EEEPEEEDDSPRDDNL EERN DILAVADWG\QKV SFYQLSGKQIGKDRAL NFDPC CISYFTKGEYILLGGSDKQVSLFTKDGVR LGTVGEQNSWWTGQAKPDSNYVVGCGQDGTI SFYQLIFSTVHGLYKDRYAYRDSMTDVIVQHLIT EQKVRIKCKELVKKIAYRNRLAIQLPEKILYELY SEDLSDMHYRVKEKIIKKFECNLLVVCANHILC QEKRLQCLSFSGVKEREWQMESLIRYIKVIGGPP GREGLLVGLKNGQLKIFVDNLFAIVLLKQATAV RCLDMSASRKKLA VVDENDTCLVYDIDTKELLF QEPNANSVAWNTQCEDMLCFSGGGYLNIASTF PVHRQKLQGFVVGYNNGSKIFCLHVFSISAVEVPQ SAPMYQYLDRLKFKEAYQIACLGVTDTDWRELA MEALEGLDFETAKKERKKRGETNNDLFLADVFS YQGKFHEAAKLYKRSGHENLALEMYTDL CMFE YAKDFLGSGDPKETKMLITKQADWARNIKEPKA AVEMYISAGEHVKAIEICGDHG WVDMLIDIARK LDKAEREPLLLCATYLLKKLDSPGYAAETYLKMG DLKSLVQLHVETQRWDEAFALGEKHPEFKDDIY MPYAQWLAENDRFEEAQKAFHKAGRQREAVQV LEQLTNNAVAESRFNDAAYYYWMLSMQCLDIA QDPAQKD
3693	A	3	1099	SSFPTCMRTVFHSNTSVSSLLHRPGHVTPQLTIHG GWRHHRDHTAIDEWDFNPSKFLIYTCLLLFSVLL

SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
				PLRLDGIIQWSYWAVFAPIWLWKLLVVAGASVG AGVWARNPRYRTEGEACVEFKAMLIAVGIHLLL LMFEVLVCDRVERGTHFWLLVFMPLFFVSPVSV AACVWGFRHDSLELEILCSVNILQFIFIALKLDRI IHPWL VVFVPLWILMSFLCLVVLYYIVWSLLFL RSLDVVAEQRRTHVTMAISWITIVPLLTFEVLL VHRLDGHNTFSYVSIFVPLWLSLLTLMATTFRRK GGNHWWFAIRPDF/CQDQLPQPTGKPPPPPLTDH HGEKALPLQNKDRGSWPASRGSPRL
3694	A	483	761	PRSLIDYKSYMDTKLLVARFLEQSSCTMTDPDIHE LVENIKSVLKSDEEHMEEAITSASFLEQIMAHSX QHRAHKLPXETAGLXTSELRLXTP
3695	A	483	761	PRSLIDYKSYMDTKLLVARFLEQSSCTMTDPDIHE LVENIKSVLKSDEEHMEEAITSASFLEQIMAHSX QHRAHKLPXETAGLXTSELRLXTP
3696	A	456	733	LSAALWEEPILSLWSETKELTNRGKMNYPQIGPH RPHVKGLRVRPGPGTSLNAPKSLCPGMSNSDRGI HGGEGQGPGRAGHLGRGGGMSFL
3697	A	877	1873	VWL*TLS*HTCALMTVCRSCLVKYLEENNTCPT CRIVIHQSHPLQYIGHDRMTQDIVYKLVPGLEA EMRKQREFYHKLGMVPGDIKGETCSAKQHLD HRNGETKADDSSNKEAAE
3698	A	1	572	KQCGIPHEVVRDENSSVYAEVSRLLLATGHWKR LRRDNPRFNLMLGERNRLPFGRLGHEPGLVQLV NYYRGADKLCRKASLVKLIKTSPELAESCTWFPE SYVIYPTNLKTPVAPAQNGIQPPISNSRTDEREFL ASYNRKKEGEGNVWLAKSSAGAKVWVQW*M TDLEEEIDIPSPVGLGLESEWPL
3699	A	2008	2432	LHCKMGALETQTHPCSQNMLRSLQKCCCKVEE HHLQPQVLQTLHSATAGTGCRPARPPAPPT PTPWRSRQSGKQSERAS*LKGRGRYGLGALGGR GGRALGGSRWPPPLPGETLFSGCKHRRRRRGSD AAPGEEAGT
3700	A	33	1318	GYQIGMALASGPARRALAGSGQLGLGGFGAPRR GAYEWGVRSTRKSEPPPLDRVYEIPGLEPITFAG KMHFVPWLARPIFPWDRGYKDPRFYRSPPLHE HPLYKDQACYIFHHRCLLEGVKQALWLTCKL IEGLPEKVLVSLVDDPRNHENQDECVLNVISHARL WQTTEEIPKRETYCPVVDNLIQLCKSQILKHPSL ARRICVQNSTFSATWNRESLLLQVRGSGGARLST KDPLPTIASREEIEATKNHVLETFFYPISPIDLHECN IYDVKNDTGFQEGYPYPHTLYLLDKANLRPH RLQPDQLRAKMILFAFGSALAARLLYGNDKAV LEQPVVVQSVGTDGRVFHFLVFQLNTTDLDSNE GVKNLA WVDSDQLLYQHFVCLPVIKKRVVVEP VGPVGFKPETFRKFLALYLHGAA
3701	A	86	465	WTLCGPEAGMVGYPDPKPDGRNNTKFQVAVAGS VSLVTRALISPFVIRFQLQHERLSRSDPSAK YHGILQASRQILQEEGPTAFWKGHVPAQILSIGY GAVQFLSFEMLTENVHRGSVYDARE
3702	A	166	814	GFWEKTNQSSHSMDPLGAPSQFVDVDTLPSWGD SCQDELNSSDTTAEIFQEDTVRSPFLYNKDVNGK VVLWKGDVALLNCTAIVNTSNESLTDKNPVSESI FMLAGPDLKEDLQKLKGCRGTGEAQLTKGFNLAA RFIIHTVGPKYKSRYRTAAESSLYSCYRNVLQLA

SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
				KEQSMSSVGFCVINS AKRGYPLKDATHIALRTVR RFLEIHGETIEKVV
3703	A	128	1255	SLGPSPKSA TIPCCGDTMAPEEDAGGEALGGSFW EAGNYRRTVQRVEDGHR LCGDLVSCFQERARIE KAYAQQ LADWARKWRGTVEKGPQYGTLEKAW HAFFTAERLSALHLEVREKLQGGDSERVRAWQ RGAFHRPVLGGFRESRAAEDGFRKAQKPWLKRL KEVEASKKSYHAARKDEKTAQTRESHAKADSA VSQEQLRKLQERVERCAKEAEKTKAQYEQTLAE LHRYTPRYMEDMEQAFETCQAAERQRLFFKD MLLTLHQHLDLSSEKFHELHRDLHQGIEAASDE EDLRWWRSTHGP GMAMNWPQFEWSLDTQRTI SRKEKGGRSPDEVTLTSIVPTRDGTAPPPQSPGSP GTGQDEEWSDEESP
3704	A	1	271	ARGEDLALATGGGPD TVTHSNMPCPN SLVYDC WLNIEKCSVGEHTFEDLGLCPGRNQREKKRSYK DFLREEEKIAAQVRNSSKKKLDSE
3705	A	170	1318	LNWANLVIMWPREEEKEKVQDYS LGGLSPDLRI DVSRRKKILKAYDEDEDEDLYPDIHPPPSLPLPG QFTCPQCRKSFTRRSFRPNLQLANMVQIIRQMCP TPYRGNRSNDQGMCFKHQEALKLFCEVDKEAIC VVCRESRSHKQHSVLPLEEVVQEYKAKLQGHVE PLRKHLEAVQKMKAKEERRVTELKSQMKSELA AVASEFGRLTRFLAEEQAGLERRLREMHEAQLG RAGAAASRLAEQAAQLSRL LAEAQERSQQGGLR LLQDIKETFNRC EEVQLQPPEVWSPDPCQPHSHD FLTDAIVRKMSRMFCQAARVDLTLDPDTAHPAL MLSPDRRGVRLAERRQE VADHPKRFSADCCVLG AQGFRSGRHYWEVCMGP
3706	A	204	1996	SRERQTTWMDHNFAPAPPEMQSHGAPGPGTSFS HSHVLGRPIRPSRLPGGGSPLTPVLRKTIHLDTFP QSHIPQTSSRLGLGARTRSVPPQETGIALGASLSP LPTSSLVPRKLSSISLTLHQNSQARSLDRPLSHWE ELPTPGKKAAPHEGGRVSSPGSPVTLVPGGRVH SEGPGNPGLTKSNRMLATEKPLVSSYLALPFQSR LAQSAPVLAEPGSLGQGHLSVTDHMPTRASPG KGKPRARGIPRPRGRLQRANTTVNL TAMDTRTD AARHLATMATNRPSLAINLATPNTS QLDGTGTEFP ALDIKLG TARDLSSVGT VKSGKTVNLATAGTIKP GTAMNLTTVGTTKPGMVMDLIASEPDKLGKAM ATRSTAKPDMTTEGIAMDSATSDPVKPDITATV GTSRLETAMALARVNR AKLGTAKNSLALDTSR MGTA VGSVVPVTPDPATGKTTLGSVNNLTISDV ATCLLMP SRSTD LALDNTNAAMD RATEPASLDL ATEYK GKCRNLVGDGLGCREGEVCELGDGSMK PMSINSNLLGYIGIDTIEQMRKKTMTGTGDFNIM VVGTEGCGAAAGLVAGSTKDPISFPQ
3707	A	3	549	SSSISRDFLQQAACASGTMLRWLRDFVLPTAACQ DAEQPMRYETL FQALDRNGDGVVDIGELQEGLR NLGIPLGQDAEEKIFTTGDVNKD GKLD FEEFMKY LKDHEKKMKLAFKSLDKNNDGKIEASEIVQSLQ TLGLTISEQQAELILQSIDVDGTMTVDWNEWRD YFLFNPVTDIEEIR
3708	A	1	1866	EFRGAGRANMLAPRGAAVLLLHLVLQRWLAAG AQATPQVFDLLPSSSQRLNPGALLPVLTDPALND

SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
				LYVISTFKLQTKSSATIFGLYSSTDNSKYFEFTVM GRLSKAILRYLKNDGKVHLVVFNNLQLADGRRH RILLRLSNLQRGAGSLELYLDCIQVDSVHNLPR FAGPSQKPETIELRTFQRKPQDFLEELKL VVRGSL FQVASLQDCFLQQSEPLAATGTGDFNRQFLGQM TQLNQLLGEVKDLLRQEVNETSFLRNTITECQAC GPLKFQSPSTVPPASPAPPTRPPRRCDSPNCF RGVQCTDSRDGFQCGPCPEGYTGNGITCIDVDEC KYHPCYPGEHCINLSPGFRCDACPVGFTGPMVQ GVGISFAKSNKQVCTDIDECRNGACVPNSICVNT LGSYRCGPCKPGYTGDQIRGCKAERNCRNPEN PCSVNAQCIEERQGDVTCVCGVGWAGDGYICGK DVDIDSYDEELPCSARNCKKDNCKYVPNSGQE DADRDGIGDACDEDADGDGILNEQDNCVLIHNV DQRNSDKDIFGDACDNCLSVLNNDQKDTDGDG RGDACDDMDMDGDIKNILDNCPKFPNRDQRDK DGDGVGDACDSCPDVSNPNQ
3709	A	144	417	TQAMEGLLHYINPAHAISLLSALNEERLKGQLCD VLLIVGDQKFRAHKNVLAASSEYFQSLFTNKENE SQTVFQLDFCEPDAFDNVLNYIY
3710	A	245	688	FGMLKNKGHSSKKDNLA VNAVALQDHILHDLQ LRNLSVADHSKTQVQKKENKSLKRDTKAIDTGL KKTTQCPKLEDSEKEYVLDPKPPPLTLAQKLGLI GPPPPPLSSDEWEKVKQRSLLQGDSVQPCPICKE EFELRPQVFSIRG
3711	A	3	773	SLEMSSDGEPLSRMDSSEDSISSTIMDV DSTISSGRS TPAMMNGQGSTTSSSKNIAYNCCWDQCQACFNS SPDLADHIRSIHVDGQRRGGVFVCLWKGCKVYNT PSTSQSWLQRHMLTHSGDKPFKCVVGGCNASFA SQGGLARHVPTHFSQQNSSKVSSQPKAKEESPSK AGMNKRRKLKNKRRRSLARPHDFFDAQTLD AIR HRAICFNLSAHIESLGKGHSVVFHSTVSILLFFQIK YKTLQKNISTIISKSLKI
3712	A	2	344	RATWHNAGKEREAVQLMAGAEKRVKASHSFLR GLFGGNTRIEEACEMYTRAANMFKMAKNWSAA GNAFCQA AKLHMLQSKHDSATSFVDAGNAYK KADPQGKTARHVACYLCV
3713	A	20	974	GAAATACSSSSSSSGAPATWAAHGPGKDVASPS SVLSPPRRSRLLVLRCLRRNPERPSSSPALRRL LLLLLLLLLLGFLSPGPERGVGGGRFGRRLAL LWAAALGHVVSGKVMRRAPGSRLSSGGGGGGG TNYSRSWNDWQPRDTSASADPGNLKYSSSRDRG GSSSYGLQPSNSAVVSRQRHDDTRVHADIQND KGGYSVNGGSGENTYGRKSLGQELRVNNVTSPE FTSVQHGSRALATKDMRKSQERSMSYCDESRLS YLLRRITRENDRDRRLATVKQLKEFIQQPENKL LVKQLDILAAVHDLNER
3714	A	237	458	IFALKSPSYLLPCCTPEGKMDHKQLCWSHPQKSG QSSRSCCICSNQHG LIWKYSLNMCLQCCHQYVK DIGFIKL
3715	A	970	1524	LCTLSPGISGTAGSCLTTEPGTELGTSAQNGFYH EAVVLFTQALKLNPDHRLFGNRSFCHERLGQP AWALADAQVALTLRPGWPRGLFRLGKALMGLQ RFREAAAVFQETLRGGSQPDAAARELRSCLLHLTL QGQRGGICAPPLSPGALQPLPHAEAPSGPLSLRC

SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
				PRSTALRSPGLSPLLH
3716	A	85	308	QGLPSTMVKLGCSFSGKPGKDPGDQDGAAMDS VPLISPLDISQLQPPLPDQVVIKTQTEYQLSSPDQQ NYTKSR
3717	A	58	618	GAGCTSPGLWARKAAARCLPTYPSTRAQPSNVGR RRRRRPGLGALAAGVPAMAESVERLQQRVQELE RELAQERSLQVPRSGDGGGGRVRIEKMSSEVVD SNPYSRLMALKRMGIVSDYEKIRTFAVAIVGVGG VGSVTAEMLTRCGIGKLLLFDYDKVELANMNRL FFQPHQAGLSKVQAAGHTPEE
3718	A	3	593	RGAGGRAGGRADGQPNMADQQRSLSTSGESL YHVLGLDKNATSDDIKKSyrKLALKYHPDKNPD NPEAADKFKEINNAHAILTDATKRNIYDKYGS LG LYVAEQFGEENVNTYFVLSSWWAKALFVFCGLL TCCYCCCCCLCCCFNCCCGKCKPKAPEGEETEFY VSPEDLEAQLQSDEREATDTPIVIQPASATEP
3719	A	2	2173	SGGVRMGSRADGPRTSGHVTGKMAVFPWHSRN RNYKAEFASCRLEAVPLEFGDYHPLKPITVTESK TKKVNRKGSTSSSTSSSSSSSVVDPLSSVLDGTDPL SMFAATADPAALAAAMDSSRRKRDRDDNSVVG SDFEPWTNKRGEILARYTTTEKLSINLFMGSEKG KAGTATLAMSEKVRTRLEELDDFEESQKELLN LTQQDYVNRIEELNQSLKDAWASDQKV KAPKN VHPGKL VYERIFSMCVDSRSVLPDHFSPENANDT AKETCLNWWFFKIASIRELIPRFYVEASILKCNKFLS KTGISECLPRLTCMIRGIGDPLAGSVYARAYLASRV GMEVAPHLKETLNKNFFDFLLTFKQIHGDTVQN QLVVQGVELPSYLPYPAMDWIFQCISYHAPEA LITEMMERCKKLGNNALLNSVMSAFRAFIAT RSMDFIGMIKECDESGFPKHLFRSLGLNLALAD PPESDRLQILNEAWKVITKLKNPQDYINCAEVWV EYTCKHFTKREVN TVLADV I KHMTPDRAFEDSY PQLQLIKK VIAHFHDFS V LFSVEKFLPFLDMFQK ESVRVEVCKCIRTPLSSINKSPPRTRSS*MPFCMF ARPCMTL/CNAL TLEDEKRMLS YLINGFIKMVSF GRDFEQQLSFYVESRSMFCNLEPVLVQLIHSVNR LAMETRKVMKGNHSRKTA AFVRSWGAYWFITIP SLAGIFTRLNLYLHSG
3720	A	24	296	ENLFRAGFAFSLLRSSFYISKTYCSWFSNLISGSL ADFN SKGTRDYSRQMAVRE/KVFDVIIRCFKRH GAEVIDTPVFELKVRNGQEETTW
3721	A	2	310	PSCLTCVGHCSIGGSCTMIGIMMPECHCSLHMTG PRCEEHVFILOQPGHIASILIPLLVL LLLALVAGVV FWHKRRVQGA KGFQHQ RMTNGAMNVEIGNPTY K
3722	A	75	722	MELVAGCYEQVLF GFA VHPEPEACGDHEQWTL VADFTTHAHTASLSAVA VNSRFVVTGSKDETIHI YDMKKKIEHGALVHHS GTITCLKFYGNRHLSGA EDGLICTWDAKKWECLKSIKAHKGVTFLSIHPS GKLALSVGTDKTLRTWNLVEGRSAFIKNIKQNA HIVEWSPRGEQYV VIIQNKID IYQLDTASISGTITN EKRISSVKFLSES
3723	A	110	316	MELSDNRRSGGLEGLAEKCPNLTYLNLSGNKIK DLSTVEALVSGTVLSLDLLFLVKFSEICLCLLISI
3724	A	3	406	VDRGTEAWQRDPAFSGLQRVGGVDVSVK GDS

SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
				VRACASLGVLSFPELEVVEESRMVSLTAPYVSG FLAFREVPFLELVQQLREKEPGLMPQVLLVDGN GVLHHRGFGVACHLGVLTDLPVGVAKKLLQV DG
3725	A	3	406	VDRGTEAWQRDPAFSGLQRVGGVDVSFVKGDS VRACASLGVLSFPELEVVEESRMVSLTAPYVSG FLAFREVPFLELVQQLREKEPGLMPQVLLVDGN GVLHHRGFGVACHLGVLTDLPVGVAKKLLQV DG
3726	A	1	433	SSDDRSLEFRRLKLNIAIFDEGHMLKNMGSIYQ HLMTINANNRLLLTGTPVQNNLLELMSLLNFVM PHMFSSSTSEIRRMFSSKTKSADEQSIYEKERIAH AKQIKPFILRRVKEEVKQLPPKKDRIELCAMSE KQEQLYLG
3727	A	6	383	RIPRGKACXTVLGRSTGELEGFASSRLPPQPCGW GQSSDLLSRIDLDELMMKDEPPLDFPDITLEGFEY AFNEKGQLRHIKTGEFVFNYREHLHRWNQKRY EALGEIITKYVYELLEKDCNSKKVS
3728	A	3	2452	EIAGAAAENMLGSLCLPGSGSVLLDPCTGSTISE TTSEAWSVEVLPSDSEAPDLKQEERLQELESCSG LGSTSDDTDVREVSSRPSTPGLSVVSGISATSEDIP NKIEDLRSECSSDFGGKDSVTSPDMDEITHDFLYI LQPKQHFQHIEAEADMRIQLSSSAHQLTSPPSQSE SLLAMFDPLSSHEGASAVVRPKVHYARPSHPPPD PPILEGAVGGNEARLPNFGSPMF*LPAMEAFKQ RHS/YTPERLVRSSRSDIVSSVRRPMSDPSWNR PGNEERELPPAAAIGATSLVAAPHSSSSSPSKDSS RGETEERKDSDEKSDRNRPWWRKRFVSAMPK APIPFRKKEKQEKDKDDLGPDRFSTLTDDPSRLS AQAQVAEDILDKYRNAIKRTSPSDGAMANYEST EVMGDGESAHDSRDEALQNISADDLPDSASQA AHPQDSAFSYRDAKKKLRLALCSADSVAFVLT HSTRNGLPDHTDPEDNEIVCFLKVQIAEAINLQD KNLMAQLQETMRCVCRFDNRTCRKLLASIAEDY RKRAPYIAYLTRCROGLQTTQAHLELLQRVLR DKEVANRYFTTVCVRLLESKEKKIREFIQDFQK LTAADDKTAQVEDFLQFLYGAMAQDVIWQNAS EEQLQDAQLAIERSVMNRIFKLAFYPNQDGDILR DQVLHEHIQRLSKVVTANHRALQIPEVYLREAP WPSAQSEIRTISAYKTPRDKVQCILRMCSTIMNLL SLANEDSVPGADDFVPVLVFLIKANPPCLLSTV QYISSFYASCLSGEESYWWMQFTAAVEFIKTIDD RK
3729	A	3	2452	EIAGAAAENMLGSLCLPGSGSVLLDPCTGSTISE TTSEAWSVEVLPSDSEAPDLKQEERLQELESCSG LGSTSDDTDVREVSSRPSTPGLSVVSGISATSEDIP NKIEDLRSECSSDFGGKDSVTSPDMDEITHDFLYI LQPKQHFQHIEAEADMRIQLSSSAHQLTSPPSQSE SLLAMFDPLSSHEGASAVVRPKVHYARPSHPPPD PPILEGAVGGNEARLPNFGSPMF*LPAMEAFKQ RHS/YTPERLVRSSRSDIVSSVRRPMSDPSWNR PGNEERELPPAAAIGATSLVAAPHSSSSSPSKDSS RGETEERKDSDEKSDRNRPWWRKRFVSAMPK APIPFRKKEKQEKDKDDLGPDRFSTLTDDPSRLS AQAQVAEDILDKYRNAIKRTSPSDGAMANYEST

SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
				EVMGDGESAHDSRDEALQNISADDLPDSASQA AHPQDSAFSYRDAKKKLRLALCSADSVAFPVLT HSTRNGLPDHTDPEDNEIVCFLKVQIAEAINLQD KNLMAQLQETMRCVCRFDNR TCRKLLASIAEDY RKRAPYIAYLTRCRQGLQTTQAHLELLQRVLR DKEVANRYFTTV CVRLLLESKEKKIREFIQDFQK LTAADDKTAQVEDFLQFLYGAMAQDVIWQNAS EEQLQDAQLAIERSVMNRIFKLA FYPNQDGDILR DQVLHEHIQRLSKVVTANHRALQIPEVYLREAP WPSAQSEIRTISAYKT PRDKVQCILRMCSTIMNLL SLANEDSVPGADDFVPVLV FVLIKANPPCLLSTV QYISSFYASCLSGEESY WWMQFTA AVEFIKTIDD RK
3730	A	3	2452	EIAGAAAENMLGSLCLPGSGSVLLDPCTGSTISE TTSEAWSVEVLPSDSEAPDLKQEERLQELESCSG LGSTSDDTDVREVSSRPSTPGLSVVSGISATSEDIP NKIEDLRSECSSDFGGKDSVTSPDMDEITHDFLYI LQPKQHFQHIEAEADMRIQLSSSAHQLTSPPSQSE SLLAMFDPLSSHEGASAVVRPKVHYARPSHPPPD PPILEGA VGGNEARLPNFGSPMF*LPAEMEAFFKQ RHS/YTPERLVR SRSS\DIVSSVRRPMSDPSWNR P\GNEERELPPAAAIGATSLVAAPHSSSSSPSKDSS RGETEERKDS DDEKSDRNRPWWRKRFVSAMPK APIPFRKKEKQEKDKDDLGPDRFSTLTDDPSRLS AQAQVAEDILDKYRNAIKRTSPSDGAMANYEST EVMGDGESAHDSRDEALQNISADDLPDSASQA AHPQDSAFSYRDAKKKLRLALCSADSVAFPVLT HSTRNGLPDHTDPEDNEIVCFLKVQIAEAINLQD KNLMAQLQETMRCVCRFDNR TCRKLLASIAEDY RKRAPYIAYLTRCRQGLQTTQAHLELLQRVLR DKEVANRYFTTV CVRLLLESKEKKIREFIQDFQK LTAADDKTAQVEDFLQFLYGAMAQDVIWQNAS EEQLQDAQLAIERSVMNRIFKLA FYPNQDGDILR DQVLHEHIQRLSKVVTANHRALQIPEVYLREAP WPSAQSEIRTISAYKT PRDKVQCILRMCSTIMNLL SLANEDSVPGADDFVPVLV FVLIKANPPCLLSTV QYISSFYASCLSGEESY WWMQFTA AVEFIKTIDD RK
3731	A	1	1305	VNTAMHEAKLMEECDELVEIIQQRKQMIAVKIK ETKVMKLRKLAQQVANCRCCLERSTVLINQAEH ILKENDQARFLQSAKNIAERVAMATASSQVLIPDI NFNDAFENFALDFSREKKLLEGLDYL TAPNPPSIR EELCTASHDTITVHWISDDEFSISSYELQYTIFTGQ ANFISLYNSVDSWMI VPNIKQNHYT VHGLQSGTR YIFIVKAINQAGSRNSEPTRLKTNSQPFLDPKMT HKKLKISNDGLQMEKDESSLKKSHTPERFSGTGC YVYGV LHNSDNS*MFISLSFPLSHRYAIGIAYKSA PKNEWIGKNASSWVFSRCNSNFVVRHNNKEML VDVPPHLKRLGVLLDYDNY/NMLSFYDPANSLAH LHTFDVTF\LPVCPTFTIWNKSLMILSGLPAPDFI DYPERQECNCRPQESPYVSGMKTCH
3732	A	127	2832	LGQRLSLVPRPSLKRRLGKRLSLGLRERMMSLW WS/GPKVRTQATTGARPKTETKSVPAARPKTEAQ AMSGARPKTEVQVMGGARPKTEAQGITGARPKT DARAVGGARSKTDAKAIPGARPKDEAQA WAQS

SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
				<p>EFGTEAVSQAEGVSQTNAVAWPLATAESGSVTK SK\ACLWIEN*SMWM/PETFPGTQGQKGIQPWFG PGEETNMGSWCYSRPRAREEASNESGFWSADET STASSFWTGEETSVRSWPRESNTRSRHRAKHQT NPRSRPRSKQEAYVDSWSGSEDEASNPFVWVG ENTNNLFRPRVREEANIRSKLRTNREDCFESESED EFYKQSWVLPGEEANIDSGTETKKILLPWKLRA QKDVDSDRVKQEPREFEEVIIGSWFWAEKEASLE GGASAICESEPGTEEGAIGGSAYWAEKSSSLGAV AREEAKPESEEEAIFGSWFWDRDEACFDLNPSPV YKVSDRFRDAAEELNASSRPQTWDEVTVFKPG LFHGVGFRSTSPFGIPEEASEMLEAKPKNLELSPE GEEQESLLQPDQPSPEFTFYDPSYRSVREIREHL RARESAESESWSCSCIQCELKIGSEEFEEFLLMD KIRDPFIHEISKIAMGMRSASQFTRDFIRDSGVVS LIETLLNYPSSRVRTSFLENMIHMAPPYPNLNMIE TFICQVCEETLAHSVDSLEQLTGNKGCFRHMTMT IDYHTLIAN*YGPGFLLF*PQAQCGETKFHVLK MLLNLSENPAVAKKLFSAKALSIFVGLFNIEETN DNIQIVIKMFQNISNIIKSGKMSLIDDDFSLEPLISA FREFEELAKQLQAQIDNQNDPEATGTTFVVGKG NNPSANRERLSPSVFCPGAQEAESLPARRVRGEE QRLLLEEVGARTADGIPEGW</p>
3733	A	2	3274	<p>DVPLIRIEEDTGEIFTTGARIDREKLCAGIPRDEHC FYEEVEVAILPDEIFRLVKIRFLIEDINDNAPLFPAT VINISIPENSAINSKYTLPAAVDPDVGINGVQNYE LIKSONIFGLDVIETPGGDKMPQLIVQKELDREEK DTYVMKVKVEDGGFPQRSSTAILQVSVTDNDN HPVFKETEIEVSIPENAPVGTSVTQLHATDADIGE NAKIHFSFSNLVSNIAARLFHLNATTGLITIKEPLD REETPNHKLLVLASDGGLMPARAMVLVNVTDV NDNVPSIDIRYIVNPVNDTVVLSENIPLNTKIALIT VTDKDADHNGRVTCTDHEIPFRLRPVFSNQFL ETAAYLDYESTKEYAIKLLA\ADAGKPPLNQSAM LFIKVKDENDNAPVFTQSFVTVSIPENNSPGIQLT KVSAMDADSGPNAKINYLLGPDAPPEFSLD CRT GMLTVVKKLDREKEDKYLFTILAKDNGVPPLTS NVTVFVSIIDQNDNSPVFTHNEYNFYVPENLPRH GTVGLITVTDPDYGDNSAVTLSILDENDDDFTIDSQ TG VIRPNISFDREKQESYTFYVKAEDGGRVSRSSS AKVTINVVDVNDNKPVFIVPPSNCSYELVLPSTN PGTVVFQVIAVDNDTGMNAEVRYIVGGNTRDL FAIDQETGNITLMEKCDVTDLGLHRVLVKANDL GQPD SLFSVVIVNLFVNESVTNATLNELVPQKH LKHQ*PQILEIADVSSPTS DYVKILVAAVAGTITV VVVIFITAVVRCRQAPHLKAAQKNMQNSEWATP NPENRQMIMMKKKKKKKKHSPKNLLNVVTIEE TKADDVDS DGNRVTLDPIDLEEQTMGKYNWV TTPTTFKPDSPDLARHYKASPPQAFQIQPETPLN LKHIIQELPLDNTFVACDSISNCSSSSSDPYSVSD CGYPVTTFEVPVSVHTRPPVDLEVGGAGSQVAI LTSSLMELLCLMVA AFLPLELRPLGQQNVMSW EQEAKILLVGYWGDGEWCHFHFHHLIPGPVNP YERKQYHILDS SEDTQPSGELCPIVVRPFTILSIQ LLQDDGEHCGTKQGFQPAVQLGLLPHKTLK</p>

SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
3734	A	1	840	GTRPGHLPAPSDGFCV/HL*SIPSWGSE*GESL/EM QLITSLGLQEFDIARNVLELIYAQTLVWIGIFFCPL LPFIQMIMLFIMFYSKNISLMMNFQPPSKA WRAS QMMTFFIFLLFFPSFTGVLCTLAITWRLKPSADC GPFRGLPLFIHSIYSWIDTLSTRPGYLWVWVIYRN LIGSVHFFFILTLIVLIITYLYWQITEGRKIMIRLLH EQINNEGKDKMFLIEKLIKLDMEKKANPSSLVLE RREVEQQGFLHLGEHDGSLDLRSRRSVQEGNPR A
3735	A	2	432	VEVCRRYLWKMTVDASQNVQCCVIFSHFPFIFN NLSKIKLLHTDTLLKIESKKHKAYLRSAAIEEERE SEFALRPTFDLTVRRNHLIEDVLNQLSQFENEDL RKELWVSFSGEIGYDLGGS/VKKEIFYCLFAEMIQ PEYGMFMY
3736	A	1542	343	KGAPSFVRLYQYPNFAGPHAALANKSFFKADKV TMLWNKKATAVLVIASDVKGTGASYGGEQTL HYIATNGESAVVQLPKNGPIYDVVWNSSTEFCA VYGFMPAKATIFNLKCDPVDFGTGPRNAAYYS PHGHILVLAGFGNLILQI*AD/IMKVWNVKNYKLI SKPVASDSTYFAWCPDGEHILTATCAPRLRVNN GYKIWHYTGSILHKYDVPSNAELWQVSWQPFLD GIFPAKTITYQAVPSEVPNEEPKVATAYRPPALRN KPITNSKLHEEPPQNMKPOSGNDKPLSKTALKN QRKHEAKKAQKQEARSDKSPDLAPTPAPQSTPR NTVSQSIGDPEIDKKIKNLKKKLKAIEQLKEQAA TGKQLEKNQLEKIQKETALLQELEDLELGI
3737	A	3190	664	VAMGTPRAQHPPPPQLLFLILLSCPWIQGLPLKEE EILPEPGSETPTVASEALAEHLHGALLRRGPENG YLPGPPLGPEGGEEETTTTITTTTITTTTITTTT NNNISEGEGYVESPDLGSPVSRITLGLLDCTYSIHV YPGYGIEIQVQTLNLSQEEELLVLAGGGSPGLAP RLLANSSMLGEGQVLRSPITNRLLLHFQSPRVPRG GGFRIHYQAYLLSCGFPPRPAHGDVSVTDLHPGG TATFHCDSGYQLQGEETLICLNTRPSWNGETPS CMASCGGTIHNAITLGRIVSPEPGGAVGPNLTCR WVIEAAEGRRLHLHFERVSLDEDNDRLMVRSGG SPLSPVIYDSMDMDVPERGLISDAQSLYVELLSET PANPLLSLRFEAFEDRCFAPFLAHGNVTTTDP YRPGALATFSCLPGYALEPPGPPNAIECVDPTEPH WNDTEPACKAMCGGELSEPAGVVLSPDWPQSY SPGQDCVWGVHVQEEKRILLQVEILNVREGDML TLFDGDGPSARVLAQLRGPQPRRRLSSGPDITL QFQAPPGPNNPGLGQGFVLHFKEVPRNDTCPELP PPEWGWRTASHGDLIRGTVLTYQCEPGYELLGS DILTCQWDLSSWSAAPPACQKIMTCADPGEIANG HRTASDAGFPVGSVHVQYRCLPGYSLEGAAMLTC YSRDTGTPKWSDRVPKCALKYEPCLNPGVPENG YQTLYKHHYQAGESLRFFCYEGFELIGEVTITCV PGHPSQWTSQPPLCKVTQTTDPSRQLEGGNLAL AILLPLGLVIVLGSVYIYYTKLQGKSLFGFSGSH SYSPITVESDFSNPLYEAGDTREYEVSI
3738	A	3190	664	VAMGTPRAQHPPPPQLLFLILLSCPWIQGLPLKEE EILPEPGSETPTVASEALAEHLHGALLRRGPENG YLPGPPLGPEGGEEETTTTITTTTITTTTITTTT NNNISEGEGYVESPDLGSPVSRITLGLLDCTYSIHV

SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
				YPGYGIEIQVQTLNLSQEEELLVLAGGGSPGLAP RLLANSSMLGEGQVLRSPNRLLLHFQSPRVPRG GGFRIHYQAYLLSCGFPPRPAHGDVSVTDLHPGG TATFHCDSGYQLQGEETLICLNGTRPSWNGETPS CMASCGGTIHNATLGRIVSPEPGGAVGPNLTCR WVIEAAEGRRLHLHFERVSLDEDNDRLMVRSGG SPLSPVIYDSDMDDVPERGLISDAQSLYVELLSET PANPLLLSLRFEAFEDRCFAPFLAHGNVTTTDPE YRPGALATFSCLPGYALEPPGPPNAIECVDPTPEH WNDTEPACKAMCGGELSEPAGVVLSPDWQSY SPGQDCVWGVHVQEEKRILLQVEILNVREGDML TLFDGDGPSARVLAQLRGPQPRRRLSSGPDLT QFQAPPGPPNPGLGQGFVLHFKEVPRNDTCPELP PPEWGWRTASHGDLIRGTVLTYQCEPGYELLGS DILTCQWDLWSAAPPACQKIMTCADPGEIANG HRTASDAGFPVGS HVQYRCLPGYSLEGAAMLTC YSRDTGTPKWSRVPKCALKYEPCLNPGVPENG YQTLYKHHYQAGESLRFFCYEGFELIGEVTITCV PGHPSQWTSQPPLCKVTQTDDPSRQLEGGNLAL AILLPLGLVIVLGS VYIYYTKLQGKSLFGFSGSH SYSPITVESDFSNPLYEAGDTREYEVS
3739	A	734	445	LLEPEPAEEYTEQSEVEST/EGMILI*CCLYFAAFQ TNVSNIFYALQYVNRQFMAETQFTSGEKEQVDE WTVETVEVRVLCIAKLSSLSSVSNFYLY
3740	A	2	1578	MAHYITFLCMVLVLLQNSVLAEDGEVRSSCRT APTDLVFILDGSYSVGPENFEIVKKWLVNITKNF DIGPKFIQVGVVQYSDYPVLEIPLGSYDSGEHLTA AVESILYLGNTKTGKAIQFALDYLFKSSRFLT KIAVVLTDGKSQDDVKDAAQAARDSKITLFAIG VGSETEDAELRAIANKPSSTYVFYVEDYIAISKJR EVMKQKLCEESVCPTRIPVAARDERGF DILLGLD VNKKVKKRIQLSPKKIKGYEVTSKVDLSELTSNV FPEGLPPSYV FVSTQRFKVKKIWDLWRILTIDG/* PQIAVTLNGVDKILLFTTTSVINGSQVVT FANPQV KTLFDEGWHQIRLLVTEQDVTLYIDDOQIENKPL HPVLGILINGQTQIGKYS GKEETVQFDVQKLRIY CDPEQNNRETACEIPGFCLNGPSDVGSTPAPCICP PGKPGLQGPKGDPGLPGNPGYPGQPGQDGKPV TESLVISGISGITGYQGLAGTPGVPGSPGIQGARGL PGYKGEPGRDGD
3741	A	5048	1236	MSAPAGSSHPAASARIPPKFGGSAVSGAAAPAGP GAGPAPHQQNGPAQNQM VPSGYGLHHQNYIA PSGHYSQGP GKMTSLPLDTQCGDYYSALYTVPT QNVTPNTVNQQPGAQQLYSRGPPAPHIVGSTLGS FQGAASSASHLHTSASQPYSSFVNHNNSPAMYS ASSSVASQGFSTCGHYAMSTVSNAAYPSVSYP LPAGDTYGQMFTSQNAPTVRPVKDNSFSGQNTA ISHPSPLPPLPSQQHHQQQSLSGYSTLTWSSPGLP STQDNLIRNHTGSLAVANNNTITVADSLSCPVM QNVQPPKSSPVVSTVLSGSSGSSSTRTPPTANHPV EPVTSVTQPSSELLQKGVQYGEYVNNQASSAPT PLSSTDDEEEEEDEEAGVDSSSTTSSASPMPS YDALEGGSYPDMLSSSASSAPDPAPDPASAP APASAPAPVVPQPSKMAKPLAMAIQHFSLVIRML QHHLFLEYSPSNPVYSGFQQYPQQYPGVNQLSSS

SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
				IGGLSLQSSPQPESLRPVNLTQERNILPMTVPVWAP VPNLNADLKKLNCSFDSFRCTLNIPQTQALLNK AKLPLGLLHPFRDLTQLPVITSNTIVRCRSCRTYI NP\FVSFIDQRR*KCNLCYRVNDVPEEFMYNPLT RSYGEPHKRPEVQNS\TVEFIASSDYMLRPPQPAV YLFVLDVSHNAVEAGYLT/LWCQSLLE\NLDKLP G\DSRT\RIGFMTFD\STYSFLQFTQEGLSQPQMLI VSDIDDVFLPTPDSLLVNLYESKELIKDLLNALPN MFTNTRETHSALGPALQAAFKLMSPTGGRVSVF QTQLPSLGAGLLQSREDPNQRSSTKVQHLGPAT DFYKKLALDCSGQQTAVDLFLLSSQYSDLASLA CMSKYSAGCIYYPSFHYTHNPSQAEKLQKDLK RYLTRKIGFEAVMRIRCTKGLSMHTFHGNFFVRS TDLLSLANINPDAGFAVQLSIEESLTDTSLVCFQT ALLYTSSKGERRIRVHTLCLPVVSSLSDVYAGVD VQAAICLLANMAVDRSVSSSLSDARDALVNAV DSLSAYGSTVSNLQHSALMAPSSLKLFPLYVLAL LKQKAFTGTSTRLDDRKYAMCQIKSQPLVHLM KMIHPNLYRIDRLTDEGAVHVNDRIVPQPPLQKL SAEKL TREGAFLMDCGSVFYI WVKGCDNNFIE DVLGYTNFASIPQKMTHLPELDTLSSERARSFIT WLRDSRPLSPILHIVKDESPAKAEFFQHLIEDRTE AAFSYYEFLHVVQQQICK
3742	A	934	68	SMLASQGVLLHPYGVPMIVPAAPYLPGLIQGNQE AAAAPDTMAQPYASAQFAPPQNGIPAETAPHP HPAPEYTGQTTVPEHTLNLYPPAQTHSEQSPADT SAQTVSGTRNKQD*RSTDGWSPKQTQS*KHKGK QVSSPSGLHVSNIFFRFRDPDLRQMFAGQFGKILD VEIIFNERGSKGFGFVTFENSADADRAREKILHGT VVIEGRKIEVNNATARVMTNKKTVNPTYNGWK LNPVVGAVYSPEFYAGTVLLCQANQEGSSMYSA PSTDFRGAKLHTSRPLLSGS
3743	A	3	1456	QFQQA WMQNKVIPAPNEVLNDRKEDIKLEKK KTQAEIEQEMATLQYTNPQLLEQLKIERLAQKQV EQIQPPSSGTPLLGPQFPQGGPMSQIPQGF/PTA PSISADANEHGSKGPFGPQGGQFRPPGPQGMGP QGPPHQQGGGGPQGFMGPQGPQGPQGLPRPQD MHGPQGMQRHPGPHGPLGPQGPPGPQGSSGPQG HMGPQGPQGPQGHGPPGPQGPQGHLPQGPQGP QGMQGPQGPQGMQGPQHPHGIQGGPGSQGIQGP VSQGPLMGLNPKGMQGPQGPQRENQGPAPQGM MGHPPQEMRGPHPPGGLLGHGPQEMRGPPQEI MQGPPQGSMLGPPQELRGPPGSQSQQGPPQGS GPPQGGMQGPQGPQGPQGPQGPQGPQGPQGP QKKTPLLGDGPAPFNQEGQSTGPPPLIPGLGQQ GAQGRIPPLNPGQGPQGPQGPQGPQGPQGPQ PPRGRDGFPGPMKTLV
3744	A	1571	652	PLTGRKCPGWTHSGSRRSPRIAEVPGFPAKRAEA SRQFSETADRLELLRAVMAAARATTPADGEEP APEAEALAAARERSRFLSGLELVKQGAEARVFR GRFQGR ¹ AAVIKHRFPKGYRHPALEARLGRRRTV QEARALLRCRRAGISAPVVFVDYASNCLYMEEI EGSVTVRD\IFSPLWRLKKTPQGLSNLAKTIGQVL ARMHDEDLIHGDLTTSNMLLKPPLEQLNIVLIDF GLSFISALPEDKGVLDLYVLEKAFLSTHPNTETVFE

SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
				AFLKSYSTSSKKARPVLKKLDEVRLRGKKRSMVG
3745	A	127	1433	GSHRFSLASPLDPEVGPYCDTPTMRTL FNLLWLA LACSPVHTTLSKSDAKKAASKTLLKESQFSDKPV QDRGLVVTDLKAESVLEHRSYCSAKARDRHFA GDVLGYVTPWNSHGYDVTKVFGSKFTQISPVWL QLKRRGREMFVETGLHDVDQGWMAVRKHAK GLP*CLGSCLRTGLTMISG/YVLDSEDEIEELSKT VVQVAKNQHFDFGVVEVWNQLLSQKRVGLIHM LTHLAEALHQARLLALLVIPPAITPGTDQLGMFT HKEFEQLAPVLDGFSLMTYDYSTAHPGP NAPL SWVRACVQVLDPKSK WRSKILLGLNFYGM DY A TSKDAREPVVGARYIQTLK DHRPRMVWDSQVSE HFFEYKKSRSGRHVVFYPTLKSLOVRLELARELG VGVSIEWELGQGLDYFYDLL*VGIAASAVDVFFSK PWSE
3746	A	1	898	IDRAAECRTKPLPMAVSIRGNADSI VACL VLMVL YLIKKRLVACAAVFYGFVHMKIYPETYILPITL HLLPDRDNDKSLRQFRYTFQACL*ELKRLCNRT ALMFVAVAGLTFFALSFGFYEYGFWEFLEHTYF YHLTRDIRHNFSFYMLYLTAESKWSFSLGIA AFLPQLILLSAVSFAYYRDLVFCWFLHTSIFVTFN KVCTSQYFLWYLCLLPLVMPLVRMPWKRAVVL LMLWFIGQAMWLAPAYVLEFQGKNTFLFIWLA GLFLLINCSILIQISHYKEEPLTERIKYD
3747	A	1	2325	MVISFQGLVTFGDVA VDFSQEEWEWLNPIQRNL YRKVMLENYRNLASLGLCVSKPDVISSLEQGKEP WTVKRKMTRA WCPDLKAVWKIKELPLKKDFCE GKLSQAVITERLTSYNLEYSLLGEHWDYDALFET QPGLVTIKNLAVDFRQQLHPAQKNFCKNGIWEN NSDLGSAGHCVAKPDLVSLLEQEKEPVMVKREL TGSLSFGQRSVHETQELFPKQDSYAEGVTDRTSN TKLDCSSFRENWDSYVFGKRLAVGQETQFRQE PITHNKTL SKERERTYNKSGRWFYLLDSEEKVH NRDSIKNFQKSSVVIKQTGIYAGKKLFCNECKK TFTQSSSLTVHQRIHTGEKPYKCNECGKAFSDGS SFARHQRCHTGKKPYECIECGKAFIQNTSLIRHW RYYHTGEKPFDCIDCGKAFSDHIGLNQHRRHTG EKPYKCDVCHKSFYRGSSLTVHQRIHTGEKPYE CDVCRKAFSHHASLTQHQRVHSGEKPFCCKEC GKAFRQNIHLASHLRIHTGEKPFCEAECGKSFSIS SQLATHQRIHTGEKPYECKVCSKAFTQKAHLAQ HQKTHTGEKPYECKECGKAFSQTTHLIQHQRVH TGEKPYKCMCEGKAFGDNSSCTQHQLHTGQRP YECIECGKAFKTKSSLICHRRSHTGEKPYECSVC GKAFSHRQSLSVHQRIHSGKKPYECKEKRKTFIQI GHLNQHKRVHTGERSYNYKKS RKVFRQTAHLA HHQRIHTGESSTCPSLPSTSNPVDLFPKFLWNPSS LPSP
3748	A	823	1	GGYTKSGYDSACKDFVPHDLEVQIPGRVFLVTG GNSGIGKATALEIAKRGGTVHLVCRDQAPAEDA RGEIIRE/SGNQNIFLHIVDLSDPKKIWK FVENFKQ EHKLHVL\VNNAGCMVNKREAHKKMDFEKNFG CQYSGVCTFLTTRPDPLCWRKNTDPRVITVSSG GMLVQKLNNQ*SPVRKNTIWMGMTMVYAQNKVS

SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
				ERQQVVLTERWGPAPG\IHFSSMHPGWADTPG VRQAMPGFHVQASGYRLRSEAQGADTMLWLAL SSARSRTAQR
3749	A	1939	715	GFLRLSQATRQRLSIPVMVLTLDPTRD\QCFGDR FSRLLLDLFLGYDDILMSSVKGLAENEENKGFLR NVVSGEHYRFV\SMWMARTSYLAAFANHQS TSLSVSHACCGYSHHQIFVFIVDLLQMLEMNMAIA FPAAPLLTVILALVGMEAIMSEFFNDTTTAFYIILI VWLADQYDAICCHTSTSKRHWLRFYLYHFAFY AYHYRFNGQYSSALVTSWLFQHSMIYFFHHYE LPAILQHVRIQ\EMLLQAPTLGPGTPTALPDDMN NNSGAPATAPDSAGQPPALGPVSPGASGSPGPV AAAPSSLVAAAASVAAAAGGDLGWMAETAIIIT DASFLSGLSASLLERRPASPLGPAGGLPHAPQDS VPPSDSAASDTPLGAAVGGPSPASMAPTEAPSE VGS
3750	A	2	844	GLLEPFSKLLSFVIQNAVFTLAYLVELCGLCYRA FTKERDKFYLSRSVVLELLQALKLKSPLPDNLL LLVQFICADAGTKLAESTILSKQMIAVPGCGTA AMECVRQYINEVLDFMADMHTLTKLKSHMKTC SQPLHEDTFGGHLKVGLAQIAAMDISRGNHDRN KAVIRYLPWLYHPPSAMQQGPKEFIECVSHIRLL SWLLGSLTHNAVCLKWPPPLGPLPLDAGSHV ADHLVILIGFPEQSKTSVLHMC SLFHAF\SLAQL WDSLLARQSGRW
3751	A	431	2	AFTRKCEETA FIVPQCEIIPTE/WVCRRIPTGSSLER NPGVKEGCEFCPPKVEMFFKDDANHDPQWSRQ QLIAAKFGFAALGI/QTEVDIMSHAT*AVFEIPEKS RLAPQNCTPVDMKIEFGVHVTSKEILTDVIDNDS* RHSPS
3752	A	131	1278	AWSGSGLLVLCINTASMPMISVLGKMFLWQREG PGGRWTCQTSRRVSSDPAWAVEWIELPRGLSLSS LGSARTLRGWSRSPSSVDSQDLPEVNVGDTV AMLPKSRRALTIQEIAALARSSLHGISQVVKDHV TKPTAMAQGRVAHLIEWKGWSKPSDSPAALESA FSSYSDLSEGEQEARFAAGVAEQFAIAEAKLRA WSSVDGEDSTDDSYDEDFAGGMDTDMAGQLPL GPHLQDLFTGHRFSRPVRQGSVEPESDCSQTVPSP DTLCSSSLCSLEDGLLGSPARLA\PCSWAMSCFSPN CPPAGKVPSAAW/APLEAQDSL YNSPLTESCLSP AEEEPAPCKDCQPLCPPLTGSWERQRQASDLASS GVVSLDEDEAEPEEQ
3753	A	3	1138	YYSSVRQRVTCEEPRFRECAALIEGSATEVYAG EWRADRRSGFGVSQRSNGLRYEGEWLGNNRRHG YGRTRTPDGSREEGKYKRNLVHGGRVRSLLPL ALRRGKVKEKVDRAVEGARRAVSAARQRQEIA AARAADALLKAVAASSVAEKA VEAARMAKLIA QDLQPMLEAPGRRPRQDSEGSDTEPLDEDS PGV YENGLTPSEGSPELPSSPASSRQPWRPPACRSPLP PGGDQGPFSPPKAWPEEWGGAGAQAEELAGYE AEDEAGMQGPGPRDGSPLLGGCSDSSGSLREEE GEDEEPLPPLRAPAGTEPEPIAMLVLRGSSSRGPD AGCLTEELGEPAATERPAQPGAANPLVVGAVAL LDLSLAFLFSQLLT
3754	A	2	3338	SSLLEKMTSSDKDFR FMATSDLMSELQKDSIQLD

SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
				EDSERKVVKMLLRLLLEDKNGEVQNLAVKWLGV PLGAFHASLLHCLLPQLSSPRLAVRKRAVGALGH LATACTDLFVELADHLLDRLPGPRVPTSPTAIRT LIQCLGSVGRQAGHRLGAHLDRVLPLVEDFCNL DDDELRESCLQAFEAFLRKCPKEMGPHVNPVTS LCLQYIKHDPNynydsdeedeeqmetedsefseqe SEDEYSDDDDMSWKVRRAAAKCIAALISSRPDL LPDFHCTLAPVLIRRFKEREENVKADVFTAYIVL LRQTRPPKGWLEAMEEPTQTGSNLHMLRGQVPL VVKALQRQLKDRSVRARQGCFSLLTELAGVLP SLAEHMPVLVSGIIFSLADRSSSSTIRMDALAFLO GLLGTEPAEAFHPLPILLPPVMACVADSFYKIA AEALVVLQELVRALWPLHRPRMLDPEPYVGEMS AVTLARLRATDLDQEVKERAISCMGHLVGHLGD RLGDDLEPTLLLLLDRLRNEITRLPAIKALTLVAV SPLQLDLQPIAEALHILASFLRKNQRALRLATLA ALDALAQSQGLSLPPSAVQAVLAELPALVNESD MHVAQLAVDFLATVTQAQPASLVEVSGPVLSEL LRLRSPLLPAGVLAAAEGFLQALVGTRPPCVDY AKLISLLTAPVYEQAVDGGPGLHKQVFHSLARC VAALSAACPQEAESTASRLVCDARSPHSSTGVK VLAFLSLAEVGVAGPGHERELKAVLLEALGSPS EDVRAAASYALGRVGAGSLPDLFPLLEQIEAEP RRQYLLHSLKEALGAAQPSLKPYAEDIWALL FQRCEGAEEGTRGVVAECIGKLVVNPSFLLPRL RKQLAAGRPHTRSTVITAVKFLISDQPHPIDPLK SFIAVHNKPSLVRDLDLPLLYQETKIRRDIRE VEMGPFKHTVDDGLDVRKAAFECEMYSLLESCLG QLDICEFLNHVEDGLKDHYDIRMLTFIMVARLAT LCPAPVLQRVDRLIEPLRATCTAKVKAGSVKQEF EKQDELKRSAMRAVAALLTIPEVGKSPIMADFSS QIRSNPELAALFESIQKDSTSAPSTDMSMELS
3755	A	2	3338	SSLLEKMTSSDKDFRFRMATSDLMSELQKDSIQLD EDSERKVVKMLLRLLLEDKNGEVQNLAVKWLGV PLGAFHASLLHCLLPQLSSPRLAVRKRAVGALGH LATACTDLFVELADHLLDRLPGPRVPTSPTAIRT LIQCLGSVGRQAGHRLGAHLDRVLPLVEDFCNL DDDELRESCLQAFEAFLRKCPKEMGPHVNPVTS LCLQYIKHDPNynydsdeedeeqmetedsefseqe SEDEYSDDDDMSWKVRRAAAKCIAALISSRPDL LPDFHCTLAPVLIRRFKEREENVKADVFTAYIVL LRQTRPPKGWLEAMEEPTQTGSNLHMLRGQVPL VVKALQRQLKDRSVRARQGCFSLLTELAGVLP SLAEHMPVLVSGIIFSLADRSSSSTIRMDALAFLO GLLGTEPAEAFHPLPILLPPVMACVADSFYKIA AEALVVLQELVRALWPLHRPRMLDPEPYVGEMS AVTLARLRATDLDQEVKERAISCMGHLVGHLGD RLGDDLEPTLLLLLDRLRNEITRLPAIKALTLVAV SPLQLDLQPIAEALHILASFLRKNQRALRLATLA ALDALAQSQGLSLPPSAVQAVLAELPALVNESD MHVAQLAVDFLATVTQAQPASLVEVSGPVLSEL LRLRSPLLPAGVLAAAEGFLQALVGTRPPCVDY AKLISLLTAPVYEQAVDGGPGLHKQVFHSLARC VAALSAACPQEAESTASRLVCDARSPHSSTGVK VLAFLSLAEVGVAGPGHERELKAVLLEALGSPS

SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
				EDVRAAASYALGRVGAGSLPDLPLLEQIEAEP RRQYLLHSLKEALGAAQPDSLKPYAEDIWALL FQRCEGAEETRGRVVAECIGKLVVNPSFLLPRL RKQLAAGRPHTRSTVITAVKFLISDQPHPIDPLLK SFIAVHNKPSLVRDLDLPLLYQETKIRDLIRE VEMGPFKHTVDDGLDVRKAAFECMYSLLESCLG QLDICEFLNHVEDGLKDHYDIRMLTFIMVARLAT LCPAPVLQVRDLIEPLRATCTAKVKAGSVKQEF EKQDELKRSAMRAVAALLTIPEVGKSPIMADFS QIRSNPELAALFESIQKDSAPSTDMSMELS
3756	A	112	1361	SLEEQQGRHPSFAPKCAEQILGRIMITLITEQLQK QTLDELKCTRFSISLPLPDHADISNCGNSFQLVSE GASWRGLPHCSAEFQ/DQPQLQLPSLRPEPAPQ TT\HRGNSPKEQPFQSVLRPEPPDPEKLPVPPAPPS KRHCRSLSPVDLSRWQPVWRPAPSKLWTPIKH RGSGGGGGPQVPHQSPPKRVSSL/SVPPSSQCLFS MCPSSHTLQPSFLQPGPG/DSSRPCAASPQSGSW ESDAESLSPCPPQRRFSLSPSLGPQASRFLPSARSS PASSPELPWRPRGLRNLPRSRSPCDLDARKTG KRRHEEDPRRLRPSLDFDKMNQKPYSGGLCLQE TAREGSSISPPWFMACSPPLSASCSPTGGSSQVL SESEEEEEGA VRWGRQALSKRTLCQRDFGDL NLIEEN
3757	A	413	1	PKPMLQQDFT/SLPDQGLDHIAE/NSYFDARSLCA AELVCKEWQQVTSE*MLWKKLIERMVHAYPLW KGLSEKVW/DQHLFKNRPTDGPPNSFHRSLYPKII QVIETIESNWQCG*HTLQRIQCHSEKSKGVYCLQ YDDEK
3758	A	2	613	FVSGSPWRMDGSTERLEARRPAGRLPWSSRQEM TRRPSLMAGRQHGWSAQQSATVANPVPGANPD LLPHFLGEPEDVYIVKNKPVLLVCKAVPATQIFF KCNGEWVRQVDHVIERTDGGSSGLPTMEVRINV SRQQVEKVFGLLEEYWCQCVAWSSSGTTKSQKA YIRIAYLRKNFEQEPLAKEVSLEQGIVLPCRPEGI PPAE
3759	A	1	561	ADDTLHLWNLRQKRPAIHLHLKFCRERVTFCHLP FQSKWLYVGTERGNIHIVNVEFTLSGYVIMWN KAIELSSKSHPGPVVHISDNPMDEGKLLIGFESGT VVLWDLKSKKADYRYTYDEAIIHSAWHHEGKQ FICSHSDGTLTIWNVRSPAKPVQTITPHGKQLKD GKKPEPCKPILKVEFXTTR
3760	A	1	824	LPACRCGCVAGCPSNHGICRCLRASERQVCVMH LKHLRTLLSPQDGAAKVTCMAWSQNNAKFAVC TVDRVLLYDEHGERRDKFSTKPADMKYGRKS YMKVGMAFSPDSTKIAIGQTDNIYVYKIGEDWG DKKVICNKFIQTVKFRPVPGTLG*TNIIYQYIYL*IQ PGVAFLTSECDFSYCKDGASWLFMVICCLP*SPA VSFPIGD*\SAVTCLQWPAEYIIVFGLAEGKVRLS NTKTNKSSTIYGTESYVVSLTTNCSGKGILSGHA DGYQR
3761	A	2253	320	PVIQRCSQPYGFSLLISFFLKCVSETSQPPSRKVF QLLPSFPTLTRSKSHESQLGNRIDDVSSMRFDLSH GSPQMVRDGLSVTHRFSTKSWLSQVCHVCQK SMIFGVKCKHCRCLKCHNKCTKEAPACRISFLPLT RLRRTESVPSDINNPDRAAEPHFGLPKALTKK

SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
				EHPPAMNHL DSSSNPSSTTFSTPSSPAPFPTSSNPS SATTPP\NPS\GQR\DSRFNFPSC\AYFIHHR\Q\QFI FPDISAFAHAAPLPEAADGTRLDDQPKADVLEAH EAEAEPEAGKSEAEDDEDEVDDLPSRRPWGR PISRKASQTSVYLQEWDPFEQVELGEPGQGRW GRVHRGRWHGEVAIRLLEMDGHNQDHLKLFKK EVMNYRQTRHENVVLFMGACMNPPLAITSFC KGRTLHSFVRDPKTSLDINKTRQIAQEIKGMGYL HAKGIVHKDLKSRNVFYDNG\KVITDFGLFAGIS GVVPEGRRENQLKLSHDWLCYLAPEIVREMPG KDEDQLPFSKAADVAFGTWYELQARDWPLK NQAAEASIWQIGSGEGMKRVLTSLGKEVSEN LSACWAFDLQERPS\FSLMDMLEKLPKLNRRLS HPGHF*KSADINSSKVVPRFERFGLGVLESSNPK M
3762	A	2	1578	MAHYITFLCMVLVLLQNSVLAEDGEVRSSCRT APTDLVFILDGSYSVGPENFEIVKKWLVNITKNF DIGPKFIQVGVVQYSDYPVLEIPLGSYDSGEHLTA AVESILYLGNTKTGKAIQFALDYLFKSSRFLT KIAVVLTDGKSQDDVKDAAQAARDSKITLFAIG VGSETEDAELRAIANKPSSTYVFYVEDYIAISKIR EVMKQKLCEESVCPTRIPVAARDERGFILLGLD VNKKVKKRIQLSPKKIKGYEVTSKVDLSELTENV FPEGLPPSYVVFVSTQRFKVKKIWDLWRILTIDG/* PQIAVTLNGVDKILLFTTTSVINGSQVVTANPQV KTLFDEGWHQIRLLVTEQDVTLYIDDQQIENKPL HPVLGILINGQTQIGKYSKEETVQFDVQKLRIY CDPEQNNRETACEIPGFCLNGPSDVGSTPAPCICP PGKPGLQGPKGDPGLPGNPGYPGQPGQDGKPV TESLVISGISGITGYQGAGTPGVPGSPGIQGARGL PGYKGEPGRDGDK
3763	A	3	1267	CKVWRNPLNLFRAEYNRYTWVTGREPLTYD MNLSAQDHQTFFTCDSDHLRPADAIMQKAWRE RNPQARISAAHEALEINECATAYILLAEETIA EAEKLFKQALKAGDGCYRRSQQLQHHGSQYEA QHSVLVLPQ\TRHQCLGVHQKASNVCQKTR DQGSSENDERFNEGVPSEYVQYP*KPF\KALLEL QAYADVQAVLAKYDDISLPKSATICYTAALLKA RAVSDKFSPEAASRRGLSTAEMNAVEAIHRAVEF NPHVPKYLLEMKSLILPPEHILKRGDSEALAYAFF HLAHWKRVEGALNLLHCTWEGTFRMIPYPLEKG HLFYPICTETADRELLPSFHEVSVYPKKELPFI LFTAGLCSFTAMLALLTHQFPELMGVFAKAVSV CLEGGLGEWMGKAKGIKAA
3764	A	25	1032	RSADGLCGNKDRERGNEFTRNQAAQEVVNP KKMKKKKYVNSGTVTLTSFAVESECTFLDYIKG GTQINFTVAIDFTASNGNPSQSTSLHYMSPYQLN AYALALTAVGEIIQHYDSDKMFALGFAGKLPPD GRVSHEFPLNGNQENPSCCGIDGILEAYHRSRT VQLYGPTNFAPVVTHVARNAAVQDGSQYSVL LIITDGVISDMAQTKEAIVNG\SKLPMSIIVGVGQ AEFNAMVELDGDVRISSRGKLAERDIVQFVPR DYVDRTGNHVLSMARLARDVLAEIPDQLVSYM KAQGIRPRSPPAAPTHSPSQSPARTPPACPLHTHI
3765	A	172	3456	LGMMDSPKIGNGLPVIGPGTDIGISSLHMVGYLG

SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
				KNFDSA K V P S D E Y C P A C K E K G K L K A L K T Y R I S F Q E S I F L C E D L Q C I Y P L G S K S L N N L I S P D L E E C H T P H K P Q K R K S L E S S Y K D S L L L A N S K K T R N Y I A I D G G K V L N S K H N G E V Y D E T S S N L P D S S G Q Q N P I R T A D S L E R N E I L E A D T V D M A T T K D P A T V D V S G T G R P S P Q N E G C T S K L E M P L E S K C T S F P Q A L C V Q W K N A Y A L C W L D C I L S A L V H S E E L K N T V T G L C S K E E S I F W R L L T K Y N Q A N T L L Y T S Q L S G V K D G D C K K L T S E I F A E I E T C L N E V R D E I F I S L Q P Q L R C T L G D M E S P V F A F P L L L K L E T H I E K L F L Y S F S W D F E C S Q C G H Q Y Q N R H M K S L V T F T N V I P E W H P L N A A H F G P C N N C N S K S Q I R K M V L E K V S P I F M L H F V E G L P Q N D L Q H Y A F H F E G C L Y Q I T S V I Q Y R A N N H F I T W I L D A D G S W L E C D D L K G P C S E R H K K F E V P A S E I H I V I W E R K I S Q V T D K E A A C L P L K K T N D Q H A L S N E K P V S L T S C S V G D A A S A E T A S V T H P K D I S V A P R T L S Q D T A V T H G D H L L S G P K G L V D N I L P L T L E E T I Q K T A S V S Q L N S E A F L \ L E N K P V A E N T G I L K T N T L L S Q E S L M A S S V S A P C N E K L I Q D Q F V D I S F P S Q V V N T N M Q S V Q L N T E D T V N T K S V N N T D A T G L I Q G V K S V E I E K D A Q L K Q F L T P K T E Q L K P E R V T S Q V S N L K K K E T T A D S Q T T T S K S L Q N Q S L K E N Q K K P F V G S W V K G L I S R G A S F M P L C V S A H N R N T I T D L Q P S V K G V N N F G G F K T K G I N Q K A S H V S K K A R K S A S K P P P I S K P P A G P P S S N G T A A H P H A H A A S E V L E K S G S T S C G A Q L N H S S Y G N G I S S A N H E D L V E G Q I H K L R L K L R K K L K A E K K K L A A L M S S P Q S R T V R S E N L E Q V P Q D G S P N D C E S I E D L L N E L P Y P I D I A N E S A C T T V P G V S L Y S S Q T H E E I L A E L L S P T P V S T E L S E N G E G D F R Y L G M G D S H I P P P V P S E F N D V S Q N T H L R Q D H N Y C S P T K K N P C E V Q P D S L T N N A C V R T L N L E S P M K T D I F D E F F S S A L N A L A N D T L D L P H F D E Y L F E N Y
3766	A	3	1622	A Q Q I V Y R N V M L E N Y K N L V S L G Y Q L T K P D V I L R L E K G E E P W L V E R E I H Q E T H P D S E T A F E I K S S V S S R S I F K D K Q S C D I K M E G M A R N D L W Y L S L E E V W K C R D Q L D K Y Q E N P E R H L R Q V A F T Q K K V L T Q E R V S E S G K Y G G N C L L P A Q L V L R E Y F H K R D S H T K S L K H D L V L N G H Q D S C A S N S N E C G Q T F C Q N I H L I Q F A R T H T G D K S Y K C P D N D N S L T H G S S L G I S K G I H R E K P Y E C K E C G K F F S W R S N L T R H Q L I H T G E K P Y E C K E C G K S F S R S S H L I G H Q K T H T G E E P Y E C K E C G K S F S W F S H L V T H Q R T H T G D K L Y T C N Q C G K S F / V H S S R L I R H Q R T H T G E K P Y E C P E C G K S F R Q S T H L I L H Q R T H V R V R P Y E C N E C G K S Y S Q R S H L V V H H R I H T G L K P F E C K D C G K C F S R S S H L Y S H Q R T H T G E K P Y E C H D C G K S F S Q S S A L I V H Q R I H T G E K P Y E C C Q C G K A F I R K N D L I K H Q R I H V G E E T Y K C N Q C G I F S Q N S P F I V H Q I A H T G E Q F L T C N Q C G T A L V N T S N L I G Y Q T N H I R E N A Y
3767	A	3	1622	A Q Q I V Y R N V M L E N Y K N L V S L G Y Q L T K P D V I L R L E K G E E P W L V E R E I H Q E T H P D S E T A F E I K S S V S S R S I F K D K Q S C D I K M E G M A R N D L W Y L S L E E V W K C R D Q L D K Y Q E N P E R H L R Q V A F T Q K K V L T Q E R V S E S G K Y G G N C L L P A Q L V L R E Y F H K R D S H T K S L K H D L V L N G H Q D S C A S N S N E C G Q T F C Q N I H L I Q F A R T H T G D K S Y K C P D N D N S L T H G S S L G I S K G I H R E K P Y E C K

SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
				ECGKFFSWRSNLTRHQLIHTGEKPYECKEKGKSF SRSSHLIGHQKTHTGEEPYECKEKGKSFWSHL VTHQRTHTGDKLYTCNQCGKSF/VHSSRLIRHQR THTGEKPYECPEGKSFQSTHLILHQRTHVRVR PYECNECGKSYSQRSHLVVHHRIHTGLKPFCKD CGKCFSSSHLYSHQRTHTGEKPYECHDCGKSFS QSSALIVHQRHTGEKPYECCQCGKAFIRKNDLIK HQRHVGEETYKCNQCGIIFSQNSPFIVHQIAHTG EQFLTCNQCGTALVNTSNLIGYQTNHIRENAY
3768	A	185	2258	SIHKMSRKISKESKKVNISSSLESEDISLETTVPTD DISSEEREGKVRITRQLIERKELLHNIQLLKIELS QKTMIDNLKVDYLTKEELEELKNDALHQQQL LTLRLDNQLAFQQKDASKYQELMKQEMETILLR QKQLEETNLQLREKAGDVRRSLRDFELTEEQYIK LKAFPEDQLSIPEYVSVRFYELVNPLRKEICELQV KKNILAEELSTNKNQLKQLTETYEEDRKNYSEV QIRCQRLALELADTKQLIQQGDYRQENYDKVKS ERDALEQEVIELRRKHEILEASHMIQTKERSELSK EVTLEQTVTLQKDKEYLNRQNMELSVRCAHE EDRLERLQAQLEESKKAREEMYEKYVASRDHY KTEYENKLHDELEQIRLKTNQEIDQLRNASREMY ERENRNLREARDNAVAEKERAVMAEKDALEKH DQLLDYRELQLSTESKVTEFLHQSKLKSFESE RVQLLQEETARNLTQCQLECEKYQKKLEVLTKE FYSLQASSEKRITELQAQNSEHQARLDIYEKLEK ELDEIIMQTAEIENEDEAERVLFSGYGANVPTT AKRRLKQSVHLARRVLQLEKQNSLI/LKRSGETSK GPSNTAFTRSLTEANSLNQTQQPYRYLIESVRQ RDSKIDSLTESIAQL/ERKDVSNLNKEKSALLQTN GIKMAL\DL\DQLLNHP
3769	A	3	2297	DAAEFRVVADAMKVIGFKPEEIQTIVYKILAAILH LGNLKFVVDGDTPLIENGKVVSHAEELLSTKTD VEKALLYRTVATGRDIIDKQHTEQEASYGRDAF AKAIYERLFCWIVTRINDIIEVKNYDTTIHGKNTV IGVLDIYGFEIFDNNSEFQFCINYCNEKLQQLFIQL VLKQEQEEYQREGIPWKHIDYFNNQIIVDLVEQQ HKGIIAILDDACMNVGKVTDEMFLALNSKLKGK HAHFSSRKL CASDKILEFDRDFRIRHYAGDVVYS VIGFIDKNKDTLFDQDFKRLMYNSSNPVLKNMWP EGKLSITEVTKRPLTAATLFKNSMIALVDNLASK EPYYVRCIKPNDKKSPQIFDDERCRHQVEYLGLL ENVRVRRAGFAFRQTYEKFLHRYKMISEFTWPN HDLPSDKEAVKKLIERCGFQDDVAYGKTKIFIRT PRTLFTLEELRAQMLIRIVLFLQKVWRGTLARMR YKRTKAALTIIRYYRRYKVKSYIHEVARRFHGVK TMRDYGKHVKWPSPPKVLRRFEEALQTIFNRWR ASQLIKSIPASDLPQVRAKVA AVEMLKGQRADL GLQRAWEGNYLASKPDTPTSGTFVPVANELKR KDKYMNVLFSCHVRKVNRFKVEDRAIFVDRH LYKMDPTKQYKVMKTIPLYNL TGLSVSNGKDQL VVFHTKDNKDLIVCLFSKQPTHESTRIGEL\VGVLV NHFKSEKRHLQV\NVTNPVQCSLHGKKCTVSVE TRLNQPPQDFTKNRSGFILSVPGN
3770	A	3	6276	HKVAAPDVVVPTLDTVRHEALLYTWLAEHKPL VLCGPPGSGKTMTLFSALRALPDMEVVGLNFSS

SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
				ATTPELLLKTFDHYCEYRRTPNGVV LAPVQLGK WLVLFCDEINLPDMKYGTQRVISFIRQMVEHG GFYRTSDQTWVKLERIQFVGACNPPTDPGRKPLS HRFLRHVPVVYVDYPGPASLTQIYGTFNRAMLR LIPSLRTYAEPLTAAMVEFYTMSQERFTQDTQPH YIYSPREMTRWVRGIFEALRPLETLPVEGLIRIWA HEALRLFQDRLVEDEERRWTDENIDTVALKHFP NIDREKAMS RPILYSNWL SKDYIPVDQEELRDYV KARLKVFYEEELDVP L VLFNEVLDHVLRIDRIFR QPQGHLLIGVSGAGKTTLSRFV AWMNGLSVYQ IKVHRKYTGEDFDEDLRTVLR RSGCKNEKIAFIM DESNVLD SGFLERMNTLLANGEVPGLFEGDEYA TLMTQCKEGAQKEGLMLDSHEELYKWFTSQVIR NLHV VFTMNPSSEGLKDRAATSPALFNRCVLNW FGDWSTEALYQVGKEFTSKMDLEKPNYIVPDYM PVVYDKLPQPPSHREAI VNSCVFVHQT LHQANA RLAKRGGRTMAITPRHYLDFINHYANLFHEKRSE LEEQQMHLNVGLRKIKETVDQVEELRRDLRIKS QELEVKNAAANDKLKKMVKDQQA EKKKVM S QEIQEQLHKQQEVIADKQMSVKEDLDKVEPAVI EAQNA VKSIKKQHLVEVRSMANPPAAVKLALES ICLLLGESTTDWKQIRSIIMRENFIPTIVNFS AEEIS DAIREKMKKNYMSNPSYNYEIVNRASLACGPMV KWAIAQLNYADMLKRVEPLRNELQKLEDDAKD NQQKANEEVEQMIRDLEASIARYKEEYAVLISEAQ AIKADLAAVEAKVNRSTALLKSLSAERERWEKT SETFKNQ MSTIAGDCLLSAAFIAYAGYFDQQMR QNLFTTWSHHLQQANIQRFTDIARTEYLSNADER LRWQASSLPADDLCTENAIMLKRFNRYPLIIDPS GQATEFIMNEYKDRKITRTSFLDDAFRKNLESAL RFGNPLL VQDVESYDPVLNPVLNREVRRTGGRV LITLGDQDIDLSPSFVIFLSTRDPTVEFPDLC SRV TFVNFTVTRSSLQSQCLNEVLKAERP DVDEKRSD LLKLQGEFQLRLRQLEKSL LQALNEVKGRILDDD TIITLENL KREAAEVTRKVEETDIVMQEVETVS QQYLPLSTACSSIFTMESLKQIHFLYQYSLQFFL DIYHNVL YENPNLKGVT DHTQRLSIITKDLFQVA FNRVARGMLHQDHITFAMLLARIKLKGT VGEPT YDAEFQHFLRGNEIVLSAGSTPRIQGLTVEQAEA VVRLSCLPAFKDLIAKVQADEQFGIWL DSSSPEQ TVPYLWSEETPATPIGQAIHRLLLIQAFRPDRLLA MAHMFVSTNLGESFMSIMEQPLDLTQIVGTEVKP NTPVLMCSVPGYDASGHVEDLAAEQNTQITSIAI GSAEGFNQADKAIN TAVKSGRWV MLKNVHLAP G WLMQLEKKLHSLQPHACFRLFLTMEINPKVPV NLLRAGRIFVFEPPPGVKANMLRTFSSIPVSRICK SPNERARLYFLLAWFHAIQERLRYAPLGWSKKY EFGESDLRSACDTVD TWLDDTAKGRQNISPDKIP WSALKTLMAQSIYGGRVDNEFDQRL LNTFLERL FTTRSFDSEFKLACKVDGHKDIQMPDGIRREEFV QWVELLPDTQTPSWLGLPNNAERVLLTTQGVD MISKMLKMQMLEDEDDLA YAETEKKTRTDSTS DGRPAWMRTLHTTASNWLHLIPQTL SHLKRTVE NIKDPLFRFFEREV KMGAKLLQDVRQDLADV VQVCEGKKKQTNYLRTLINELVKGILP RSWSHY

SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
				TVPAGMTVIQWGVPI SARRIKQLQNISLAAASG GAKELKNIHVCLGGLFVPEAYITATRQYVAQAN SWSLEELCLEVNVTTTSQGATLDACSGVTGLKL QGATCNNKLSLSNAISTALPLTQLRWVKQNT EKKASVVTLPVYLNFTRADLIFTVD FEIATKEDPR SFYERGVAVLCTE
3771	A	1	2043	LPLLHAGFNRRFMENSSIIACYNELIQIEHGEVRS QFKLRACNSVFTALDHCHEAIEITSDDHVIQYVN PAFERMMGYHKGELLGKELADLPKSDKNRADL LDTINTCIKKGKEWQGVYYARRKSGDSIQQHVKI TPVIGQGGKIRHFVSLKKLCCTTDNNKQIHKIHR DSGDNSQTEPHSFYKNNRRKESIDVKSISSRGSDA PSLQNNRRYPSMARIHSMTEAPITKVINIINAAQEN SPVTVAEALDRVLEILRTTELYSPQLGTKDEDPH TSDLVGGLMTDGLRRLSGNEYVFTKNVHQSHSH LAMPITINDVPPCISQLLDNEESWDFNIFELEAITH KRPLVYLGLKVFSRFGVCEFLNCSETTLRAWFQ VIEANYHSSNAYHNSTHAADVLHATAFFLGKER VKGSLDQLDEVAALIAATVHDVDHPGRTNSFL\C NAGSELA VLYNDTAVVLESHHTALAFQLTVKDT K\CNIFKNID/RGNHYRTLROAIIDMVLA TEMTKH FEHVNFVNSINKPMAAEIEGSDCECNPAGKNFP ENQILIKRMMIKCADVANPCRPLDLCIEWAGRIS EEYFAQTDEEKRQGLPVVMPVFDRNTCSIPKSQI SFIDYFITDMFDAWDAFAHLPALMQHLADNYKH WKTLDLCKCKSLRLPSDRLKPSHRGGLLTDKGH CESQ
3772	A	1013	50	TLVHADGFPSLHITETCLAYREKRIGIDLVDHDTVE HELIKEAEIIQGIMALLTRTLEEASEQIRMNRS AK YNLEKDLKDKFVALTIDDICFSLNNNSPNIRYSEN AVRIEPNSVSLEDWLD FSSTNVEKADKQRNNSL MLKALVD\RILSQTANYLRKQCDVVHTAFKNGL KDTKDARDQLADHLAK\VMEEIASQEK NITALEK AILDQEGPAKVAHTRLETRTHRPNVELCRDVAQ YRLMKEVQEITHNVARLKETLA\QAQAE LKGLH RRQLALQEEIQVKENTYIDEVLCMQMRKSIPLR DGEDHGVWAGGLRPDAVC
3773	A	1	955	AAARESERQLRLRLCVLNEILGTERDYVGT LRFL QSAFLHRIRQNVADSVEKGLTEENVKVLFSNIEDI LEVHKDFLALEYCLHPEPQSQHELGNVFLKFK DKFCVYEEYCSNHEKALRLLVELNKIPTVRAFL SCMLLGGRKTTDIPLEGYL\LSPIQRICKYPLLLKE LAKRTPGKHPDHPAVQ\SALQAMKTVCSNINETK RQMEKLEALEAAA/QSHIEGWEGSNLTDICTQLL LQGTLLKISAGNIQERAFFLFDNLLVYCKRKS RV TGSKKSTKRTKSINGSLYIFRGRINTEVMEVENVE DGTGSPSPSLA
3774	A	4254	2061	ELQGD FSVDPVPSMAWCENSICVGFKRDY YLI RVDGKGSIKELFPTGKQLEPLVAPLADGK VAVG QDDLTVVLNEEGICTQKCALNWDIPVAMEHQ P PYIIA VLP RYVEIRTFEPRLLVQSIELQRPRFITSGG SNIIYVASNHFWRLIPVPMATQIQQLQDKQFE LALQLAEMKDDSDSEKQQQIHHIKNLYAFNLFC QKRFD ESMQVFAKLGTDP THVMGLYPDLLPTDY RKQLQYPNPLPVLSGAELEKAHLALIDYLTQKRS

SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
				QLVKKLNDSDHQSSTSPLMEGTPTIKSKKKLLQII DTLLKCYLHTNVALVAPLLRLNNHCHIEESEH VLKKAHKYSELILYEKKGLHEKALQVLVDQSK KANSPLKGHERTVQYLQHLGTENLHLIFSYSVW VLRDFPEDGLKIFTEDLPEVESLPRDRVLGFLIEN FKGLAIPYLEHIIHVWEETGSRFHNCLIQLYCEKV QGLMKEYLLSFPAGKTPVPAGEEEGELGEYRQK LLMFLEISSYYDPGRLICDFPDGLLEERALLGR MGKHEQALFIYVHILKDTRMAEEYCHKHYDRN KDGNKDVYLSLLRMYLSPPSIHCLGPIKLELLEPK ANLQAALQVLELHHSKLDTTKALNLLPANTQIN DIRIFLEKVLEENAQKKRFNQVLKNLLHAEFLRV QEERILHQQVKCIITEEKVCMVCKKKIGNSAFAR YPNGVVVHYFCS\KEVNPADT
3775	A	1832	839	MSRARGALCRACLALAAALALLPLPLPRAP APARTPAPAPRAPPSRPAAPSLRPDDVFIAVKTR KNHGPRLRLLLRTRWISRARQQTFTFDGDDPELE LQGGDRVINTNCSAVRTRQALCCKMSVEYDKFI ESGRKWFCHVDDDNVYNARSLHLLSSFSQSOD VYLGRPSLDHPTEATERVQGGRTVTTVKFWFAT GGAGFCLSRGLALKMSPWASLGSFMSTAEQVRL PDDCTVGYIVEGLLGARLLHSPLFHSHLENLQRL PPDTLLQQVTLSHGGPENPQNVVNVAGGFSLHQ DPTRFKSIHCLLYPDTDWCPROKQGAPTS
3776	A	3	796	PRAKLGTRARNMAGQDAGCGRGGDDYSEDEGD SSVSRAAVEVFGKLKDLNCPFLEGLYITEPKTIQE LLCSPSEYRLEILEWMCTRVWPSLQDRFSSLKGV PTEVKIQEMTKLGHELMMLCAPDDQELLKGCACA QKQLHFMDQLLDTIRSLTIGCSSCSLMEHFEDT REKNEALLGELFSSPHLQMLLNPECDPWPLDMQ PLLNKQSDDWQWASASAKSEEEEEKLAELARQLQ ESAACLHALRTEYFAQHEQGAAAGAA\TSAP
3777	A	3	413	SEEDVIEGKTAVIEKRRKRSSAGVVED/IGGEVQ NMLEGVGVNDINKALLAKRRKLEMYTKASLRTSN QKIEHVWKTQQDQRQKLNQEYSQQFLTFLQOW DLDMQKAEQEKEKILVGIMIRFIINQVSSRNGQPS LLL
3778	A	132	788	SRLPPPPPHLADGRAGARVPRSARLSRWVQD WTHGPIVRPPAAARTMWVNPEEVLLANALWITE RANPYFILQRRKGHAGDGGGGGGLAGLLVGTLD VVLDSARVAPYRILYQTPDSL VYWTIACG\GSR KEITEHWEWLEQNLLQTL SIFENENDITTFVRGKI QGIAEYNKINDVKEDDDTEKFKEAIVKFHRLFG MPEEEKLVNYYSYCSYWK
3779	A	2	934	CKSCTLPQNPPLPPSTRERPPGCKTVFVGGGLPE NATEEIIQEVFEQCGDITAIRKSKKNFCHIRFAEEF MVDKAIYLSGYRMRLGSSTDKKDSGRLHVDFA QARDDFYEWCKQRM RAREERHRRKLEEDRLR PPSPPAIMHYSEHEAALLAEKLDKDSKFSEAMQ VLLSWIERGEVNRRL\SANQFYSMVQSANSHVRL MNEKATHEQEMEEAKENFKNALTGILTQFEQIV AVFNASTRQKAWDHFSKAQRKNIDIWAKHSEE LRNAQSEQLMGIRREEEMEMSDDENCDSPTKKM RVDESALGAP
3780	A	1	2535	AAQAEREELAAGRMPPGGGPQGAPAAAGGGGVS

SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
				HRAGSRDCLPPAACFRRRRLARRPGYMRSSSTGP GIGFLSPA VGT LFRFP GGVS GEESHSES RARQC GLDSRGLLVRSPVSKSAAAPT VTSVRG TSAHFGI QLRGGTRL PDRLSWPCGPSAGWQQEFAAMDS SETLDASWEAACSDGARRVRAAGSLPSAELSSNS CSPGCGPEVPPTPPGSHSAFTSSFSFIRLSLGSAGE RGEAEGCPPSREAESHCSQPQEMGAKAASLDGP HEDPRCLSQPFSLLATRV SADLAQAARNSSRPER DMHSLPDMDPGSSSSLDPSLAGCGGDGSSGSGD AHSWDTLLRKWEPVLRDCLLRNRQRMEVISLRL KLQKLQEDAVENDDYDKAETLQQRLEDLEQEKI SLHFQLPSRQPALSSFLGHLAAQVQAALRRGATQ QASGDDTHTPLRMEPRLLEPTAQDSLHVSITRRD WLLQEKQQLQKEIEALQARMFVLEAKDQQLRRE IEEQEQQLQWQGC DLTPLVGQLSLGQLQEVSKA LQDTLASAGQIPFHAEP PETIRSLQERIKSLNLSLK EITTKVCMSEKFCSTLRKKVNDIETQLPALLEAK MHAISGNHFWTAKDLTEEIRSLTSDREGLEGLLS KLLVLSSRN VKKLGSVKEDYNRLRREVEHQETA YETSVKENTMKYMETLKNKLCSCCKPLL GK VV EADLEACRLLIQCLQLQEARGSLSVEDERQMDD LEGAAPPIPPRLHSEDKRKTPLKESYILSAELGEK CEDIGKKLLYLEDQLHTAIHSHDEDLIQSLRRELQ MVKETLQAMILQLQPAKEAGEREAAASCMTAG VHEAQA
3781	A	3	995	GRRRAGPAHSARMYNNMETELKPPGPQQTSGG GGGNSTAAAAGGNQKNSPDRVKRPMNAFMVW SRGQRRKMAQENPKMHNSEISKRLGAEWKLLSE TEKRPFIDEAKRLRALHMKEHPDYKYRPRRRTK TLMKKDKYTLP GGLLAPGGNSMASGVGVGAGL GAGVNQRMDSYAHMNGWSNGSYSMMQDQLG YPQHPGLNAHGAAQM QPMHRYDV SALQYN SM TSSQTYMNG/SRPTYSMSYSQQGTPGMAPGSMG SVVKSEASSPPVVTSSSHSRAPCQAGDLRDMIS MYLPGA EVPEPAAPSRLHMSQHYQSGPVPGTAI NGTLPLSHM
3782	A	1	2649	FRVPDSCP VVLHSFTQLDPDLRPESSTQEIGEELI NGVIYSISLRKVQLHHGGNKGQRWLGYENESAL NLYETCKVRTVKAGTLEKLVEHLVPAFQGS DLS YVTIFLCTYRAFTTTTQQVLDLLFKRYGRCDALTA SSRYGCILPYSDDEDGGPQDQLKNAISSILGTWLD QYSEDFCQPPDFPCLKQLVAYVQLNMPGSDLER RAHLLLAQLEHSEPIEAEP EGEEDWALSPVPALK PTPLELALTPARAPSPVPAPAPEPEPAPTPAPGSE LEVAPAPAPELQQAPEPAVGLESAPAPALELEPA PEQDPAPSQTLELEPAPAPVPSLQPSWPSVVAEN GLSEEKPHLLVFPPDLVAEQFTLMDAELFKKVVP YHCLGSIWSQRDKKGKEHLAPTIRATVTQFNSV ANCVITTCLGNRSTKAPDRARVVEHWIEVAREC RILKNFSSLYAILSALQSNSIHRLKKTWEDVSRDS FRIFQKLSEIFSDENNYSLSRELLIKEGTSKFATLE MNPKRAQKRPKETGIIQGTVPYLGTF LTDLV ML DTAMKDYL YGRLINFEKRRKEFEVIAQIKLLQSA CNNYSIAPDEQFGAWFRAVERLSETESYNLSCEL EPPSESASNTLR TKKNTAIVKRWSDRQAPSTELS

SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
				TSGSSHKSQCDQLRCGPYLSSGDIADALSVHSAG SSSSDVEINISFVPESPDGQEKFWESASQSSPET SGISSASSSTSSSSASTTPVAATRTHKRSVSGLCNS SSALPLYNQVGDCCIRVSLDVDNGNMYKSILV TSQDKAPAVIRKAMDKNLEEEEPEDYELLQILS DDRKLKIPENANVFYAMNSTANYDFVLKKRTFT KGVKVKHGASSTLPRMKQKGLKIAKGIF
3783	A	3	869	RSGQGKVVYGLIGRRRFQQMDVLEGLNLLITISGK RNKLRVYYLSWLRNKLHNDPEVEKKQGWTTV GDMEGCGHYRVVKYERIKFLVIALKSSVEVYAW APKPYHKFMAFKSFADLPHRPLLVDLTVEEGQR LKVIYGSSAGFHAVDVDSGNSYDIYIPVHIQSQT PHAIIFLPNTDGMEMLLCYEDEGVYVNTYGRICK DVVLQWGEMPTSVAYICSNQIMGWGEKAIEIRS VETGHLDGVMFHKRAQRLKFLCERNDKVFFASV RSGGSSQVYFMTLNRNCIMNW
3784	A	1213	457	LSPRQVDGLAGLQKGLSLSLLYQFLMNGIRLGTY GLAEAGGYLHTAEGTHSPARSAAAGAMAGVMG AYLGSPHYMVKTHLQAQAASEIAVGHQYKHQ MFQALTEIGQKHGLVGLWRGALGGLPRVIVGSS TQLCTFSSTKDLSQWEIFPPQSWKLALVAAMM SGIAVVLAMAPFDVACTRLYNQPHRCTGQGPVLY RGILDALLQTARTEGIFGMYKGIGASYFRLGPHTI LSLFFWDQLRSLYYTDTK
3785	A	193	813	RRRGRHSLCGGKMLAYCVQDATVVDVEKRRNP SKHYVYIINVTWSDSTSQTIYRRY\SKFFDLQMQ LD\KFP\ESGQKDPKQRIIPFLPGKILFRRSHIRDV AVKRLKPIDEYCRALVRLPPHISQCDEVFRFFEAR PEDVNPPKEQGSPPPDAVLPYGVNKGKQELKAG PNWPGRTHHVNCVTQKCLFVFHFKFSSSGNKE SKSL
3786	A	3785	1632	EFVGRAASTTVVTRIAWRMADAGIRRVVPSDLY PLVLGFLRDNLSEVANKFAKATGATQQDANAS SLLDIYSFWLNRSAKVPERKLQANGPVAKKAKK KASSSDSEDSSEEEEEVQGPPAKKAAVPAKRVGL PPGKAAAKASESSSSESSDDDDDEEDQKKQPVQ KGVKPKQAKAGQAPPKAKSSSDSDSDSSSEDEPP KNQKPKITP\VTVKAQTKAPPKPARA\APKIANGK AASSSSSSSSSSSSDDSEEEKAAATPKKTVPKKQV VAKAPVKAATTPTRKSSSSEDSSSDEEEEQKKPM KNKPGPYSSVPPPSAPPPKSLGTQPPKAVEKQ QPVESSEDSSDESDDSSSEEEKPPTKAVVSKATTK PPPAKKAASESSSDSDSDSSEDDEAPSKPAGTTK NSSNKPAVTTKSPA VKPAAAPKQPVGGGQKLLT RKADSSSSEEESSSSEEEKTKKMVATTKPKATAK AALSLPAKQAPQGSRDSSSDSDSSSSEEEEEKTSK SAVKKKPQKVAGGAAPSKPASAKKGKAESSNSS SSDDSSSEEEEEKLKGKGSRPQAPKANGTSALTA QNGKAAKNSEEEEEKKKAAVVVSKSGSLKKR KQNEAAKEAETPQAKKIKLQTPNTFPKRKKGEK RASSPFRRVREEEIEVDSRVADNSFDAKRGAGD WGERANQVLKFTKGKSRHEKTKKKRGSYRGG SISVQVNSIKFDSE
3787	A	3	5078	IPEG/RALSAEHTSSLVPSLHITTLGQEQAILSGAV PASPSTGTADFPSILTFLQPTENHASPSVPPEMPTL

SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
				PAEGSDGSPPATRDLLSSKVPNLLSTSWTFPRW KKDSVTAILGKNEEANVTIPLQAFPRKEVLSLHT VNGFVSDFSTGSVSSPIITAPRTNPLPSGPPLPSILS IQATQTVFPSELLAFSSTKPEVYAAAVDHSGLPAS APKQVRASPSSMDVYDSL TIGDMKKPATTDVFW SSLSAETGSLSTESIISGLQQQTNYDLNGHTISTTS WETHLAPTAPPNGLTSAADAIKSQDFKDTAGHS VTAEGFSIQDLVLGTSIEQPVQQSDMTMVGSHID LWPTSNNNHSRDFQTAEVAYYSPTTRHSVSHQP LQLPNQPAHPLLLTSPGPTSTGSLQEMLSDGTD GSEISSDINSSPERNASTPFQNILGYHSAAESSISTS VFPRTSSRVLRSQHPKKWTADTVSSKVQPTAA AAVTLFLRKSSPPALSAALVAKGTSSSPLAVASG PAKSSSMTTLAKNVTNKAASGPKRTPGAVHTAF PFTPTYMYARTGHTTSTHTA/IARKHGHCLWPVV YNLP/PP/GKPQAMHTGLPNPTNLEMPRASTPRPL TVTAALTSITASVKATRLPPLRAENTDAVLPAAS AAVVTGKMASNLECOMSSKLLVKTVLFLTQRR VQISESLKFSIAKGLTQALRKAFHQNDVSAHVDI LEYSHNVTVGYYATKGKLVYLPVAVVIEMLG GVSNTADLKQHTPHLQSVAVLASPWNQOPAG YFQLKTVLQFVSQADNIQSCKFAQTMEQRLQKA FQDAERKVLNTKSNLTIQIVSTSNASQAVTLVYV VGNQSTFLNGTVASSLLSQLSAELVGFYLTYPPL TIAEPLEYPNLDISETTRDYWVITVLQGVDNSLV GLHNQSFARVMEQRLAQLFMMSQQQGRFRKRA TTLGSYTVQMVKMQRVPGPKDPAELTYTYLYN GKPLLGTAAAKILSTIDSQRMALTLHHVLLQAD PVVKNPPNNLWIIAAVLAPIAVVTVIIIITAVLCR KNKNDFKPD TMINLPQRAKPVQGFYAKQHLG QQGADEEVIPVTQETVVLPLPIRDAPQERDVAQD GSTIKTAKSTETRKSRSPSENGSVISNESGKPSSGR RSPQNVMAQQKVTKKEARKRNPASDEEEGAV LFDNSSKVAAPFDTSSGSVQLIAIKPTALPMVPP TSDRSQESSAVLNGEVNKALKQKSDIEHYRNKL RLKAKRKGYYDFPAVETSKGLTERKKMYEKAP KEMEHVLPDSELCAFTESKNRQQMKNVSVYRS RQSLNSPSPGETEMDLLVTRERPRRGIRNSGYDT EPEIIEETNIDRVPEPRGYSRSRQVKGHSETSTLSS QPSIDEVRQQMHMLLEEAFSLASAGHAGQSRHQ EAYGSAQHLPYSEVVTSAPGTMTRPRAGVQWVP TYRPEMYQYSLPRPAYRFSQLPEMVMGSPPPVP PRTGPVAVASLRRSTSDIGSKTRMAESTGPEPAQ LHDSASFTQMSRGPVSVTQLDQSALNYSNTVP AVFAIPAANRPGFTGYFIPTPPSSYRNQAWMSYA GENELPSQWADSVPLPGYIEAYPRSRYPQSSPSRL PRQYSQANLHPSLEQAPAPSTAASQQSLAENDP SDAPLTNISTAALVKAIREEVAKLAKKQTDMEF QV
3788	A	2	1737	MKGLYTDAEMKSDNVKDKDAKISFLQKAIDVV VMVSGEPLLAKPARIVAGHEPERTNELLQIIGKC CLNKLSSDDAVRRVLAGEKGEVKGRASLTSSQ ELDNKNVREEESRVHKNTEDRGDAEIKERSTSRD RKQKEELKEDRMPREKDKDKEKAKENGGRHR EGERERAKARAPDNERQKDRGNRERDRDSEK

SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
				KETERKSEGGKEKERLRDRDRERDRDKGKDRDR RRVKNGEHSWDLDRNNREHDKPEKKSASSGE MSKKLSDGTFKDSKAETETEISTRASKSLTTKTS KRRSKNSVEGDSTSDAEGDAGPAGQDKSEVPET PEIPNELSSNIRIPRPGSARPAPPRVKRQDSMEAL QMDRSGSGKTVSNVITESHNSDNEEDDQFVVEA APQLSEMSEIEMVTAVELEEEEEKHGGLVKKILET KKDYEKLQQSPKPGEKERSLFESA WKKEKDIVS KEIEKLRTSIQTLCKSALPLGKIMDYIQEDVDAM QNELQMYHSENQRHAEALQQEQRTDCAVEPL KAELA\ELEQLIKD\Q\QDKICAVKANILKNEEKIQ KMOVYSINLTSRR
3789	A	1	4369	MRTLGTCLATLAGLLLTAAGETFSGGCLFDEPYS TCGYSQSEGDDFNWEQVNTLTTPSDPWMPSGS FMLVNASGRPEGQRAHLLLPQLKENDTHCIDFH YFVSSKSNPPGLLN VYVKVNNGLGNPIWNISG DPTRTNRAELAISTFWPNFYQVIFEVITSGHQG YLAIDEVKVLGHPCTRTPHFLRIQNVEVNAGQFA TFQCSAIGRTVAGDRLWLQGIDVRDAPLKEIKVT SSRRFIASFNVVNTTKRDAGKYRCM\RTTEGGVGI SNYAEL\VVKEPPVPIAPPQLASVGATYLVWIQLN ANSINGDGPVAREVEYCTASGSWNDRQPVDSTS YKIGHLDPDTEYEISVLLTRPGEGGTGSPGPALRT RTKCADPMRGPRKLEVVEVKSRQITIRWEPFGY NVTRCHSYNLT VHYCYQVGGQEVRREEVSWDT ENSHPQHTITNLSPTYTNVSVKLILMNPEGRKESQ ELIVQTDDELPGA VPTESIQQSTFEKIFLQWREP TQTYGVITLYEITYKAVSSFDPEIDLSNQSGRVSK LGNETHFLFFGLYPGTTYSTIRASTAKGFGPPAT NQFTTKISAPSMPIAYELETPLNQTDNTVTVMLKP AHSRGAPVSVYQIVVEEERPRRTKKTTEILKCYP VPIHFQNASLLNSQYYFAAEFPADSLQAAQPFTIG DNKTYNGYWNTPLLPYKSYRIYFQAASRANGET KIDCVQVATKGAATPKPVPEPEKQTDHTVKIAG VIAGILLFVIIFLGVVLVMKKRKLAKKRKETMSS TRQEIDLWIGELNGPRSYAEQGTKLATRAFSFMD THNLNGRSVSSPSSFTMKTNLSTSVNSYYPDE THTMASDTSSLVQSHTYKKREPADVPTYQTGQLH PAIRVADLLQHITQMKCAEGYGFKEEYESFFEGQ SAPWDSAKKDENRMKNRYGNILAYDHSR VRLQT IEGDTNSDYINGNYIDGYHRPNHYIATQGPMQET IYDFWRMVWHENTASIIMVTNLVEVGRVKCK YWPDDTEIYKDIKVTLIETELLA EYVIRTFAVEKR GVHEIREIRQHFHTGWPDHGVPHYATGLLGFVR QVKS KSPSAGPLVVHCSAGAGRTGCFIVIDIML DMAEREGVVDIYNVCVRELRSRRVNMVQTEEQY VFIHDAILEACLCGDTSPASQVRSLYYDMNKLD PQTNSSQIKEEFRTLNMVPTPLRVEDCSIALLPN HEKNRCMDILPPDRCLPFLITIDGESSNYINAALM DSYKQPSAFIVTQHPLPNTVKDFWRLVLDYHCTS VVMLNDVDPAQLCPQYWPENG VHRHGPIQVEF VSADLEEDIISRIFRIYNAARPQDGYRMVQQFQFL GWPMYRDTVPVSKRSFLKLIRQVDKWQEEYNGG EGRTVVHCLNGGGRSGTFCAISIVCEMLRHQRTV DVFHAVKTLRNNKPNMVDLLDQYKFCYEVALE

SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
				YLNSG
3790	A	261	485	EEQTPLHIASRLGKTEIVQLLLQHMAHPDAATTN GYTPLHISAREGQVDV\ASVLLGRQGAHHSFRLT KVRRTS
3791	A	1	5874	LPPVTMSGKYIMEEHDSYSDQVWSIDELPSKQG YYLQGNYLRCVAEVGSFEHNLTTDLLNHLVFVQ KVFMKEVNEVIQKVSGGEQPIPLWNEHDGTADG DKPKILLYSLNLQFKGIQVTATTPSMRAVRFETG LIELELSNRLQTKASPGSSSYLKLFGKCQVDLNL ALGQIVKHQVYEEAGSDFHQVAYFKTRIGLRNA LREEISGSSDREA\LT\LNRPVYAQPVAFDRAVL FWLNYK\AA\YDNWNEQRMALHKDIHMA\TKEVV DMLPGIQQTSAQAFGTPFLQLTVNDLGICLPITNT AQS\NHTGDLDTGSALVLT\ESTLITACSS\ESLVSK GHFKNF\CFIRFADGFETS\WDDWKPEIHGDLVMNA CVVPDGT\YEVC\SR\TTGQAAA\ESSSAGTW\TLNVL WKMCGIDVHMDPNIGKRLNALGNTLT\TLTGEED IDDIADLNSVNIADLSDEDEVD\TMSPTI\HTEATDY RRQAASASQPGELRGRKIMKRIVDIRELNEQAKV IDDLKKLGASEGTINQEIQRYQQLESVA\VN\DIRR DVRKKLRRSSMRAASLKDKWGLSYKPSYSRSKS ISASGRPPLKRMERASSRVGETEELPEIRVDAASP GPRVTFNIQDTFPEETELDLLSVTIEG\PSHYSSNSE GSCSVFSSPKTPGGFSPGIPFQTEEGRRDDSLSSTS EDSEKDEKDE\DERERFYIYRKPSHTSRKKATGF AAVHQLF\TERWPTTPVNRSLSGTATERNIDFELD IRVEIDSGKCVLHPTTLLQE\HDDISLRRSYDRSSR SLDQDSPSKKKKFQ\TNYASTTHLMTGKKVPSSL QTKPSDLETTVFYIPGVDVKLHYN\SKTLKTESPN ASRGSSLPRTLSKESKLYGMKDSATSPSPPLPST VQSKTNTLLPPQPPPIPAAGKKGSGGVKTAKLYA WVALQSLPEEMVISPCLLDFLEKALETIPITPVER NYTAVSSQDEDMGHFEIPDPMEES\TTSLV\SSSTS AYSSFPVDVVVYVRVQPSQIKFSCLPVSRVECML KLPSLDL VFSSNRGELET\LGTTYP\AETLSPGGNA TQSGTKTSASKTGIPGSSGLGSPLGRSRHSSSQSD LTSSSSSSSGLSFTACMSDFSLYVFHPYGAGKQIT AVSGLTPGSGGLGNVDEEPTSVTGRKDSLSINLE FVKVSLSRIRRSGGASFFESQSVSKSASKMDTTLI NISA\CDIGSASFKYDMRRLSEILAF\RAWYRRSI ARRLFLGDQTINLPTSGPGTPDSIEGVSQHLSP\ESS RKAYCKTWEQPSQSASFTHMPQSPNVFNEHMTN STMSPGTVGQSLKSPASIRSRSVSDSSVPRRDSLS KTSTPFNKS\NKAASQ\QGTPWETLVVF\AINLKQL NVQMNM\SNVMGNTTWTTSGLKSQGRLSVGSNR DREISMSVGLGRSQLDSKGGVVG\GTIDVNALEM VAHISEHPNQPPSHKIQITMG\STEARVDYMGSSIL MGIFS\NADLKLQDEWKVNL\YNTLDSSITDKSEIF VHGD\KWDIFQVMISRSTTPDLIKIGMKLQE\FFT QQFDTSKRALSTWGPVPYLP\PKTMTSNLEKSSQE QLLDA\AHHRHWP\GV\LVVSGCHISLFQIPLPEDG MQFGGSM\SLHGNHMTLACFHGPNFRSKSWALF HLEEPNIAFWTEAQKIWEDGSSDHSTYIVQTLDF HLGHNTMVTKPCGALES\PMATITKITRRRHENPP HGVASVKEWFNYVTATRNEELNLLRNVDANNT

SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
				ENSTTVKNSSLLSGFRGGSSYNHETETIFALPRM QLDFKSIHVQEPQEPSLQDASLKPKVECSVVTEF TDHICVTMDAELIMFLHDLVSAYLKEKEKAIFPP RILSTRPGQKSPIIHDDNSSDKDREDSITYTTVDW RDFMCNTWHLEPTLRLISWTGRKIDPVGVDYILQ KLGFFHARTTIPKWLQRGVMDPLDKVLSVLIKK LGTALQDEKEKKGKDKEEH
3792	A	1	364	QNGSTPLHHAASKNRHEIALMLLEGGANPDGKD HYEATAKHQATAKGNFKMIHILLYKASTHIQDT EGNTPPHLVCDARVEEAKLLVSQGA/SIYIENKEE KDP/LQVAKGALGLVLKRMVEG
3793	A	2	340	DIVPNPKMAPLGDEAPTLEKVLTPELSEEEVSTR DDIQFHHFSSEEALQVKYFVAKEDPSSQEEAHT PEAPPPQPPSSERCLGEMKCTLVRGDSSPRQAE KSGPASRPAL
3794	A	421	158	SYWVGEDYTYKFFEVILIDPFHKAIRNPDTQWI SKAVYKHREMCGLTSTGRKSHGLEKDRMFPHAI GGSCRAA*RRRCTLQPCYH
3795	A	24	592	GGMDSRVSGTTSNGETKPVYPVMEKKEEDGTLE RGHWNNKMEFVLSVAGEIIGLGNVWRFPYLCYK NGGGAFFIPYLVFLFTCGIPVFLLETALGQYTSQG GVTAWRKICPIFEGIGYASQMIVILLNVYYIIVLA WALFYLFSSFTIDLPGWGGCYHEWNTHEHCMEFQK TNGSLNGTSENATSPVIEFW
3796	A	3	592	KPASTYSTSQPSMAPLLPIRTLPLILILLALLSPGA ADFNISLSGLLSPALTESLLVALPPCHLTGGNAT LMVRRANDSKVVTSSFVPPCRGRRELVSVDSD GAGFTVTRLSAYQVTNLVPGTKFYISYLVKKGT ATESSREIPMFTLPRRNMESIGLGMARTGGMVVI TVLLSVAMFLLVLGFIALALGSRK
3797	A	1	1556	ATRLLRGSGSWGCSRLRFGPPAYRRFSSGGAYPN IPLSSPLPGVPKPVFATVDGQEKFKVTTLDNGL RVASQNKFGQFCTVGILINSGSRYEAKYLSGIAH FLEKLAFSSTARFDSKDEILLTLEKHGGICDCQTS RDTTMYAVSADSKGLDTVALLADVVLQPRLT DEEVEMTRMAVQFELEDNLNRPDPEPLLTEMIHE AAYRENTVGLHRFCPTENVAKINREVLHSYLRN YYTPDRMVLAGVGVEHEHLVDCARKYLLGVQP AWGSAEAVDIDRSVAQYTGGAIAKLERDMSNVSL GPTPIPELTHIMVGLESCSFLEEDFIPFAVLNMMM GGGGSFSAGGPGKGMFSRLYLNVLNRHHWMYN ATSYHHSYEDTGLLCIHASADPRQVREMVEITK EFILMGGTVDTVELERAQTQLTSMMLMMNLESRP VIFEDVGRQVLA TRSRKLPHELCTLRNVKPEDV KRVASKMLRGKPAVAALGDLTDLPTYEHIQTAL SSKDGRLPRTYRLFR
3798	A	73	759	KRLVEAGVPRTFDGIVGEGGAQSRSCWPWGVTA QTPAFSADSLNCLKNCMSITMGSVRPSVEQFHKY LPWFLNDRPNIKCPKGGLAAYSTSVNLTSDGQV LASRFMA YHKPLKNSQDYTEALRAARELANIT ADLRKVPGTDPAFEVFPYTITNVFYEQYL TILPEG LFMLSLCLVPTFAVSCLLLGLDLRSGLLNLLSIV MILVDTVGFMALWGISYNAVSLINLVS
3799	A	73	759	KRLVEAGVPRTFDGIVGEGGAQSRSCWPWGVTA QTPAFSADSLNCLKNCMSITMGSVRPSVEQFHKY

SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
				LPWFLNDRPNIKCPKGGGLAAYSTSVNLTSDGQV LASRFMAYHKPLKNSQDYTEALRAARELAANIT ADLRKVP GTDPAFEVFPYTITNVFYEQYL TILPEG LFMLSLCLVPTFAVSCLLGLDLRSGLLNLLSIV MILVDTVGFMALWGISYNAVSLINLVS
3800	A	250	1032	GIFRSLRVLFPLFSVGRPQFARSLSAAPQLSDTAD TMGFGDLKSPAGLQVLNDYLADKSYIEGYVPSQ ADVAVFEAVSSPPADLCHALRWYNHIKSYEKE KASLPGVKKALGKYGPADVEDTTGSGATDSKD DDIDLFGSDDEESEEAKRLREERLAQYESKKA KKPALVAKSSILLDVKPWDEETDMAKLEECVRS IQADGLVWGSSKLVPGYGIKKLQIQCVVEDDK VGTDMLLEEQITAFEDYVQSM DVAAFNKI
3801	A	155	656	SREMELVTRDVAIEFSPEEWKCLDPAQQNLYR DVMLENYRNLSLGFVISNPDLVTCLEQIKEPCN LKIHETAAPPAICSPFSQDLSPVQGIEDSFHKLIL KRYEKCCHENLQLRKGCCKRVNECKVQKGVNNG VYQCLSTTQSKIFQCNTCVRVFSTSSHSNKHK
3802	A	1	1428	VTVSPETHMDLTKGCVTFEDIAIYFSQDEWGLLD EAQRLLYLEVMLENFALVASLGCGHGTEDEETP SDQNVSVGVVSQSKAGSSTQKTQSCMCVPVLKD ILHLADLPQKPYLVGECTNHHQHQBHSAKKS LKRDMDRASYVKCCLFCMSLKPFRKWEV GKDL PAMLRLLRSLVFPGGKKPGTITECGEDIRSQKSH YKSGECGKASRHKHTPVYHPRVYTGKKLYECSK CGKAFRGKYSLVQHQRVHTGERPWECNECGKF FSQTSHLNDHRRHTGERPYECSECGKLFQNSS LVDHQKIHTGARPYECSCGKSFSQKATLVKHQ RVHTGERPYKCGECGNSFSQSAILNQHRRHTGA KPYECGQCGKSFSQKATLIKHQRVHTGERPYKC GDCGKSFSQSILIQHRRHTGARPYECGQCGKSF SQKSGLIQHVVHTGERPYECNKCNSFSQCSSL IHHQKCHNT
3803	A	193	617	LFPFLGSESKNGEADSSDKEMKHGQKSPTGKQTS QHLKRLKKSGLGHLKWTKAEDIDIETPGSILVNT NLRALINKHTFASLPQHFQYQLLLLLPEVDRQMG SDGILRLSTSALNNEFFAYAAQGWKQRLAEGKF VFSIIM
3804	A	197	479	SSSRASPPEHPSSQAHCGPLVLSHACPEVTNKWS TGSSSSPNSSWVSSPLQPEGLSGSSRMKGGSATKI LLETLLLAHMTADQGIASSQRCLL
3805	A	1	385	QSADTLFPGDINFNVSGLFSAVTLQDTVSDRLAS EELPSTAVPTPATTPAPAPAPATAPALVSAAT KERTESEVPPRPASPKVTRSPETAAPVEDMARR SELA VGGEEGTEGGRGEGTGSPMSSY
3806	A	47	1033	LQGDTWHL SFLSHFSRLHGGVPGRGLLEGNLLQ PQAPGHDMTSIPFPGDRLLQVDGVILCGLTHKQA VQCLKGPGQVARLVLERRVPRSTQQCPSANDSM GDERTAVSLVTALPGRPSSCVSVTDGPKF*SSN* KRIANGLGFSFVQMEKESCSHLKSDLVRIKRLFP GHPAEENGAIAGDIILGREWEGPRKASSSRCRG SWAMQLSVQAGPSFASYYPAAVEVLHLLRGAPQ EVTLLLCRPPPGALPELEQEWQTPELSADKEFTR ATCTDSTSPILGSRGQLGGTVPPQMKGKAWGL RPESQKAIREGTMGAKTERDLGPVP

SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
3807	A	656	1238	RCPSLLPPSWPLPTLQTLTRTPGNKAIAGGAGLW AVLWGSERTPPYR*GN*NQRGAVPCLRPHRLRP QDKFLVLASDGLWDMLSNEDVVRLVVGHLAEA DWHKTDLAQRPANLGLMQSLLLQRKASGLHEA DQNAATRLIRHAIGNNEYGEMEAERLAAMLTLF EDLARMYRDDITVTVVYFNSESIGAYYKGG
3808	A	26	2195	SQYSESVAGRQASPERLLGSYHAMASTVEGGDT ALLPEFPRGPLDAYRARASFSWKELALFTEGEG MLRFKKTIFSALENDPLFARSPGADLSLEKYREL NFLRCKRIFEDFLSVEDMFKSPLKVPALIQCLG MYDSSLAAKYLLHSLVFGSAVYSSGSRHLTYIQ KIFRMEIFGCFALTELSHGSENTKAIRTTAHYDPAT EEFIHSPDFEAAKFWVGNMGKTATHAVVFAKL CVPGDQCHGLHPFIVQIRDPKTLMPGVMVGD GKKLGQNGLDNGFAMFHKVRVPRQSLLNRMGD VTPEGTYVSPFKDVRQRFASLGSLSGRVSVSL AILNLKLAVALRFSATRQFGPTEEEEIPVLEY PMQQWRLLPYLAAYALDHFSKSLFLDLVELQR GLASGDRSARQAELGREIHALASASKPLASWTT QQGIQECREACGGHGYLAMNRLGVLRRDDNDPN CTYEGDNNILLQQTSNYLLGLLAHQVHDGACFR SPLKSVDFLDAYPGILDQKFEVSSVADCLDSAVA LAAYKWLVCYLLRETYQKLNQEKRSRSSDFEAR NKCQVSHGRPLALAFVELTVVQRFHEHVHQPSV PPSLRAVLGRLSALYALWSLSRHAALLYRGGYF SGEQAGEVLES AVLALCSQLKDDAVALVDVIAP PDFVLDSPIGRADGELYKNLWGAVLQESKVLER ASWWPEFSVNKPVIGSLKSKL
3809	A	117	830	CFGIMERVGCTLTTTYAHPRTPTNFLPAISTMAS SYRDRFPHSNLTHSLSLPWRPSTYYKVASNSPSV APYCTRSQRVSENTMLPFVSNRTTFFTRYTPDDW YRSNL TNYQESNTSRHNSEKLRVDTSRLIQDKYQ QTRKTQADTTQNLGERVNDIGFWKSEIHELD IGETNALTDVKKRLRALMETEAPLQVARECLF HREKRMGIDL VHDEVEAQLLTVNVGEMHQSQA A
3810	A	3	518	VIQEGGSGADLGEHSCR PASQPRFPRPAEARS HPATRRPASGPAMGKTNSKLAPEVLEDLVQNT FSEQELKQWYKGFLKDCPSGILNLEEFQQLYKF FPYGDASKFAQHAFRTFDKNGDGTIDFREFICAL SVTSRGSFEQKLNWAFEMYDL DGDGRITRLEML EIIIE
3811	A	81	1147	GCGYGCSGAGGAAIGEPMAKWGE G DPRWIVEE RADATNVNNWHWTERDASNWSTD KLKTLFLAV QVQNEEGKCEVTEVSKLDGEASINNRKGKLIFFY EWSVKLNWTGTSKSGVQYKGHVEIPNLSSENSV DEVEISVSLAKDEPD TNLVALMKEEGVKLLREA MGIYISTLKTEFTQGMILPTMNGESVDPVGQPAL KTEERKAKPAPSKTQARPVG VKIPTCKITLKETFL TSPEELYRVFTTQELVQAFTHAPATLEADRGGKF HMVDGNVSGEFTDLVPEKHIVMKWRFKSWPEG HFATITLTFIDKNGETELCMEGRGIPAPEEERTRQ GWQRY YFEGIKQTFGYGARLF
3812	A	20	558	PCGTAASTHA YDRRAKCRQQQQQQNGGQNKV RPAKKKTSPAREVSSSESGTSGQFTPPSSTSVPTIAS

SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
				SSAPVSIWSPASISPLSDPLSTSSSCMQRSYPMTYT QASGYSQGYAGSTSYFGGMDCGSYLTPMHHL PGPGATLSPMGTNAVTSHLNQSPASLSTQGYGAS KLWGFNFNH
3813	A	1	1016	CTEPPRRSTRTPAALASLRPYTDYVVVSDQILQES EDFFTLIESHEGKPLKLMVYNSKSDSCREVTVP NAAWGGEGSLGCGIGYGYLHRIPTQPPSYHKKPP GTPPPSALPLGAPPPDALPPGPTPEDSPSLETGSRQ SDYMEALLQAPGSSMEDPLPGPGSPSHSAPDPDG LPHFMETPLQPPPPVQVRMDPGFLDVSGISLLDN SNASVWPSLPSSTELTTTAVSTSGPEDICSSSSSHE RGGEATWSGSEFEVSFLDSPGAQAQADHLPQLT LPDSL TSAASPEDGLSAELLEQAEEEPASTEGLD TGTEAEGLD SQAQISTTE*HPGL*QGP
3814	A	2	884	VFWQVRNAGSSPLSAACPLFRTPAPQPCGSWGR CCIPHASTGCRPMAERGELDTGAKQNTGVWL KVPKYLQQWAKASGRGEVGLRLAKTQGRTE VSFTLNEDLANIHDIGGKPASVSAPREHPFVLQSV GGQTLTVFTSSSDKLSLEGIVVQRAECRPAASE NYMRLKRLQIEESSKPVRLSQQLDKVVTNYKP VANHQYNIERYERKKKEDGKRARADKQHVLDML FSAFEKHQYYNLKDLVDITKQPVVYLKEILKEIG VQNVKGIHKNTWELKPEYRHYQGEEKSD
3815	A	17	411	NIGDWEDIGKSPERIIQYYGPATWAQDGSRGYCT PIYMLNHIIRLQAVLEIIMNERANALDLAQQT MRNANYQNRLALDYLLAHEGGV*GKFSLTNCC LEIDDNGKAIMEITARMRKL AHIPVQTWER
3816	A	3	1172	SHWQRDRRCVRNMAERGRKRPCGPGEHGQRI EWRKWKQKKKEKKKWKDLKLMKKLERQRAQ EEQAKRLEEEAAAEKEDRGRPYTL SVALPGSIL DNAQSPELRTYLAGQIARACAIFCVDEIVVFDEE GQDAKTVEGEFTGVGKKGQACVQLARILQYLEC PQYLRKAFFPKHQDLQFAGLLNPLDSPHHMRQD EESEFREGVVDRPTRPGHGSFVNCGMKKEVKI DKNLEPGLRVTVRLNQQQHPDCKTYHGKVSS QDPRTKAGLYWGYTVRLASCLSAVFAEAPFQDG YDLTIGTSESGSDVASAQLPNFRHALVVFGGLQG LEAGADADPNLEVAEPSVLFDLVNTCPGQGSR TIRTEEAILISLAALQPGLIQAGARHT
3817	A	246	1197	FLSAGMSNFTHYAYLLMIESLMLGKVPPHVP HFIFHDDGSARQKGESDYKVIIQQWFSKSGPWTT SSNVTWGLLELQQSISESAVLTIPP GDSGAGS NLI TMFLRNRKETDLCGRSKVNRGWNSGRCKQ RG KTEQPGEPLHVYVTIKHVALESRHQKGE LQC LIKMCIPLSKPLQMFFSPPHWEAWLQ RVQQLAK NTRYFRQLQEMGFIIYGNENAS VVPLLLYMPG KVAAFARHMLEKKIGVVV VGFPATPLAEARARF CVSAHTREMLDT VLEALDEMGDLLQLKYSRH KKSARPEL YDETSFELED
3818	A	215	789	NPQSSSSEGSSEIFQVNGHNRLLVQRSEVTQAPG QYTV DVEGHGCTFIQATLKYNVLLPKKASG FSL SLEIVKNYSSTAFDLTVTLKYTGIRNK SSMVVIDV KMLSGFTPTMSSIELENKGQV MKTEVKNDHVL FYLENVFGRADSFTFSVEQ SNLVFNIQPAPGMVY DYYEKEEYALAFYHIN SSSVSE

SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
3819	A	1	1483	RIPDSIISRGVQGLPRDTASLSTTPSESPRAQATSR LSTASCPTPKVQSRCSSKENILRASHSAVDITKVA RRHRMSPFPLTSMDKAFITVLEMTPLVLTGTEINR DGMGRVLAQDVYAKDNLPPFPASVKDGYAVRA ADGPGDRFIIGESQAGEQPTQTVMPGQVMRVT GAPIPCGADAVVQVEDTELIRESDDGTEELEVRIL VQARPGQDIRPIGHDIKRGECVLAKGTHMGPS GLLATVGVTEVEVNKFPVAVMSTGNELLNPED DLLPGKIRDSNRSTLLATIQEHGYPTINLGIVGDN PDDLNLALNEGISRADVITSGGVSMGEKDYKQ VLDIDLHAQIHFGFRVFMKPGLPTTFATLDDGVR KIIFALPGNPVSAVVTCLFVVPALRKMQGILDP RPTIHKARLSCDVKLDPRPEYHRCILTWHHQEPLP WAQSTGNQMSSRLMSMRSANGLMLPPKTEQY VELHKGEVVDVMVIGRL
3820	A	2216	487	PQEPALKSEFSQVASNTIPLPLPQPNTCKDNGPCK QVCSTVGGSALCSFCPGYAIMADGVSCEDQDECL MGAHDCSRRQFCVNTLGSFYCVNHTVLCADGYI LNAHRKCDINECVTDLHTCSRGEHCVNTLGSF HCYKALTCEPGYALKDGECEDEVDECAMGTHTC QPGFLCQNTKGSFYCQARQRCMDGFLQDPEGNC VDINECTSLSEPCRPFGSCINTVGSYTCQRNPLIC ARGYHASDDGTKCVDVNECETGVHRCGEGQVC HNLPGSYRCDCKAGFQRDAFGRGCDVNECWAS PGRLCQHTCENTLGSYRCSGASGFLAADGKRC EDVNECEAQRCSEQECANIYGSYQCYCRQGYQLA EDGHTCTDIDECAQGAGILCTFRCLNVPGSYQCA CPEQGYTMTANGRSCKDVDECALGTHNCSEAET CHNIQGSFRCLRFECPPNYVQVSKTKCERTTCHD FLECQNSPARITHYQLNFQTGLLVPAHIFRIGPAP AFTGDTIALNIIKGNEEGYFGTRRLNAYTGVVYL QRAVLEPRDFALDVEMKLWRQGSVTTFLAKMHI FFTTFAL
3821	A	2216	487	PQEPALKSEFSQVASNTIPLPLPQPNTCKDNGPCK QVCSTVGGSALCSFCPGYAIMADGVSCEDQDECL MGAHDCSRRQFCVNTLGSFYCVNHTVLCADGYI LNAHRKCDINECVTDLHTCSRGEHCVNTLGSF HCYKALTCEPGYALKDGECEDEVDECAMGTHTC QPGFLCQNTKGSFYCQARQRCMDGFLQDPEGNC VDINECTSLSEPCRPFGSCINTVGSYTCQRNPLIC ARGYHASDDGTKCVDVNECETGVHRCGEGQVC HNLPGSYRCDCKAGFQRDAFGRGCDVNECWAS PGRLCQHTCENTLGSYRCSGASGFLAADGKRC EDVNECEAQRCSEQECANIYGSYQCYCRQGYQLA EDGHTCTDIDECAQGAGILCTFRCLNVPGSYQCA CPEQGYTMTANGRSCKDVDECALGTHNCSEAET CHNIQGSFRCLRFECPPNYVQVSKTKCERTTCHD FLECQNSPARITHYQLNFQTGLLVPAHIFRIGPAP AFTGDTIALNIIKGNEEGYFGTRRLNAYTGVVYL QRAVLEPRDFALDVEMKLWRQGSVTTFLAKMHI FFTTFAL
3822	A	2502	1540	MAAATRGCRPWGSLGLLGLVSA AAAA WDLAS LRCTLGAFCECDFRPDLPGLECDLAQHLAQHL AKALVVKALKAFVRDPAPTKPLVLSLHGWGTG KSYVSSLLAHYLFQGGRLSPRVHHFSPVLHFPHP

SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
				SHIER YKKDLKSWVQGNLTACGRSLFLFDEM DK MPPGLMEVLRPFLGSSWVVGTYNRKAIFIFISN TGGEQINQVALEAWRSRRDREEILLQELEPVISR AVLDNPHHGFNSNGIMEERLLDAVVPFLPLQRHH VRHCVLNELAQLGLEPRDEVVQAVLDSTTFPE DEQLFSSNGCKTVASRIAFFL
3823	A	1	3174	YGCEKTTEGRIPLKNIRLFSADRKR VETALEAC SLPSSRND SIPQEDFTPEVYRVFLNNLCPRPEIDNI FSEFGAKSKPYLTVDQMMDFINLKQRDPRLNEIL YPPLKQEQVQVLIEKYEPNNSLARKGQISVDGFM RYLSGEENGVSPEKLDL NEDMSQPLSHYFINSS HNTYLTAGQLAGNSSVEMYRQVLLSGCRCVELD CWKGR TAE EEPVITHGFTMTTEISFKEVIEAIAEC AFKTSPFPILLSFENHVDSPKQQA KMAEYCRLIFG DALLMEPLEKYPLESGVPLPSPMDLMYKILVKN KKKSHKSSEGSGKKLSEQASNTYSDSSSMFEP SPGAGEADTESDDDDDDDDCKKSSMDEGTAGSE AMATEEMSNLVNYIQPVKFESFEISKKRNKSFEM SSFVETKGLEQLTKSPVEFVEYNKMQLSRIY PKG TRVDSSNYMPQLFWNAGCQMVALNFQTMDLA MQINMGMYEYNGKSGYRLKPEFMRRPDKHFD FTEGIVDGIVANTLSVKIISGQFLSDKKVGTYVEV DMFGLPVDTRRKAFKTKTSQGNVNPVWEEPI VFKKVVLPTLACLRIVYE EGGKFIGHRILPVQAI RPGYHYICLRNERNQPLTLPAVFVYIEVKDYVPD TYADVIEALSNPIRYVNLMEQRAKQLAALTLEDE EEVKKEADPGETPSEAPSEARTTPAENGVNHTTT LTPKPPSQALHSQAPGSVKAPAKTEDLIQSVLTE VEAQTI EELKQKSFVKLQKKHYKEMKDLVKR HHKKTDLIKEHTTKYNEIQNDYLRRRAALEKS AKKDSKKKSEPSSPDHGSSTIEQDLAALDAEMTQ KLIDLKDKQQQQLNLRQEYQYSEKYQKREHIK LLIQKLTDAEECQNNQLKKLKEICEKEKKELKK KMDKKRQEKITEAKSKDKSQMEEETEMIRSYI QEVVQYIKRLEEAQSKRQEKLV EKHKEIRQQILD EKPKLQVELEQEYQDKFKRLPLEILEFVQEAMKG KISED SNHGSAPLSLSSDPGKVNHKTPSSEELGGD IPGKEFD TPL
3824	A	1	426	ILHWFVHRWSGRNNREKIGVHVGFEEILNMEPY CCRETLKSLRPECFIYDLSAVVMHHGKGFGSGH YTAYCYNSEGGFWVHCNDSKLSMCTMDEVCKA QAYILFYTQRTENGH SKLLPPELLLSQHPNED ADTSSNEILS
3825	A	3	364	GIRAKFPNKIPVVVERYPRETFLPPLDKTKFLVPQ ELTMTQFLSIIRSRMVLRA TEAFYLLVNNKSLVS MSATMAEIYRDYKDEDGFVYMTYASQETFGCLE SAAPRDGSSLEDRLHPL
3826	A	1	1237	PEKKFERECREAEKAQQSYERLDNDTNATKADV EKAKQQLNLRTHMADENKNEYAAQLQNFNGEQ HKHFYVVIPQIYKQLQEMDERRTIK LSECYRGFA DSERKVIPIISKCLEGMILA AKSVDERRDSQM VV DSFKSGFEPPGDFPFEDYSQHIYRTISDGTISASKQ ESGKMDAKTTVGKAKGKLWLF GKKPKGPALED FSLPPEQRRKKLQQRIDELNRELQKESDQKDAL NKMKD VYEKNPQMGPGLQPKLAETMNNIDR

SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
				LRMEIHKNEAWLSEVEGKTGGRGDRRHSSDINH LVTQGRESPEGSYTDDANQEVRGPPQQHGHNE FDDEFEDDDPLPAIGHCKAIYPFDGHNEGTLAMK EGEVLIIIEEDKGDGWTRARRQNGEEGYVPTS YI DVTLEKNSKGS
3827	A	2	1584	INPVSSAVNGEAHSSHETRGQNSNALPSVLELL SQSCLIPAMSSYLNRNDSVLDMARHVPLYRALLEL LRAIASCAAMVPLLLPLSTENGEEEEQSECQTS VGTLLAKMKTCVDITYTNRLRSKRENVKTGVKP DASDQEPEGLTLLVPDIQKTAIEIVYAATTSLRQA NQEKKLGEYSKKAAMKPKPLSVLKSLEEKYVAV MKKLQFDTFEMVSEDEDGKLGFKVNYHYMSQV KNANDANSAARARRLAQEAVTLSTSLPLSSSSSV FVRCDEERLDIMKVLITGPADTPYANGCFEFDVY FPQDYPSSPPLVNLETTGGHSVRFPNLYNDGKV CLSILNTWHGRPEEKWNPQTSSFLQVLVSVQSLI LVAEPYFNEPGYERSRGTPSGTQSSREYDGNIRQ ATVKWAMLEQIRNPSPCFKEVIHKHFYLRVEIM AQCEEWIADIQQYSSDKRVGRMTSHHAAALKRH TAQLREELLKLPCPEGLDPDTDDAPEVCRATTGA EETLMHDQVKPSSSKELPSDFQL
3828	A	1415	845	PRVPATLVSLDPWHCFPTAGRLAGSTWVPPACT LQLGPSSEHELDNHRAPLLSLPSQESLSFTPWYLV ACKPLFHIFCPLFACFMQEGKVQYLFLHLSHMRL LNYYFFPFLAPESLMQALELDYLAALDNDGNL SEFGIIMSEFPLDPQLSKSILASCEFDVDEVLTIA AMVTGILNDYSFSFFANLH
3829	A	199	683	VDHTPVLSKPQCFSSVKWGATLSARSQKTSGIGR LMVHVIEATELKACKPNGKSNPYCEISMGSQSYT TRTIQDTLNPKNFNCQFFIKDLYQDVLCLTLFD RDQFSPDDFLGRTEIPVAKIRTEQESKGPMTRRL LHEVPTGEVWVRFDLQLFQKTL
3830	A	1747	404	RKMMEESGIETTPPGTTPPNPAGLAATAMSSTPV PLAATSSFSPPNVSSMESFPPLAYSTPQPPLPPVRP SAPLPFVPPPAVPSVPPLVTSMPPPVSPSTAAAFG NPPVSHFPPSTSAPNTLLPAPPSGPPISGFSVGSTY DITRGHAGRAPQTPLMPSFSAPSGTGLLPTPITQQ ASLTSLAQGTGTTSAITFPEEQEDPRITRGQDEAS AGGIWGFIFKGVAGNPMVKSVDKTKHSVESMIT TLDPGMAPYIKSGGELDIVVTSNKEVKVAAVRD AFQEVFGLAVVVGEGAGQSNAPQPVGYAAGLKG AQERIDSLRRTGVIHEKQTAVSVENFIAELLPK WFDIGCLVVEDPVHGHILETFTQATPVPLEFVQQ AQSLTPQDYNLRWSGLLVTVGEVLEKSLNVS R TDWHMAFTGMSRRQMIYSAARAAGMYKQRLP PRTV
3831	A	5	674	FWTRSAWHEGLQQMKANPDLQEVNLYNIKNIP IPTLREFAKALETNTHVKKFSLAATRSNDPVAIAF ADMLKVNTTLTSLNIESHFITGTGILALVEALKEN DTLTEIKIDNQRQQLGTAVEMEIAQMLEENSRIL KFGYQFTKQGPRTRVAAAITKNNDLAWQKDTQ EQTSIWQVVSQSLAGFNPFQFEVQGNARSWMEE LGKAFHQFVRRELKQTEGKLP
3832	A	164	782	EPWVPMDVAESPERDPHSPEDDEEQPQGLSDDIL RDSGSDQDLGAGVRASDLEDEESAARGPSQEE

SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
				EDNHSDEEDRASEPKSQDQDSEVNELSRGPTSSP CEEEGDEGEEDRTSDLRDEASSVTRELDEHELDY DEEVPEEPAPAVQEDEAEKAGAEDDEEKGEGTP REEGKAGVQSVGEKESLEAAKEKKKEDDDGEID DEEMY
3833	A	122	1676	SQPPHFTQKMNENKDTDSKKSEYEDDFEKL WLINEKSDASIIEMACEKEENINQDLKENETV MEHTKRHSDPKSLQDEVSPRRNDIISVPGIQLD PISDSSENSFQESKLESQKDLSEEDDEEVRRYIM EKIVQANKLLQNQEPVNDKRERKLKFKDQLVDL EVPPLEDTTTSKNYFENERNMFGKLSQLCISNDF GQEDVLLSLTNGSCEENKDRITLVERDGGKFE LQDIASQGFLPPINNANSTENDPQQLPRSSNSSV SGTKKEDSTAKIHAVTHSSTGEPLAYIAQPPLNR KTCPSAVNSDRSKGNGKSNHRTQSAHISPVTST YCLSPRQKELQKQLEEKREKLKREEERRKIEEEK EKKRENDIVFKAWLQKKREQVLEMRRIRAKEI EDMNSRQENRDPQAFRLWLKKKHEEQMKERQ TEELRKQEECLFFLKGTGRERAFKQWLRRKRM EKMAEQQAVRERTRQLRLEAKRSKQLQHLYM SEAKPFRFTDHYN
3834	A	575	774	RSRTEELSNSGILKAMSKDLVTFGDVAVNFSQEE WEWLNPAQRNLYRKVMLENYRSLVSLGKDMSP
3835	A	2	100	ASDFYLRYYVGHKGKFGHEFLEFEFRPDGVYV
3836	A	91	749	RPTPGHGDFFWMQPLTKDAGMSLSSVTLASALQV RGEALSEEEIWSLLFLAAEQLEDLRNDSSDYVV CPWSALLSAAGSLSFQGRVSHIEAAPFKAPELLQ GQSEDEQPDASQMHVYSLGMTLYWSAGFHVPP HQPLQLCEPLHSLLTMCEDQPHRRCTLOSVLEA CRVHEKEVSVYPAPAGLHRRLLVGLVLGTISEVS REPCFSSSSCWSCVAIKI
3837	A	3	1214	SLGCTNSARGKGQDDEVRTL MANGAPFTTDWFS KLRVSCGYIGDNCKNGADVNAKDMLKMTALH WATERHHRDVVELLIKYGADVHAFSKFDKSAFD IALEKNNAEILVILQEAMQNQVNVNPERANPVT PVSMAAPFIFTSGEVVNLASLISSTNTKTTSGDPH ASTVQFSNSTTSVLATLAALAEASVPLSNSHRAT ANTEEIIIEGNSVDSSIQQVMGSGGQRVITIVTDGV PLGNIQTSIPTGGIGHPFIVTVQDGQQVLTVPAGK VAEETVIKEEEEEKLPLTKKPRIGEKTNSVEESKE GNERELLQQQLQEANRRAEYRHQLLKKEQAE QYRLKLEAIARQQPNGVDFTMVEEVAEVDVV VTEGELEERETKVTGSAGATGPPTRVSMATVSS
3838	A	1	1332	MIEDNKENKDHSLERGRASLIFSLKNEVGGLIKA LKIFQEKHVNLLHIESRKSRRNSEFEIFVDCDIN REQNDIFHLLKSHTNVLSVNLDPNFTLKEDGME TVPWFPPKISDLHCANRVLMYGSELDADHPGF KDNVYRKRRKYFADLAMNYKHGDPIPKVEFTEE EIKTWGTVFQELNKLYPHACREYLKLNPLLSKY CGYREDNIPQLEDVSNFLKERTGFSIRPVAGYLS RDFLSGLAFRVFHCTQYVRHSSDPFYTPEDTCH ELLGHVPLLAEPFAQFSQEI GLASLGASEEAVQ KLATCYFFTVEFGLCKQDQGLRVFGAGLLSSISE LKHALSGHAKVKPFDPKITCKQECLITTFQDVYF VSESFEDAKEKMREFTKTIKRPFGVKYNPYTRSI

SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
				QILKDTKSITSAMNELQHDLDDVSDALAKVSRKPSI
3839	A	3093	520	MVNFTVDQIRAIMDKKANIRNMSVIAHVDHGKSTLTDLSLVCKAGIIASARAGETRFTDTRKDEQERCITIKSTAISLFYELSENDLNFNIKQSKDGAGFLINLIDSPGHVDFSSEVTAALRVTDGALVVVDCVSGVCVQTETVLRQAIAERIKPVLMMNKMDRALLELQLEPEELYQTFQRIVENVNVIIISTYGEGESGPMGNIMIDPVLGTVGFGSGLHGWAF TLKQFAEMYVAKFAAKGEGQLGPAERAKKVEDMMKKLWGDYFDPANGKFSKSATSPEGKKLPRTFCQLILDPIFKVFDAIMNFKKEETAKLIEKLDIKL DSEDKDKEGKPLLKAVMRRWLPAGDALLQMITIHLPSPVTAQKYRCELLYEGPPDDEAAMGIKSCDPKGPLMMYISKMVP TSDKGRFYAFGRVFSGLVSTGLKVRIMGPNYTPGKKEDLYLKPIQRTILMMGRYVEPIEDVPCGNIVGLVGVDQFLVKTGTITTFEHAHNMRVMKFSVSPVVRVAVEAKNPADLPKLVEGLKRLAKSDPMVQCIIEESGEHIIAGAGELHLEICLDLEEDHACIPIKSDPVVSYRET VSEESNVLC LSKSPNKHNRLYMKA RFPDGLAEDIDKGEVSARQELKQRARYLAEKY EWDVAEARKIWCFGPDGTGPNILTDITKGVQYLNEIKDSVVAGFQWATKEGALCEENMRGVRFDVHDVTLHADAIHRGGGQIPTARRCLYASVLTAQPLMEPIYLV EIQCEQVVGGIYGV LNRKRGHVFEESQVAGTPMFVVKAYLPVNESFGFTADLRNTGGQAFPQC VFDHWQILPGDPFDN SSRPSQVVAETRKRKGLKEGIPALDNFLDKL
3840	A	2	753	SSTRSRDFCCSEAIQGS LTRRERRASGVTRRSQSSAMASKILLNVQEEVTCPICLELLTEPLSLDCGHS LCRACITVSNKEAVTSMGGKSSCPVCGISYSFEHLQANQH LANIVERLKEVKLSPDNGKKRDLCDHHGEKLLLFCKEDRKVICWLCERSQEHRGHHTVLT EEVFKECQEK LQAVLKRLKKEEEAEKLEADIR EEKTSWKYQVQTERQRIQTEFDQLRSILNNEEQR ELQRLEEEEEKKT
3841	A	2	405	GKAFSCFTYLSQHRRT HMAEKPYECKTCKKAFS HFGNLKVHERIHTGEKPYECKE CRKAFSWLTCL LRHERIHTGKKSYECQCGKAFTSRFLRGHEKT HTGEKMHECKE CGKALSSLSSLHRHKRTHWRDTL
3842	A	311	88	AVLKNMAPMTALGLLDLHILNLILFLSAGEDFTS VVSEIMMYILLVFLTLWLLIEMIYCYRKVSKAEEAAQENA
3843	A	3	1175	APIRNSRIDDFVRRVESKATSARCGLWGSGPRRR PASGMFRGLSSWLGLQQPVAGGGQPNGDAPPEQ PSETVAESAEEELQQAGDQELLHQAKDFGNLYL NFASAA TKKITESVAETAQTIKKSVEEGKIDGIID KTIIGDFQKEQKKFVEEQHTKKSEAAVPPWVDT NDEETIQQQILALSADKRNFLRDPPAGVQFNDFDQMYPV ALVMLQDELLSKMRFALVPKL VKEE VFWRNYFYRVSLIKQSAQLTALAAQQAAGKEE KSNGREQDLPLAEAVRPKTPPVVIKSQLKTQEDE EEISTSPGVSEFVSDAFDACNLNQEDLRKEMEQL VLDKKQEETAVLEEDSADWEKELQQELQEYEV

SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
				VTSEKRDENWDKEIEKMLQEEN
3844	A	798	148	LPPAQIPEAWLLLANVVVVLILVPLKDRLIDPLLL RCKLLPSALQKMALGMFFGFTSVIVAGVLEMER LHYIHHNETVSQQIGEVLVYNAAPLSIWWQIPQYL LIGISEIFASIPGLEFAYSEAPRSMQGAIMGIFCCLS GVGSLGSSLVALLSLPGGWLHCPKDFGNINNCR MDLYFFLLAGIQAVTALLFVWIAGRYERASQGP ASHSRFSRDRG
3845	A	3	1934	PEDSAPQYSRLFPNASQHITPSYNYAPNPDKHWI MRYTGPMKPIHMEFTNMLQRKRLQTLMSVDDS METIYNMLVETGELDNTYIVYTADHGYHIGQFG LVKGKSMPIYEFDIRVPFYVRGPNVEAGCLNPHIV LNIDLAPTILDIAGLDIPADMDGKSILKLLDTERP VNRFLKKKMRVWRDSFLVERGKLLHKRDNDK VDAQEENFLPKYQQRVKDLCQRAEYQTACEQLG QKWQCVEDATGKLLHKCKGPMRLGGSRALSN LVPKYYGQGSEACTCDSDYKLSLAGRRKKLKF KKYKASYVRSRSIRSVAIEVDGRVYHVGLGDA QPRNLTKRHWPGAPEDQDDKDGGDFSGTGGLP DYSAANPIKVTHRCYILENDTVQCDLDLYKSLQ AWKDHKLHIDHEIETLQNKIKNLREVRGHLKKK RPEECDCHKISYHTQHKGRLLKRGSSSLHPFRKGL QEKDKVWLLREQKRKKLRLKLLKRLQNNDTCS MPGLTCFTHDNQHWQTAPFWTLGPFCACTSAN NNTYWCMRTINETHNLFCEFATGFLEYFDLNT DPYQLMNAVNTLDRDVLNQLHVQLMELRSCCKG YKQCNPRTRNMDLGLKDGGSYEQYRQFQRRKW PEMKRPSSKSLGQLWEGWEG
3846	A	3	1934	PEDSAPQYSRLFPNASQHITPSYNYAPNPDKHWI MRYTGPMKPIHMEFTNMLQRKRLQTLMSVDDS METIYNMLVETGELDNTYIVYTADHGYHIGQFG LVKGKSMPIYEFDIRVPFYVRGPNVEAGCLNPHIV LNIDLAPTILDIAGLDIPADMDGKSILKLLDTERP VNRFLKKKMRVWRDSFLVERGKLLHKRDNDK VDAQEENFLPKYQQRVKDLCQRAEYQTACEQLG QKWQCVEDATGKLLHKCKGPMRLGGSRALSN LVPKYYGQGSEACTCDSDYKLSLAGRRKKLKF KKYKASYVRSRSIRSVAIEVDGRVYHVGLGDA QPRNLTKRHWPGAPEDQDDKDGGDFSGTGGLP DYSAANPIKVTHRCYILENDTVQCDLDLYKSLQ AWKDHKLHIDHEIETLQNKIKNLREVRGHLKKK RPEECDCHKISYHTQHKGRLLKRGSSSLHPFRKGL QEKDKVWLLREQKRKKLRLKLLKRLQNNDTCS MPGLTCFTHDNQHWQTAPFWTLGPFCACTSAN NNTYWCMRTINETHNLFCEFATGFLEYFDLNT DPYQLMNAVNTLDRDVLNQLHVQLMELRSCCKG YKQCNPRTRNMDLGLKDGGSYEQYRQFQRRKW PEMKRPSSKSLGQLWEGWEG
3847	A	1	1257	MVFSAVLTAFTGTSTNTTFVYENTYMNITLPPP FQHPDLSPLLRYSFETMAPTGLSSLTVNSTAVPTT PAAFKSLNPLQITLSAIMIFILFVSFLGNLVVCLM VYQKAAMRSAINILLASLAFADMLLAVLNMPFA LVTILTTRWIFGKFFCRVSAMFFWLFVIEGVAILL IISIDRFLIIVQRQDKLNPYRAKVLIASWATSFCV AFPLAVGNPDLQIPSRAPQCVFGYTTNPGYQAYV

SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
				ILISLISFFIPFLVILYSFMGILNTRLRHNALRIHSYPE GICLSQASKLGLMGLQRPFQMSIDMGFKTRAFTT ILILFAVFIVCWAPFTTYSLVATFSKHFFYYQHNF EISTWLLWLCYLKSALNPLIYYWRIKKFHDACLD MMPKSFKFLPQLPGHTKRRIRPSAVYVCGEHRT VV
3848	A	3	2827	SSAVAARRRRSWASLVLAFLGVCLGITLAVDRS NFKTCEESSFCKRQRSIRPGLSPYRALLDSLQGLP DSLTVHLIHEVTKVLLVLELQGLQKNMTRFRIDE LEPRRPRYRVPDVLVADPPIARLSVSGRDENSVE LTMAEGPYKIILTARPFRLDLEDRLSLLSVNARG LLEFEHQRAPRVSQGSKDPAEGDGAQPEETPRD GDKPEETQGKAEEKDEPGAWEETFKTHSDSKPYG PMSVGLDFSLPGMEHVYGIPEHADNLRRLKVTEG GEPYRLYNLDVFQYELYNPMALYGSVPVLLAHN PHRDLGIFWLNAAEWVDISSNTAGKTLFGKMM DYLQGSGETPQTDVWRMSETGIIDVFLLLGPSISD VFRQYASLTGTQALPPLFSLGYHQSRWNYRDEA DVLEVDQGFDDHNLPCDVIWLDIEHADGKRYFT WDPSRFPQPRTMLERLASKRRKLVAIVDPHIKVD SGYRVHEELRNGLYVKTRDGS DYEGWCWPGS AGYPDFTNPTMRAWWANMFSDNYEGSAPNLF VWNDMNEPSVFNGPEVTMLKDAQHYGGWEHR DVHNIYGLYVHMATADGLRQRSGGMERPFVLA RAFFAGSQRFQAVWTGDNTAEWDHLKISIPMCL SLGLVGLSFCGADVGGFFKNPEPELLVRWYQMG AYQPFRAHAHLDTGRREPWLLPSQHNDIIRDAL GQRYSLLPFWYTLLYQAHREGIPVMRPLWVQYP QDVTTFNIDDQYLLGDALLVHPVSDSGAHGVQV YLPQGGEVWYDIQSYQKHGHPQTLVLPVTLSSIP VFQGGTIVPRWMRVRSSECMKDDPITLFVALS PQGTAAQGELFLDDGHTFNYQTRQEFLLRFSFSG NTLVSSADPEGHFETPIWIERVVIIGAGKPAAVV LQTKGSPESRLSFQHPETSVLVLRKPGINVASD WSIHLR
3849	A	1	1717	RARNARGCWGVCRSGFSSAVCGAARMEQVAEG ARVTAVPVSAADSTEELAEVEEGVGVVGEDNDA AARGAEAFGDSEEDGEDVFEVEKILDMKTEGGK VLYKVRWKGYTSDDDTWEPEIHLEDCKEVLLEF RKKIAENKAKAVRKDIQRLSLNNDIFEANSDDQ QSETKEDTSPKKKKKKLRQREEKSPDDLKKKKA KAGKLKDKSKPDLESSLESLVFDLRTKKRISEAK EELKESKKPKKDEVKETKELKKVKKGEIRDLKT KTREDPKENRKTKEKFVESQVESESSVLNDSPF PEDDSEGLHSDSREEKQNTKSARERAGQDMGLE HGFEKPLDSAMSAEEDTDVRGRRKKKTPRKAED TRENKLENKNAFLEKKTVPKKQRNQDRSKSAA ELEKLMPVSAQTPKGRRLSGEERGLWSTDSAE DKETKRNESKKPKKDEVKETKELKKVKKGEIRD LKTKTREDPKENRKTKEKFVESQVESESSVLND SPFPEDDSEGLHSDSREEKQNTKSARERAGQDM GLEHGFEKPLDSAMSAEEDTDVRGRRKKKTPRK AEDTRENKLENKNAFLEKKTVPKKQRNQDRSK SAAELEKLMPVSAQTPKGRRLSGEERGLWSTDS AEEDKETKRNESKKPKKDEVKETKELKKVKKGE

SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
				IRDLKTKTREDPKENRKTKEKFVESQVESESSV LNDSPFPED/RQ*RA TFRQQREEKSPDDLKKKKA KAGKLKDKSKPDLESSLES LVFDLRTKKRISEAK EELKESKKPK
3850	A	1113	3975	PAAAAA AAAAAAAGRGPSFTPCFSPSLAVEPS RRTRLGSDPAQAMAGNVKKSSGAGGGSGSGGS GSGGLIGLMKDAFQPHHHHHHHLSPHPPGTVDK KMVEK CWK LMDKVVRLCQNP KLALKN SPPYIL DLLPDTYQHLRTILSR YEGKMETLGENEYFRVF MENLMKKTKQTISLFKEGKERMYEENSQPRRNL TKLSLIFSHMLAELKGIFPSGLFQGDTRITKADA AEFWRKAFGEKTIVPWKSFRQALHEVHPISGLE AMALKSTIDLTCNDYISVFEDIFTRLFQPWSSLL RNWNSLAVTHPGYMAFLT YDEVKARLQKFIHKP GSYIFRLSCTRLGQWAIGYVTADGNILQTIPH NKP LFQALIDGFREGFYLPDGRNQNPDLTGLCEPT QDHIKVTQEYEL YCEMGSTFQLCKICAENDKD VKIEPCGHL MCTSLTSWQESEGQGCPCRC EIK GTEPIVVD PFDPRGSGSLLRQGAEGAPSPNYDDD DDERADDTL FMMKELAGAKVERPPSPFSMAPQA SLPPVPPRLDLLPQRVCVPSSASALGTASKAASGS LHKDKPLPVPTLRDLPPPPPPDRPYSVGAESRPQ RRPLPCTPGDCPSRDKLPPVPSSRLGDSWLPRPIP KVPVSAPSSSDPWTGRELTNRHSLPFSLP S QMEP RPDVPRLGSTFSLDTSMSMNSSPLVGPEC DHPKI KPSSSANAIYSLAARPLPVPKLPPGEQCEGEEDTE YMT PSSRPLRPLDTSQSSRACDCDQQIDSCTYEA MYNIQSQA PSITESSTFGEGNLAAAHANTGPEES ENEDDGYDVPKPPVPAVLARRTLSDISNASSS/FG LFVLERDP*PQNVTEGSQVPERPPKPFPRINSE R KAGSCQQGSGPAASAATA\SPQLSSEIENLMSQG YSYQDIQKALVIAQNNIEMAKNILREFVSISSPAH VAT
3851	A	2	2781	GRVGSMDGAMGPRGLLLCMYLVSLILQAMPA LGSATGRSKSSEKRQAVDTAVDGVFIRSLKVNC KVTSRFAHYVVTSQVVNTANEAREVAFDLEIPK TAFISDFAVTADGNAFIGDIKDKVTAWKQYRKA AISGENAGLVRASGR TMEQFTIHLTVNPQSKVTF QLTYEEVLKRNHMQYEIVIKVKPKQLVHHFEIDV DIFEPQGISKLDAQASFLPKELAAQTIKKSFSGKK GHVLFRTVSQQQSCPTCSTSLNGHFKVTYDVS RDKICDLLVANNHFAHFFAPQNL TNMKNVVFV IDISGSMRGQKV KQTKEALLKILGDMQPGDYFD LVLFGRVQSWKGS LVQASEANLQAAQDFVRGF SLDEATNLNGGLLRGIEILNQVQESLPELSNHASI LIMLTDGDPTEGVTD RSQILKNVRNAIRGRFLY NLGFGHNVDNFLEVM SMENNGRAQRIYEDHD ATQQLQGFYSQVAKPLLVDVDLQYPQDAVLALT QNHKQYYEGSEIVVAGRIADNKQSSF KADVQA HGEGQEF SITCLVDEEEMKKLLRERGHMLENHV ERLWAYLTIQELLAKRMKVDREVRANLSSQALR MSLDYGFV TPLTSM SIRMADQDGLKPTIDKPSE DSPPLEMLGPRRTFVLSALQPSPTHSSNTQRLPD RVTGVD TDPHFIIHVPQKEDTL CFNINEEPGVILS LVQDPNTGFSVNGQLIGNKARSPGQHDGTYFGR

SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
				LGIANPATDFQLEVTQNITLNPFGGPPVFSWRD QAVLRQDGVVVTINKKRNLVVSVDGDTFVVA LHRVWKGSSVHQDFLGLLMCWKDSIGMSSPGR KGCWQGFHPIRFLKVS*HPPPGSDPQKAQMPT MVVRNPPGLTVTRGLQKDYSKDPWHGAEVSC WFIHNNGA*ITDCAITDYIVPDIF
3852	A	39	1735	TQVAEAGRGEVVAAGETGRPQSAGMNLELLES FGQNYPEEADGTLDCISMALCTFNRWGTLLAV GCNDGRIVIWDFLTRGIA*NKFSAHHPVCSLC WSRDGHKLVSASTDNIVSQWDVLSGDCDQRF PSPILKVQYHPRDQNKVLVCPMKSAVMLTSLD SKHVLPVDDSDLVNVA SFDRRGEYTYTGNAK GKILVLKTDSDQLVASFRVTTGTSNTTAKSIEFA RKGSCFLINTADRIIRVYDGREILTCGRDGEPEPM QKLQDLVNRTPWKKCCFSGDGEYIVAGSARQH ALYIWEKSIGNLVKILHGTRGELLLDVAWHPVRP IIASSGVVSIWAQNQVENWSAFAPDFKELDEN VEYEERESEFDIEDEDKSEPEQTGADAAEDEEVD VTSVDPIAFCSSDEELEDKALLYLPIAPEVEDP EENPYGPPDAVQTSMLMDEGASSEKKRQSSADG SQPPKKKPKTTNIELQGVNDEVHPLLGVKGDG KSKKKQAGRPKSGKSGKEKDSFPKPKLYKGDRGL PLEGSAKGKVQAELSQPLTAGGAISELL
3853	A	45	2603	PLLFTCGREVRARDPEKEGTIVVAGLKVQVQPRF LWILCFSMEETQGELTSSCGSKTMANVSLAFRDV SIDLSQEEWECLDAVQRDLKDVMLNYSNLVS LDLEYKYITKNLLSEKNVCKIYLSQLQTGEKSKN TIHEDTIFRNLQCKHEFERQERHQMGCVSQMLI QKQISHPLHPKIHAREKSYECKEKRKAQRQSYLI QHLRIHTGERPYKCMCEGKAFCRVGDLRVHHTI HAGERPYECKEKGAFRLHYHLTEHQRIHSGVK PYECKEKGAFSRVRDLRVHQTIHAGERPYECK ECGKAFLHYQLTEHQRIHTGERPYECKVCGKT FRVQRHISQHQKIHTGVKPYKCNECGKAFSHGS YL VQH QKIHTGEKPYECKEKGKSFSAELARH RRIHTGEKPYECRECGKAFLQTELTRHHRHTTG EKPYECKEKGAFICGYQLTLHLRHTTGEIPYEC KECGKTFSSRYHLTQHYRIHTGEKPYICNECGKA FRLQGELTRHHRHTCEKPYECKEKGAFIHSNQ FISHQRIHTSESTYICKECGKIFSRRYNLQHFQIH TGEKPYICNECGKAFRFQTELQHHRIHTGEKPY KCTECGKA FIRSTHLTQHHRIHTGEKPYECTECG KTFSRHYHLTQHHRGHTGEKPYICNECGNAFICS YRLTLHQRIHTGELPYECKEKGKTFSSRYHLTQH FRLHTGEKPYSCKECGNAFRLQAELTRHHIVHTG EKPYKCKEKGAFSVNSELTRHHRHTGEKPYQC KECGKAFIRSDQLTLHQKILVR\NPMHNVKRIR WPLENAL*QRICNLRNFLFVTEHVGIPTSCSQFI RNYFVC
3854	A	108	894	LQSCWVPGIPWPSVGWLSWLKDLPSCEIHSASLS AVLQGPQCSEMLWPKNLTSWDDSSSVSSGISDTI DNLSTDDINTSSSISSYANTPASSRKNLDVQTD AEKHSQVERNSLWSGDDVKKSDGSGSGIKMEPGS KWRNPSDVSDSDKSTSGKKNPVISQTGSWRR GMTAQVGITMPRTKASAPAGALKTPGTGKRPL

SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
				S\GPGAPTPAAPPQLARMAWAFSLSAASTPAVSP STSPSAVEGSPA TILPLASSPPPRTP* LPLSELTV* RPQELVRGRGCLGPGAPTPAAPPQLARMAWAFS LSAASTPAVSPSTSPSAVEGSPA TILPLASSPPPRTP
3855	A	1	772	FRGGDGAPGVLPKPGNPLPFPLPPLQYPPPSTLSHS DNLAMTSRSTARPNQGPQASKICQFKLVLLGESA VGKSSLVLRFBKGFHEYQESTIGAAFLTQSVCL DDTTVKFEIWDTAGQERYHSLAPMYRGAQAAI VVYDITNQETFARAKTWVKELQRQASPSIVVGL AGNKADLANKRMVEYEEAQAYADDNSLLFMET SAKTAMNVNDLFL\AIA*EVAKRVNPQNLG\G\A AGRSRGVDLHEQS\QQNKSQCCSN
3856	A	2815	352	LGLEAAARPRPGGPAAMQDGNFLLSALQPEAGV CSLALPSDLQLDRRGAEPEAERLRAARVQEQV RARLLQLGQQPRHNGAAEPEPEAETARGTSRGQ YHTLQAGFSSRSQGLSGDKTSGFRPIAKPAYSPA SWSSRSAVDLSCSRRLSSAHNGGSAFGAAGYGG AQPTPPMPTRPVSFHERGGVGSRADYDTLSLRS RLGPGGLDDRYSLVSEQLEPAATSTYRAFAZER QASSSSSRAGGLDWPEATEVSPSRITRAPAVRTL QRFQSSHRSGVGGAVPGAVLEPVARAPSVRSLS LSLADSGHLPDVHGFNSYGSHTLQRLSSGFDDI DLPSAVKYLMA SDPNLQVLGAAYIQHKCYSDAA AKKQARSLQAVPRLVKLFNHANQEVQRHATGA MRNLIYDNADNKLALVEENGIFELLRTLREQDDE LRKNVTGILWNLSSSDHLKDRLAKKTPLE\QLTD LGV*APLSGAGGPPLIQQNASEAEIFYNATGFPR NLSSASQATROKMRCHGLVDALVTSINHALDA GKCEDKSVENAVCVLRNLSYRLYDEMPPSALQR LEGRGRDLAGAPPGEVVGCFTPQSRRLRELPLA ADALTFAEVSKDPKGLEWLWSPQIVGLYNRLQ RCELNRHTTEAAAGALQNTGG\DPGPGGLSRL ALEQERILNPLLDRTADHHQLRSLTGLIRNLS RNARNKDEMSTKV\SHL\NEKLPKSGVGEKSPPAE VLVNI\IAVFNNLGWLASPI\ALARDLLYFDGLRK LIFIKKKRDS PDSEKSSRAASSLLANLWQYNKLH RDFRAKGYRKEDFLGP
3857	A	1034	204	VAVTLLSQLPSAIQRTAAWEMRAPLTFRVPLALD LIKPEHCTVNDNSLSIPVIAAELVVRKPSEKGM QKKKTKDLGFRAGKESKTEWRK*GLQDMASQ MFALPLK*PVTA AFHDSSMPSSLLQIEMEQLFLE ARLQ/PDSKSEARRNQCD SMLLRNQQLCSTCQE MKMVQPRTMKIPDDPKASFENCMSYRMSLHQP KFQTTPEPFHDDIPTENIHLQNL/PILGPRTAVFHG LLTEAYKTLKERQRSSLPRKEPIGKTTEAVSGRSS SPPRLPERK
3858	A	203	3469	SHQEIEQNSAMAPRKRGGRGISFIFCCFRNNDHPE ITYRLRNDNSNFALQTM EPALPMPVVEELDMFSE LVDELDLTDKHREAMFALPAEKKWQIYCSKKK DQEENKGATSWPEFYIDQLNSMAARKSLLALEK EEEEERSKTIESLKTALRTKPMRFVTRFIDLGLS CILNFLKTM DYETSESRIHTSLIGCIKALMNNSQG RAHVLAHSESIN VIAQSLSTENIKTKVAVLEILGA VCLVPGGHKKVLQAMLHYQKYASERTRFQTLIN

SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
				<p>DLDKSTGRYRDEVSLKTAIMSFINA VLSQGAGVE SLDFRLHLRYE\FLMLGIHPVMDKLRKHENSTLD RHLDDFFEMLRNEDELEFAKRFE LVHIDTKSATQM FELTRKRLTHSEA YPHFMSILHHCLQMPYKRSGN TVQYWLLLDRIQQI VIQNDKGQDPDSTPLENFI KNVVRMLVNE NEVKQWKEQA EKM RKEHNE LQ QKLEKKERECD AKTQEKEEMMQTLNKMKEKLE KETTEHKQVKQQVADLTAQLHEL SRRAVCASIP GGPSPGAPGGPFPSSVPGSLLPPPPPPPLPGGMLPP PPPPPLPPGPPPPPPGPPPLGAIMPPPGAPMGLALK KKSIPQPTNALKSFNWSKLPENKLEGT VWTEIDD TKVFKILDLEDLERTFSA YQRQQDFFVNSNSKQK EADAIDDTLSSKLKV KELSVIDGRR AQNCNILLS RLKLSNDEIKRAIL TMDEQEDLPKDMLEQLLK FV PEKSDIDLLEE HKHELD RMAKADRFLFEMSRINH YQQRQLQSLYFKKKFAERVA EVKPKVEAIRSGSEE VFRSGALKQLLEV VLAFGNYM NKGQRGNAYGF KISSLNKIADTKSSIDKNITLLHYLITIVENKYPSV LNLNEELRDIPQAAKVNMTELDKEISTLRSGLKA VETELEYQKSQPPQPGDKFVS VVSQFITVASFSFS DVEDLLAEAKDLFTKAVKHFGEEAGKIQPDEFF GIFDQFLQAVSEAKQENENMRKKKEEEERRARM EAQLKEQRE RERKMRKAKENSEESGEFDDL VSA LRSGEVFDKDL SKLKRNRKRITNQMTDSSRERPI TKLNF</p>
3859	A	1279	141	<p>RVEHLSEFLVDIKPSLTFDVIPLDPYGPAGSDPS LEFLVVSEETYRGGM AINRFRENDLEELALYQI QLLKDLRHTENEEDKVSSSSFRQ RMLGNLLRPPY ERPELPTCLYVIGLTGISGSGKSSIAQRLKGLGAF VIDSDHLGHRA YAPGGPAYQPVVEAFGTDILHK DGIINRKVLGSRVFGNKKQLKILTDIMWPILAKLA REEMDRAVAEGKRVCVIDAAVLLEAGWQNLVH EVWTAVIPETEAVRRIVERDGLSEAAAQSRLQSQ MSGQQLVEQSHVVLSTICGSRISP NARWRKPGPS CRSAFPRLIRPSTEKF SVGPDWLELTSDPVVRRN GGLDAHPGSGPEVQAILCRTWPGLVDTGSLPNTL VFGQH</p>
3860	A	1	3881	<p>MGQKSVGASYVQIPLVPPLSRHPKGLGHEDRWS SYCLSSLA AQNICTSKLHCPAAPEHTDPSEPRGSV SCCSLLRGLSSGWSSPLL PAPVCNPNKAIFTVDA KTTEILVANDKACGLLGYSSQDLIGQKLTQFFLR SDSDVVEALSEE HMEADGHAA VVFGTVVDIISRS GEKIPVSVMKRM RQERRLCCVVVLEPVERVST WVAFQSDGTVTSCDSLFAHLHG YVSGEDVAGQ HITDLIPSVQLPPSGQH IPKNLKIQRSVGRARDGT TFPLSLKLKSQPSSEEATTGEAAPVSGYRASVWV FCTISGLITLLPDG TIHGINHSFALT LFGYGKTELL GKNITFLIPGFYSYMDLA YNSSLQLPDLASCLDV GNESGCCERTLDPWQGQDPAEGGQDPRINVLA GGHVVP RDEIRKLMESQDIFTGTQTELIAGGQLL SCLSPQPAPGV DNVPEGSLPVHGEQALPKDQQIT ALGREEPVAIESPGQDLLGESRSEPVDVKPFASCE DSEAPVPAEDGGSDAGMCGLCQKAQLERMGVS GPSGSDLWAGAA VAKPQAKGQLAGGSLLMHCP CYGSEWGLW WRSQDLAPSPSGMAGLSFGTPTLD</p>

SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
				EPWLGVEN DREELQTCLIKEQLSQLSLAGALDVP HAELVPTECQAVTAPVSSCDLGGRDL CGGCTGS SSACYALATDLPGGLEAVEAQEVDVNSFSWNLK ELFFSDQTDQTSSNCSCATSELRETPSSLA VGSDP DVGSLQEQGSCVLDDRELLLLTGTCVDLGQGRR FRESCVGHDPTEPLEVCLVSSEHYAASDRESPGH VPSTLDAGPEDTCPSAEEPRLNVQVTSTPVIVMR GAAGLQREIQEGAYSGSCYHRDGLRLSIQFEVRR VELQGPTPLFCCWL VKDLLHSQRDSAARTRFL ASLPGSTHSTA AELTGPSLVEVLRARPWFEEPPK AVELEGLAACEGEYSQKYSTMSPLGSGAFGFVW TAVDKEKNKEVVVKFIKKEKVLEDCWIEDPKLG KVTLEIAILSRVEHANIKVLDIFENQGFFQLVME KHGSGLDLFAFIDRHPRLDEPLASYIFRQVRAG\Q SRLVSAVGYLRLKDIHRDIKDENVIAEDFTIKLI DFGSAA YLERGKLFYTFCGTIEYCAPEVLMGNPY RGPELEMWSLGVTLTYTLVFEENPFCELEETVEAA IHPPYLVSKELMSLVSGLLQPVPERRTTLEKLVT DPWVTQPVNLADYTWEEVFRVNKPESGVL SAAS LEMGNRSLSDVAQAQELCGGPVPGEAPNGQGCL HPGDPRL LTS
3861	A	1	3881	MGQKSVGASYVQIPLVPPLSRHPKGLGHEDRWS SYCLSSLAAQNICTSKLHCPAAPEHTDPSEPRGSV SCCSLLRGLSSGWSSPLL PAPVCNPNKAIFTVDA KTTEILVANDKACGLLGYSSQDLIGQKLTQFFLR SDSDVVEALSEEHMEADGHAAVVF GTVVDIISRS GEKIPVSVWMKRMQRERRLCCVVVLEPVERVST WVAFAQSDGTVTSCDSLFAHLHG YVSGEDVAGQ HITDLIPSVQLPPSGQHIPKNLKIQRSVGRARDGT TFPLSLKLKSQPSSEEATTGEAAPVSGYRASVWV FCTISGLITLLPDGTIHGINHSFALT LFGYGKTELL GKNITFLIPGFYSYMDLAYNSSLQLPDLASCLDV GNEGCGERTLDPWQQQDPAEGGQDPRINVVLA GGHVVP RDEIRKLME SQDIFTGTQTELIAGGQLL SCLSPQPAPGVDNVPEGSLPVHGEQALPKDQQIT ALGREEPVAIESPGQDLLGESRSEPVDVKPFASCE DSEAPVPAEDGGSDAGMCGLCQKAQLERMGV S GPSGSDLWAGAAVAKPQAKGQLAGGSLLMHCP CYGSEWGLWWR SQDLAPSPSGMAGLSFGTPTLD EPWLGVEN DREELQTCLIKEQLSQLSLAGALDVP HAELVPTECQAVTAPVSSCDLGGRDL CGGCTGS SSACYALATDLPGGLEAVEAQEVDVNSFSWNLK ELFFSDQTDQTSSNCSCATSELRETPSSLA VGSDP DVGSLQEQGSCVLDDRELLLLTGTCVDLGQGRR FRESCVGHDPTEPLEVCLVSSEHYAASDRESPGH VPSTLDAGPEDTCPSAEEPRLNVQVTSTPVIVMR GAAGLQREIQEGAYSGSCYHRDGLRLSIQFEVRR VELQGPTPLFCCWL VKDLLHSQRDSAARTRFL ASLPGSTHSTA AELTGPSLVEVLRARPWFEEPPK AVELEGLAACEGEYSQKYSTMSPLGSGAFGFVW TAVDKEKNKEVVVKFIKKEKVLEDCWIEDPKLG KVTLEIAILSRVEHANIKVLDIFENQGFFQLVME KHGSGLDLFAFIDRHPRLDEPLASYIFRQVRAG\Q SRLVSAVGYLRLKDIHRDIKDENVIAEDFTIKLI DFGSAA YLERGKLFYTFCGTIEYCAPEVLMGNPY

SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
				RGPELEMWSLGVTLTYTLVFEENPFCELEETVEAA IHPPYLVSKELMMSLVSGLLQVPERRTTLEKLVT DPWVTQPVNLADYTWEEVFRVKNKPESGVLSAAS LEMGNRSLSDVAQAQELCGGPVPGEAPNGQGCL HPGDPRLTTS
3862	A	399	2069	TMDRSKRNSIAGFPPRVEARLEEFEGGGGGGEGNV SQVGRVWPSSYRALISAFFRLTRLDDFTCEKIGSG FFSEVFKVRHRASGQVMALKMNTLSSNRANML KEVQLMNRLSHPNILRYINSGNLEQLLDSNLHLP WTVRVKLAYDIAVGLSYLHFKGIFHRDLTSKNC LIKRDENGYSAAVADFGLAEKIPDVSMGSEKLA VVGSPFWMAPEVLRDEPYNEKADVFSYGIILCEII ARIQADPDYLPRTENFGLDYDAFQHMVGDCPPD FLQLTFNCCNMDPKLRPSFVEIGKTLLEEILSRLQE EEQERDRKLQPTARGLLEKAPGVKRLSSLDKIP HKSPCPRRTIWLRSRQSDIFSRKPPRTVSVLDPYY RPRDGAARTPKVNPFSARQDLMGGKIKFFDLPSK SVISLVFDLDAPGPGTMPLADWQEPLAPPIRRWR SLPGSPEFLHQEACPFVGREESLSDGPPPRLSSLK YRVKEIPFRASALPAAQAHEAMDCSILQEENG GSRPQGTSPCPAGASEEMEVEERPAGSTPATFSTS GIGLQTQGKQDG
3863	A	399	2069	TMDRSKRNSIAGFPPRVEARLEEFEGGGGGGEGNV SQVGRVWPSSYRALISAFFRLTRLDDFTCEKIGSG FFSEVFKVRHRASGQVMALKMNTLSSNRANML KEVQLMNRLSHPNILRYINSGNLEQLLDSNLHLP WTVRVKLAYDIAVGLSYLHFKGIFHRDLTSKNC LIKRDENGYSAAVADFGLAEKIPDVSMGSEKLA VVGSPFWMAPEVLRDEPYNEKADVFSYGIILCEII ARIQADPDYLPRTENFGLDYDAFQHMVGDCPPD FLQLTFNCCNMDPKLRPSFVEIGKTLLEEILSRLQE EEQERDRKLQPTARGLLEKAPGVKRLSSLDKIP HKSPCPRRTIWLRSRQSDIFSRKPPRTVSVLDPYY RPRDGAARTPKVNPFSARQDLMGGKIKFFDLPSK SVISLVFDLDAPGPGTMPLADWQEPLAPPIRRWR SLPGSPEFLHQEACPFVGREESLSDGPPPRLSSLK YRVKEIPFRASALPAAQAHEAMDCSILQEENG GSRPQGTSPCPAGASEEMEVEERPAGSTPATFSTS GIGLQTQGKQDG
3864	A	3	911	SWNMDSDSCAAFAHPEEYSPSCKRRRTVEDFNK FCTFVLAYAGYIPYPKEELPLRSSPSPANSTAGTI DSDGWDAGFSDIASSVPLPVSDRCFSHLQPTLLQ RAKPSNFLDRKKTDKLKKKKKRKRDSAPGK EGYRGGLLKLEAADPYVETPTSPTLQDIPQAPSD PCSGWDS DTPSSGSCATVSPDQVKEIKTEGKRTI VR/QEAQLMARNDGNFSSLESIFPSDDDSWDLV TCFCMKPFAGRPMIECNECHTWIHLSCAKIRKSN VPEVFVCQKCRDSKFDIRRSNRRTGSRKLFLD
3865	A	3	3573	QERLSRSRDPDRAAREAGSARGRQPKRTERVEQ FLTIAARRRGRRSMPVSLEDSGEPTSCPATDAETAS EGSVESASETRSGPQSASTAVKERPASSEKVKGG DDHDDTSDSDSGLTLKELQNRLRRKREQEPT RPLKGIQSRLRKKRREEGPAETVGSEASDTVEGV LPSKQEPENDQGVVSQAGKDDRESKLEGKAAQD IKDEEPGDLGRPKECEGYDPNALYCICRQPHNN

SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
				RFMICCDRCEEWFHGDVGVISEARGRLLERNGE DYICPNCTILQVQDETHSETADQQEAKWRPGDA DGTDCSTIGTIEQKSSDQGIKGRIEKAANPSGKK KLKIFQPGPGPVPTQLPVLWQVLEIAVSRISAFT LLHCISCKVIEAPGASKCIGPGCCHVAQPDSVYCS NDCILKHAATAATMKFLSSGKEQKPKPEKMKMK PEKPSLPKCGAQAGIKISSVHKRPAPEKKETTVK KAVVVPARSEALGKEAACESSTPSWASDHNYNA VKPEKTAAPSPSLLYKSTKEDRRSEEKAAATAAS KKTAPPGSTVGKQPAPRNLVPPKSSFANVAAAT PAIKKPPSGFGKTIPKRPWLSATPSSGASAAARQAG PAPAAATAASKKFGSAALVGA VRKPVVPSVPM ASPAPGRLGAMSAAPSQPN SQIRQNIRSLKEIL WK/RFLFFILFRVNDSDDLIMTENEVGKIALHIEK EMFNLQVTDN/RA YKSKYRSIMFNLKDPKNQG LFHRVLRREEISLAKLVRLKPEELVSKELSTWKER PARVMESRTKLHNEKKTAPRQEAIPLDLEDSP VSDSEEQQESARA VPEKSTAPLLDVSSMLKDTT SQHRAHLFDLNCICTGQVPSAEDEPAPKKQKLS ASVKKEDLKS KHDSSAPDPAPDSADEVMPEAVP EVASEPGLESASHPNVDRTYFPGPPGDGHPEPSPL EDLSPCPASCGSGVVTTVTVSGRDPRTAPSSSCT AVASAASRPDSTHMVEARQDVPPKVLTSVMVPK SILAKPSSSPDPYLSVPPSPNISTSESRSPPGDTT LFLSRLSTIWKGFINMQSVAKFVTKAYPVSGCFD YLSDELDPDTHIGGRIAPKTVWDYVGKLSVSK ELCLIRFHPA TEEEEEVAYISLYSYFSSRGRFGVVA NNNRHVKDLYLIPLSAQDPVPSKLLPFEGPGKRR LSGWR
3866	A	2	3181	AQQPVGRRGGASGAGGRRGTPRPRAGAGPGF QVSSGGCRLSKMRRFLRPGHDPVRERLKRDLFQ FNKTVEHGFPHQPSALGYSPSLRILAIGTRSGAIK LYGAPGVEFMGLHQENNAVTQIHLPGQCQLVT LLDDNSLHLWSLKVKGGASELQEDESFTLRGPP GAAPSATQITVVLPHSSCELLYLGTESGNVFFVQ LPAFRALEDRTISSDAVLQRLPEEARHRRVFEMV EALQEHPRDPNQILIGYSRGLVVIWDLQGSRLVY HFLSSQQLENIWWQRDGRLLVSCHSDGSYCQWP VSSEAQQPEPLRSLVPYGPFPCKAITRILWLTRQ GLPFTIFQGGMPRASYGDRHCISVIHDGQQTAFD FTSRVIGFTVLTEADPAATFDDPYALVVLAEEL VVIDLQTAGWPPVQLPYLASLHCSAITCSHHVSN IPLKLWERIIAAGSRQNAHFSTMEWPIDGGTSLTP APPQRDLLLTGHEDGTVRFWDASGVCLRLLYKL STVRVFLTDTDPNENLSAQGEDEWPPLRKVGSF DPYSDDPRLGIQKIFLCKYSGYLAVAGTAGQVLV LELNDEAAEQAVEQVEADLLQDQEGYRWKGHE RLAARSGPVRFEFGFPFVLVQCQPPAVVTSLAL HSEWRLVAFGTSHGFLFDHQRRQVFVKCTLH PSDQLALEGPLSRVKSLSLRSRFRMRMRSRVS SRKRHPAGPPGEAQEGSAKAERPGLQNMELAPV QRKIEARSAEDSFTGFVRTLYFADTYLKDSSRHC PSLWAGTNGGTIYAFSLRVPPAERRMDEPVRAE QAKEIQLMHRAPVVGILVLDGHSVPLPEPLEVAH DLSKSPDMQGSQQLLVVSEEQFKVFTLPKVS AK

SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
				LKLKLTALEGSRVRRVSVAHFGSRRRAEDYGEHH LAVLTNLGDIQVVSLLPKPQVRYSCIRREDVSGI ASCVFTKYGGFYLLISPSEFERFSLSTKG\LVEPRC LVDSAETKNHRPGNGAGPKKAPSRARNSGTQSD GEEKQPGLVMERALLSDERAATG\VHIEPPWGA ASAMAEQSEWLSVQAAR
3867	A	2	3181	AQQPVGRRGGASGAGGRRGTTPRPRAGAGPGF QVSSGGCRLSKMRRFLRPGHDPVRERLKRDLFQ FNKTVEHGFPHQPSALGYSPSLRILAIGTRSGAIK LYGAPGVEFMGLHQENNAVTQIHLLPGQCQLVT LLDDNSLHLWSLKVKKGASELQEDESFTLRGPP GAAPSATQITVVLPHSSCELLYLGTESGNVFVQ LPAFRALEDRTISSDAVLQRLPEEARHRRVFEMV EALQEHPRDPNQILIGYSRGLVVIWDLQGSRLY HFLSSQQLENIWWQRDGRLLVSCHSDGSYCQWP VSSEAQQPEPLRSLVPYGPFPCKAITRLWLTTTRQ G\LPTIFQGGMPRASYGDRHCISVIHDGQQTAFD FTSRVIGFTVLTEADPAATFDDPYALVLAEEEL VVIDLQTAGWPPVQLPYLASLHCSAITCSHHVSN IPLKLWERIAAGSRQNAHFSTMEWPIDGGTSLTP APPQRDLLLTGHEDGTVRFWDASGVCLRLLYKL STVRVFLTDTPNENLSAQGEDEWPPLRKVGSF DPYSDDPRLGIQKIFLCKYSGYLAVAGTAGQVLV LELNDEAAEQAVEQVEADLLQDQEGYRWKGHE RLAARSGPVRFEFGFQPFVLVQCQPPAVVTSAL HSEWRLVAFGTSHGFGFLDHQQRQVFKCTLH PSDQLALEGPLSRVKSLKSLRQSFRMRMRSRVS SRKRHPAGPPGEAQEGSAKAERPGLQNMELAPV QRKIEARSAEDSFTGFVRTLYFADTYLKDSSRHC PSLWAGTNGGTIYAFSLRVPPAERRMDEPVRAE QAKEIQLMHRAPVVGILVLDGHSVPLPEPLEVAH DLSKSPDMQGGSHQLLVSEEQFKVFTLPKVS AK LKLKLTALEGSRVRRVSVAHFGSRRRAEDYGEHH LAVLTNLGDIQVVSLLPKPQVRYSCIRREDVSGI ASCVFTKYGGFYLLISPSEFERFSLSTKG\LVEPRC LVDSAETKNHRPGNGAGPKKAPSRARNSGTQSD GEEKQPGLVMERALLSDERAATG\VHIEPPWGA ASAMAEQSEWLSVQAAR
3868	A	1	2497	GDSGGPLVCEEPSGRFFLAGIVSWGIGCAEARRP GVYARVTRLRDWILEATTKASMPAPTMAPAPA APSTAWPTSPESPVVSTPTKSMQALSTVPLDWVT VPKLQECGARPA MEKPTRVVGFGAASGEVPW QVSLKEGSRHFCGATVVGDRWLLSAAHCFNHT KVEQVRAHLGTASLLGLGGSPVKIGLRRVVLHP LYNPGILDFDLAVLELASPLAFNKYIQPVCLPLAI QKFPVGRKCMISGWGNTQEGNATKPELLQKASV GIIDQKTCVLYNFSLTDRMICAGFLEGKVDSCQ VSGIKALYESELADARRVLDETARERARLQIEIG KLRAELDEVNKS AKKREGELTVAQGRVKDLESL FHRSEVELAAALSDKRGLESDVAELRAQLAKAE DGHAVAKKQLEKETLMRVDLENRCQSLQEELDF RKSVFEEEVRETRRRHERRLVEVDSSRQQEYDFK MAQALEELRSQHDEQVRLYKLELEQTYQAKLDS AKLSSDQNDKAASAAREELKEARMRLESLSYQL SGLQKQASAAEDRIRELEEAMAGERDKFRKMLD

SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
				AKEQEMTEMRDVMQQQLAEYQELLDVKLALD MEINA YRKLLGEGERLKLSPSPSSRVTVSRATSS SSGSLSATGRLGRSKRKR\WRWRSPW\QRPKRP HGHGWQRWLPPGPAGLGLGQR\HIEEIDLEGKFV QLKNNSDKDQSLGNWRIKRQVLEGEELAYKFTP KYILRAGQMVTVWAAGAGVAHSPSTLVWKGQ SSWGTEGESFRTVLVNADGEEVAMRTVKKSSVM RENENGEEEEEEAEFGEDLFHQQGDPRTTSRGC YVM
3869	A	1	1942	RYRAGIPGDGRKDYIRLTRPGLTLPGRAMFARG RRRRSGRAPPEAEDPDRGQPCNSCREQCPGFLH GWRKICQHCKCPREEHAVHAVPVDLERIMCRLIS DFQRHSISDDDSGCASEEYAWVPPGLKPEQVYQ FFSCLPEDKVPYVNSPGEKYRIKQLLHQLPPHDS EAQYCTAL\EE\EEKKELRAFSQQRKRENLG/RLG IVRIFPVTIT\GA\CEECGKQIGGGDIAVFASRASL GLLGQPSCF\VCTTCQELLVDLIYFYHVGVKVC GRHHAELRPRCQACDEIIFSPECTEAEGRHWHM DHFCCFECEASLGGQRYVMRQSRPHCCACYEAR HAEYCDGCGEHIGLDQGQMA YEGQHWHASDRC FCCSRCGRALLGRPFLPRRGLIFCSRACSLGSEPT APGPSRRSWSAGPVTAPLAASFSASVKGASET TTKGTSTELAPATGPEEPSRFLRGAPHRHSMPEL GLRSVPEPPESPQPNLRPDDSAFGRQSTPRVSF RDPLVSEGGPRRTLSAPPAQRRRPRSPPPRAPSRR RHHHHNHHHHHNRHPSRRRHYQCDAGSGSDSE SCSSSPSSSSSESSEDDGFFLGERIPLPHLCRMP AQDTAMETFNPSLSLPRDSRAGMPRQARDKNC IVA
3870	A	2	3485	FVWRVFYVHASCMPPRARSWEGAHAPVGMHV AEAHACSSQQQQMPPAQFWMLEWLLHLCAFLS TPSFPHWCCCSNPHGSIADKPEEIVPASKPSRAAE NMAVEPRVATIKQRPSSRCFPAGSDMNSVYERQ GLAVMTPTVPGSPKAPFLGIPRGTMRRQKSIDSRI FLSGITEEERQFLAPPMLKFTRSLSMPTDSEDIPP PQSVPPSPPPSPPTTYNCPKSPTPRVYGTIKPAFNQ NSAAKVSPATRSDTVATMMREKGMVFRRELD YSLDSEDLYSRNASGPQANFRNKRGMQMPENPYSE VGKIASKAVYVPAKPARRKGMLVKQSNVEDSPE KTCSTIPTIIVKEPSTSSSGKSSQGSSMEIDPQAPE PPSQLRPDESLTVSSPFAAAIAGAVRDREKRLEA RRNSPAFLSADLGDEHVGLGPPAPRTRPSMFPEE GDFADEDSAEQLSSPMPSATPREPENHFVGGAEA SAPGEAGRPLNSTSKAQGPESPAPVPSASSGTAG PGNYVHPLTGRLLDPSSPLALALSARDRAMKES QGPKGEAPKADLNKPLYIDTKMRPSLDAGFPT VTRQNTRGPLRRQETENKYETDLGRDRKGDDK KNMLIDIMDTSQKSAGLLMVHTVDATKLDNA LQEEDEKAEVEMKPDSSPSEVPEGVSETEGALQI SAAPEPTTVPGRTIVAVGSMEEAVILPFRIPPPPLA SVDLDEDFIFTEPLPPPLEFANSFDIPDDRAASVPA LSDLVKQKSDTPQSPSLNSSQPTNSADSKKPA LSNCLPASFLPPPEFDAVADSGIEEVDSRSSSDH HLETTSTISTVSSISTLSSEGENVDTCTVYADGQ AFMVDKPPVPPKPKMKPIIHKSNALYQDALVEE

SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
				DVDSFVIPPPAPPPPPGSAQPGMAKVLPRTSKL WGDVTEIKSPILSGPKANVISELNSILQQMNREKL AKPGEGLDSPMGAKSASLAPRSPEIMSTISGTRST TVTFTVRPGTSQPITLQSRPPDYESRTSGTRRAPS PVVSPTEMNKETLPAPLSAATASPSALSDVFSLP SQPPSGDLFGLNPAGRSRSPSPSILQQPISNKPFTT KPVHLWTKPDVADWLESLNLGEHKEAFMDNEI DGSHLPNLQKEDLIDLGVTRVGHRMNIERALKQ LLDR
3871	A	35	1171	VESRSAWHEGEDQIDRLDFIRNQMNLTLTDVKK KIKEVTEEVANKVSCAMTDEICRLSVLVDEFCSE FHPNPDVLKIYKSELNKHIEDGMGRNLADRCTD EVNALVLQTQQEIIENLKPLLPAQIQDKLHTLIPC KKFDLSYNLNYHKLCSDFQEDIVFRFSLGWSSLV HRFLGPRNAQRVLLGLSEPIFQLPRSLASTPTAPT TPATPDNASQEELMITLVTGLASVTSRTSMGIIIV GGVIWKTIGWKLLSVSLTMYGALYLYERLSWTT HAKERAFKQQFVNYATEKLRMIVSSTSANCSEQ VKQQIATTFARLCQQVDITQKQLEEEIARLPKEID QLEKIQNNSKLLRNKAVQLENELENFTKQFLPSS NEES
3872	A	35	1171	VESRSAWHEGEDQIDRLDFIRNQMNLTLTDVKK KIKEVTEEVANKVSCAMTDEICRLSVLVDEFCSE FHPNPDVLKIYKSELNKHIEDGMGRNLADRCTD EVNALVLQTQQEIIENLKPLLPAQIQDKLHTLIPC KKFDLSYNLNYHKLCSDFQEDIVFRFSLGWSSLV HRFLGPRNAQRVLLGLSEPIFQLPRSLASTPTAPT TPATPDNASQEELMITLVTGLASVTSRTSMGIIIV GGVIWKTIGWKLLSVSLTMYGALYLYERLSWTT HAKERAFKQQFVNYATEKLRMIVSSTSANCSEQ VKQQIATTFARLCQQVDITQKQLEEEIARLPKEID QLEKIQNNSKLLRNKAVQLENELENFTKQFLPSS NEES
3873	A	2944	2089	PVCTALTPGRMTDDKDVLRDVWFGRIPTCFTLY QDEITEREAEPYLLPRVSYLTLVTDKVKKHQFQ KVMRQEDISEIWFYEYEGTPLKWHYPIGLLFDLLA SSSALPWNITVHFKSFEKDLLHCPSKDAIEAHF MSCMKEADALKHKSQVINEMQKKDHLKQLWMG LQNDRFDQFWAINRKLMEYPAEENGFRYIPFRIY QTTTERPFIQKLFPRVAAADGQLHTLGDLLKEVCP SAIDPEDGEKKNQVMHIGIEPMLTLPQLWSEHL SYPDNFLHISIIPQPTD
3874	A	776	366	QARGAPSSPMCPPLAAAAVAAPRAPLRLNLRG LAAAMSTAQSLKSVDEYVFGRVQGVCFRMYTE DEARKIGVVGWVKNTSKGTVTGQVQGPEDKVN SMKSWLSKVGSPSSRIDRTNFSNEKTISKLEYSNF SIRY
3875	A	1081	182	SLSSCQTDPRPMSAPLDAALHALQEEQARLKMR LWDLQQLRKELGDSPKDKVPFSVPKIPLVFRGHT QQDPEVPKSLVSNLRIHCPLLAGSALITFDDPKVA EQVLQQKEHTINMEECRLRVQVQPLELPMVTTIQ VMVSSQLSGRRVLVTGFPASLRLSEEELDKLEIF FGKTRNGGGDVVDVRELLPGSVMLGFARDGVAQ RLCQIGQFTVPLGGQVPLRVSPYVNGEIQKAEI RSQPVPRSVLVNLNIPDILDGPELHDVLEIHFQKPT

SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
				RGGGEVEALTVVPQGQGLAVFTSESG
3876	A	26	431	RMMKCPQALLAIFWLLLSWVSSSEDKVVQSPLSL VVHEGDTVTLNCSYEVTNFRSLLWYKQEKKAPT FLFMLTSSGIEKKSGRLSSILDKKELSSILNITATQ TGDSAIIYLCAVEAQCSLVTCSLYSNSTAEALQL
3877	A	3	1291	KAFRLLAERGAAAAMLWSGCRRFGARLGCLPG GLRVLVQTGHRSLTSCIDPSMGLNEEQKEFQKV AFDFAAREMAPNMAEWDQKELFPVDVMRKA QLGFGGVYIQTVDVGGSGLSRLDTSVIFEALATGC TSTTAYISIHNMCAWMIDSFSGNEEQRHKFCPLC TMEKFASYCLTEPGSGSDAASLLTSAKKQGDHYI LNGSKAFISGAGESDIYVVMCRTGGPGPKGISCIV VEKGTPLSFGKKEKKVGWNSQPTRAVIFEDCA VPVANRIGSEGQGFLLAVRGLNGGRINIASCSLGA AHASVILTRDHLNVRKQFGEPLASNQYLQFTLA DMATRLVAARLMVRNAVALQEERKDAVALCS MAKLFADECFAICNQALQMHHGGYGYLKDYAV QQYVRDSRVHQILEGSNEVMRILISRSLLE
3878	A	10	1014	LPGSTISSSGCQAPGRADSSGGARNSRRGDSRPG SCNRQAVAPPCPSPGPQSRHWIHRGTAPQAGETR TLGRGSSAPNACSASVTPCCPSSPPS*SCL*PTRRS PQNSSSTEYVRGFQWHLPLST**PFSS*QWPGQH TQGCSKLLGKQTTHLPCSTWPA**PSPSCLTRFR* W*PSLMCLWASSCSVCV*SPSGSCRH*LWGTHST SRTC*ARRSSALPTGLCTDDTSWASSSKARPCAL QRPSSLSSLSPCLTC*W*LSSSPMSARSPAGAET GSWATGSPRLTQWKSSRLTSTSHSARSAWKPSA TESTPSWPRFSSWTSGEDPASPAPAI
3879	A	200	699	LLLTGYIQTQLNQQLSGNQEMQAVDNLTSA NTSLCTRDYKITQVLFLLYTVLFFVGLITNGLA MRIFQIRSKSNFIIFLKNTVISDLLMLTFPFKILS DAKLGTGPLRTFVCQVTSVIFYFTMYISISFLGLIT IDRYQKTTRPFKTSNPKNLLGAKILK
3880	A	26	169	QPETDTMVHLTPEEKSAVTALWGKVNVD DDLCCQILVDRPLRI
3881	A	37	1100	TPLFDFWPGFVLSWLQPLSASLRARRAASGPPAC RIMPTTVDDVLEHGGEFFHFFQKQMFFLLALLSAT FAPIYVGIVFLGFTPDHRCRSPGVAELSLRCGWSP AEELNYTVPGPGPAGEASPRQCRRYEVDWNQST FDCVDPLASLDTNRSLPLGPCRDGWVYETPGSS IVTEFNLVCANSWMLDLFQSSVNVGFFIGSMSIG YIADRFRGRKLCLLTTVLINAAAGVLMASPTYTW MLIFRLIQGLVSKAGWLGILITEFVGRRYRRTV GIFYQVAYTVGLLVLAGVAYALPHWRWLQFTV ALPNFFFLYYWCIPESPRWLISQNKNAEAMRIK HIAKKNKGKSLPASL
3882	A	573	1620	KSKCRFPEGLSEGFGPMRKEALSSGSVQEA LDEPQEQAEGSLTVYVISEHSSLLPQDMMSYIGP KRTAVVRGIMHREAFNIIGRRIVQVAQAMSLTED VLAALADHLPEDKWSAEKRRPLKSSLGYEITFS LLNPDPKSHDVYWDIEGAVRRYVQPFLNALGAA GNFSVDSQILYYAMLGVNPRFDSASSSYLDMH SLPHVINPVESRLGSSAASLYPVLNFLLYVPELAH SPLYIQDKDGAPVATNAFHSPRWGGIMVYNVDS KTYNASVLPVRVEVDMVRVMEVFLAQLRLFLGI

SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
				AQPQLPPKCLLSGPTSEGLMTWELDRLLWARSVENLATATTTLSLA
3883	A	2369	844	RIHREEDFQFILKGIARLLSNPLLQTYLPNSTKKIQ FHQELLVLFWKLCDFNKVGQPRGALQGDGEQLP Q*PGRDSVRLRGVQSCPSLELSPLGPSHP*KF LFFVLKSSDVL DILVPILFFLNDARADQSRVGLM HIGVFILLLLSGECNFGVRLNKPYSIRVPM DIPVF TGTHADLLIVVFHKIITS GHQRLQPLFDCLLTIVV NVSPYLKSLSMVTANKLLHLLEAFSTTWFLFSAA QNHHLVFFLLEVFNNIQYQFDGNSNLVYAIIRKR SIFHQLANLPTDPPTIHKALQRRRTPEPLSRTGS QGGAPPWRAPAPLPLQSQAPSRPVWWLLQALTS *PRSPRCQRMAPCGPWNLSPSRAWRMAARLRGS PARHGGSSGDRP/HSSASGQWSPTPEWVLSWKS KLPLQTIMRLLQVLVPQVEKICIDKGLTDESEILR FLQHGTLVGLLPVPHPIRKYQANSGTAMWFRT YMWGVIYLRNVDPVWYD TDVKLFEIQRV
3884	A	1	804	NGPRAPFSQEGQSTGPPPLIPRLGQHGAAQGRIPPL NPGQGPGPNKDDSRGPPNHMMGPMSEERRHEQSG GPEHGPERGPLRGGQDCRGPPDRRGPHPDFPDDF SRPDDFHPDKRFGHRLREFEGRGGPLPQEEKWR RGGPGPPFPDHFREFSEGDRGAARGPPGAWEG RRPGG*TFPPGSRGPTFS/SGAEESFRRGAPPRHE GRAPPRGRDGFPGPEDFGPEENFDASEEAARGRD LRGRGRGTPRGERVTKDTWSGRIGCRIHWL
3885	A	3	996	GRRRAGPAHSARMYNNMETELKPPGPQQTSGG GGNSTAAAAGGNQKNSPDRVKRPMNAFMVW SRGQRRKMAQENPKMHNSEISKRLGAEWKLLSE TEKRPFIDEAKRLRALHMKEHPDYKYRPRRKT TLMKKDKYTLPGGLLAPGGNSMASGVGVGAGL GAGVNQRMDSYAHMNGWSNGSYSMMQDQLG YPQHPGLNAHGAAQMOPMHRYDVSA LQYNSM TSSQTYMNG/SRPTYSMSYSQQGTPGMAPGS/MG SVVKSEASSPVPVTSSSHSRAPCQAGDLRDMIS MYLPGAEVPEPAAPSR LHMSQHYQSGPVPGTAI NGTLPLSHM
3886	A	773	317	QCTQKAAEGYTQFYYVDVLDGKLACVNKCTKG TKSQMNCNLGTCQLQRSGPRCLCPNTNTHWYW GETCEFNIKSLVYGIVGAVMAVLLALILILIFS LSQRKRHRPESEGEADFGLENA TNNFGPTLET VDSGTELHIQRPEMVASTV
3887	A	3	466	VDFRVKTLVDNKCFLVQLWDTAGQERYHSMT RQLLRKADGVVLMYDITSQESFAHVR YWLDCL QDAGSDGVVILLGNKMDCEEERQVSVEAGQQL AQELGVYFGECSAALGHNILEPVVNLARSLRMQ EEGLKDSLKVAPKRPPKRFGCCS
3888	A	3412	3144	QNIDITNFSSSWNDGLAFCALLHTYLP AHIPYQEL NSQDKRRNFMLAFQAAESVGIKSTLDINEMVRT ERPDWQNVMLYVTAIYKYFET
3889	A	1	1160	LVVTAITAILAFPNEYTRMSTSELISELFNDCGLL DSSKLCDYENRFNTSKGGELPDRPAGVGVYSAM WQLALTILKIVITIFTFGMKIPSGLFIPSM AVGAI AGRLLGVGMEQLAYYHQEWTVFNSWCSQGAD CITPGLYAMVGAAACLGGVTRMTVSLVVMFEL TGGLEYIVPLMAAAMTSKWWADALGREGIYDA

SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
				HIRLNGYPFLEAKEEFAHKTAMDVMKPRRNDP LLTVLTQDSMTVEDVETISETTYSGFVVVSRES QRLVGFVLRDLIISIENARKKQDGVVSTSIHYFTE HSPPLPPYTPPTLKLRLNLDLSPFTVTDLTPMEIVV DIFRKLGLRQCLVTHNGRLLGIITKKDVLKHLAQ MANQDPDSILFN
3890	A	1	387	SWCWTGIFVLGTTNLRLEGSWYRSLWGPFGFNTT TATLGFGAPQAPVGDVALNQPDMCVYRRGRKK RVPTYTKLQKLENEYAINKFINKDKRRRISAAT NLSEQVTIWFQNRVRVKDKKIVSKLKDTVS
3891	A	2	2914	RGGGGDHKMADLSLLQEDLQEDADGFGVDDYS SESDVIIIPSAIDLAST/QDEMVERPLGRL\DK\YA ASENHI*PDKMVAPEFASIPLRE\VCDDERDCIAV LGKN*PDWADDSEPTVRAAELEQVPHIALFLFK KTRLSITICFFSKFLLPYCGLDTLADQN\NQVRKT SQAALL\ALLEQELIERFDVETKVCPLIELTAPDS NDDVKTEAVAIMCKMAP\MVGKDITERLILPRFC EMCCDCRMFHVVRK\VCAANFGDICSVVGOQAT EEMLLPRFFQLCSDNVWGVKACAEFCMAVSC ATCQEIRRTKLSALFINLISDPSRWVRQAAFQSLG PFISTFANPSSSGQYFKEESKSSEEMSVENNRKTR DQEAPEDVQVRPEDTPSDLSVSNSSVILENTMED HAAEASGKPLGEISVPLDSSLLCTLSSESHQEAAS NENDKKPGNYKSMLRPEVGTTSQDSALLDQELY NSFHFWRTPLEIDLIELEQNSGGKPSPEGPEEE SEGPVSSPNITMATRKELEEMIENLEPHIDDPDV KAQVEVLSAALRASSLDAHEETISIEKRSDLQDE LDINELPNCKINQEDSVPLISDAVENMDSTLHYIH NDSDLNNSFSFSPDEERRTKVQDVVPQALLDQY LSMTDPSRAQTVDTEIAKHCAYSPLGVALTLGR QNWHCLRETYETLASDMQWKVRRTLAFSIHELA VILGDAQLTAADLVPIFNGFLK*PSMKSRIGVLKH LHDFLKLHIDKRREYL YQLQEFLVTDNSRNWR FRAELAEQLILLELYSPRDVYDYLRIALNLCAD KVSSVRWISYKLVSEMVKKLHAATPPTFGVDLIN ELVENFGRCPKWSGRQAFVFVCQTVIEDDCLPM DQFAVHLMPHLLTLANDRVNVRVLLAKTLRQT LLEKDYFLASASCHQEAVEQTIMALQMDRSDV KYFASIHPASTKISEDAMSTASTY
3892	A	158	2191	VPLPAPSGLSGGGSRGAGCKKAPPGRAPAPGLAP LRPSEPTMAVPPGHGPFSGFPGPQEHTQVLPDVR LLPRRLPLAFRDATSAPLRKLSVDLIKTYKHINEV YYAKKKRRAQQAPPQDSSNKKEKKVLNHGYDD DNHDYIVRSGERWLEREIDSLIGKSGFQVVK YDHQTQELVAIKIKNKKAFLNQAQIELRLLELM NQHDTEMKYYIVHLKRHFMRNHLCLVFELLS YNLYDLLRNTHFRGVSLNLRKLAQQLCTALLF LATPELSIIHCDLKPENILLCNPKRSAIKIVDFGSS CQLGQRIYQYIQSRFYRSPEVLLGTPYDLAIDMW SLGCILVEMHTGEPLFGSGSNEVCPQEGVDQMNRI VEVLGIPPAAMLDAQPKARKYFERLPGGGWTLR RTKELRKDYQGPGRRLQEV LGVQTGGPGGRRRA GEPGHSPAD\Y\LRFQDLVLRMLEYEPAAARISPLG ALQHGFFRRRTADEATNTGPAGSSASTSPAPLDT PSSSTASSISSSGSSGSSSDNRTRYRYSNRYCGGP

SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
				GPPITDCEMNSPQVPPSQPLRPWAGGDVPHKTH QAPASASSLPGTGAQLPPQPRYLGRPPSPTSPPPP ELMDVSLVGGPADCSPPHPAPAPQHPAASALRT RMTGGRPPLPPPDDPATLGPHLGLRGVPQSTAAS S
3893	A	68	258	PEEYYPFSPTLQQLFFFLLDSMDGSRPESMGCRK NTVPRPASPTTEAGTDPQTFLHTWVSECRD
3894	A	1120	136	SLPLAPAPAVAGPVVALCPAGLCPAQPGMPAGPA AASGSHPEVGSVLQRSSQPHWPNWPWGAGHLPP PAGFPYPNPPAGPGAAAGLA*SPPRSSPTPCSVGP QSCPANASAPPAQPCLAGAPPAASLPPPGPGSVS AAPAPGGPAPAEPLGVPPVPAWLLPDSPLPGT HSGPPPAAVSLPPAAAACPVVPPPLPHHPDLES PSAAAPNPGCAGGIRHFPPGSPEASSPLRPAAAPA LLPLPRPPS*P/VPWKPLHSPVAVAGGSFVAGGSV LPAPDLQPRPSGPPAASPTPGPGVAQPPPGSAVL PTVP*APPVSGAAPGRKREW
3895	A	2	1347	FGAVSYRPGNGSCWVKVTASSDLSDLISCLCPPR SLCSSQACVLPVPGPSLLLPQGLHVCASAGTRW PLSCSIDFQRLLAHEEETQKRRAKESGMAFTQLT FRDVAIEFSQDEWKCLNSTQRTLYRDVMLENYR NLVSLDLNRNCVIKELAPQQEGNP/ARSIPHSDIGT T*KT*H*RVLLQGNQEKNTL*LSVER**KKLQQ SDYGPKRKSYL*ERPTR*KRYRKQVY*TSA*LSF LPHPHLQQFQAEGKIYECNHVEKSVNHGSSVSP PQIISSTIKTHVSNKYGTDFICSSLLTQEQKSCIRE KPYRYIECDKALNHGSHMTVRQVSHSGEKGYKC DLGKVFQSQKSNLARHWRVHTGEKPYKCNECD RSFSRNSCLALHRRVHTGEKPYKCYECDKVFSR NSCLALHQKTHIGEKPYTCKECGQAFSVRSTLTN HQVIHSDK
3896	A	202	498	MVQSCSAYGCKNRYDKDKPVSFHKFPLTRPSLC KEWEAAVRRKNFKPTKYSSICSEHFTPDCFKREC NNKLLKENAVPTIFLCTEPHDKKEDLLEPQEQ
3897	A	2	382	SHGLSRAPHLAAPAPALASRPCFSSAPCSQGGG GGGPATMIHFILLFSRQGLRLQKWYITLPDKER KKITREIVQILSRGHRRTSSFDWKELKLVYKRYA SLYFCCAIE\NQDNELLTLENVHR
3898	A	718	305	SEQEPLLGDTPGSREWDILETEEHYKSRWRSIRIL YLTMFLSSVGFVVMMSIWPLYLQKIDPTADTSFL GWVIASYSLGQMVASPIFGLWSNYRPRKEPLIVSI LISVAANCLYA YLHIPASHNKYYMLVARGLLGIG
3899	A	24	718	FRGRPGIPEREGKGNHSFVEVARVIVVDLHSRLG GAMAERKGTAKVDFLKKIEKEIQKWDTERVFE VNASNLEKQTSKGKYFVTFPYPYMNGRLHLGHT FSLSKCEFAVG YQRLKGKCLFPFGLHCTGMPIK ACADKLKREIELY/GCPPDFPDEEEEEETS VKTE DIIKDKAKGKSKAA/AKAGSSKYQWGIMKSLG LSDEEIVKFSEAEHWLDYFNALAIQDLKRMG
3900	A	360	1	VPATSSNVSPSSSESSEPDLSRSSSSSDAPSSSPV SPCSLSLSSPESPLLPTLLSSKSPAGSAGPTCGCPS GPGLRATA/PSRLSSSIAAH/SSSAPETSRPAAARE RSPPLHDRESHE
3901	A	193	345	GEWAVPPAPGGQGVSIHPGPEPGQSGVHLAPRQ GEGSDRTEPLICPKAAP

SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
3902	A	1188	1389	NPAARSAAAREGSPALPPPPVS/SSSGLGLLPLSP PGSHAANPALSPRAPHSHYRPRPRCGPRRRPR
3903	A	63	396	NNMRNPHLSSNHLYLNLARTETVFARMESVKQRI LAPGKEGLKNFAGKSLGQIYRVLEKKQDTGETIE LTEDGKPL*VPERKAPLCDCTCFGLPRRYILAIMS GLGFCISFG
3904	A	732	1046	AMSECPLILYIHKHIDTYSQSYLFNDLFYPVYSGG RMVTYEHLREVVFVGKSEDEHYPLW*VLFGK*YA VAPNALMFIRFM*NCTFVPKLP*VMDLK**LQYK SR
3905	A	46	910	QPPPPPPPPSPPPPPFPARALSHLRHPDACLFPS PFPLPCSTMPGMMMEKGPELLGKNRSANGSAKSP AGGGGSGASSTNGGLHYSEPESGCSSDDEHDVG MRVGAHEYQARIPEFDPGATKYTDKDNNGMLVW SPYHSIPDAKLDEYIAIAKEKHGYNVEQALGMLF WHKHNIKSLADLPNFTFPDEWTVEDKVLFEQ AFSFHGKSFHRIQQMLPDKTIASLVKYYYSWKK TRSRTSLMDRQARKLANRHNQGDSDDDVEETHP MDGNDSDYDPKKEAKKEGMS
3906	A	2	513	KVCNCCSQELETSTFTYVDKNINLEQRNRSSPSAK GHNHPGELGWENPNEWSQEA AISLISEEEDDTSS EATSSGKSIDYGFISAILFLVTGILLVIISYIVPREV TVDPNTVAAREMERLEKESARLGAHLDRCVIAG LCLLTGGVILSCLLMMSMWKGELYRRNRFAS
3907	A	71	412	ILIMSNCLQNFLKITSTRLLCSRLCQQLRSKRKFF GTVPI SRLHRRVVITGIGLVTP LGV GTHLVWDRLI GGESGIVSLVGEEYKSIPCSVAA YVPRGSDEGQF NEQNFVSKSD
3908	A	77	746	LGTLLGWRAPLFSRCLAFHSPFILLNTPKLVKTAE LPPDRNYVLGAHPHIGMCTGFLCNFSTESNGFSQ LFPGLRPWLAVLAGLFYLPVYRDYMSFGLCPVS RQSLDFILSQPQLGQAVVIMVGGGAHEALYSVPGE HCLTLQKRKGFVRLALRHGASLVPVYSFGENDIF RLKAFATGSWQHWCQLTFKKLMGFSPCIFWGR GLFSATSWGLLPFAVPITTV
3909	A	1	793	FRAAGRPAAAMGDIPVVGLSSWKASPGKVTEAV KEAIDAGYRHFDCA YFYHNEREVGAGIRCKIKE GAVRREDLLIATKLWCTCHKKSLVETACRKS LK ALKLNYLDLYLIHWPMGFKPPHPEWIMSCSELSF CLSHPRVQDLPLDESNMVIPSDTDFLDTW EAME DLVITGLVKNIGVSNFNHEQLERLLNKPGLRFPK LTNQIECHPYLTQKNLISFCQSRDVS VTA YRPLG GSCEGVDLIDNPVIKRIAKEHGKSPAQILI
3910	A	202	705	FFTMRKKVDNRIRILIENGVAERQSLFVVVGD RGKDQVVILHHMLSKATVKARPSVLWCYKKEL GFSSHRKKRMRQLQKKIKNGTLNIKQDDPFELFI AATNIRYCYNETHKILGNTFGMCVLQDFEALTP NLLARTVETVEGGGLVVILLRTMNSLKQLYTVT M
3911	A	3	723	AGRGARAAGEGGGPFSRPRPLPSSRSLPAVGGG RYGADKMAAGGAVAA APECRLLPYALHKWSSF SSTYLPENILVDKPNQSSRWSSSNYPQYLILK LERPAIVQNITFGKYEKTHVCNLKKFKVFGGMN EENMTELLSSGLKNDYNKETFTLKHKIDEQMFC RFIKIVPLLSWGPSFNFSIWYVELSGIDDPDIVQPC

SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
				LNWYSKYREQEAIRLCLKHFRQHNYTEAFESLQ KKT
3912	A	2	461	FEKKQLRRPSLFLGCCSFGIMAPSLWKGLEGIG LFALAHAAFSAAQHRSYMRLTEKEDESLPIDIVL QTLFAVTCYGVHIAGEFKDMDATSELKNKTF DTVRNHPSFYVFNHRGSEYFSGPSDTANSSNQDA LSSNTSLKLRKLESLRR
3913	A	362	20	APGRPEAKVPERSRESGSRVRGPLLQLRPGRTS RPASGRGRGGAGGSYGKMRKPD SKIVLLGDMN VGKTSLLQRYMERRFPDTVSTVGGAFYLKQWRS YNISIWDTAGEAGAA
3914	A	1	7545	PGIRVGITSQTGLSSNLQENCSKLAFISSHGTEKQ LQCMPEGRGRASSISDLQKGFEKGTGEKHV PGVGSARHSPQASAGGSPWQRGKAQTRWLGP DPGRKRRRGSPQEEGGLRVSAARLLCSGANRC KVLVRQNSTPNTQQPAVHPSTPPSRPLPQAGRCL VAPLRPHPDWVA AKTLAKALRAPGKPWRLAAP SPLGDLGAPGLPGPSTAPRTLSVEEPGVECNQLC LYADVTDVLCGLGQKDPGVEGKHCEKEKISSSK ELKHVHAKSEPSKPARRLSESLHVVDENKNESKI EREHKRRTSTPVIMEGVQEETDTRDVKRQVERSE ICTEEPQKQKSTLKNEKHLKKDDSETPHLKSLLK KEVKSSKEKPEREKTSEDKLSVKHKYKGD CMH KTGDETELHSSEKGLKVEENIQKQSQQTKLSSDD KTERKSKHRNERKLSVLGKDGPVSEYIIKT DEN VRKENNKKERRLSAEKTKAEHKSRRSSDSKI QK DSLGSKQHGITLQRRSESYSEDKCDMDSTNMDS NLKPEEVVHKEKRRTKSLLEELVLKSKSKTQG KQVKV VETELQEGATKQATTPKPDKEKNTEEND SEKQRKSKVEDKPFEETGVEPVLETASSSAHSTQ KDSSHRAKLPLAKEKYKSDKDSTSTRLERKLS D GHKSRSLKHSSKDIKKK DENKSDDKDGKEVDSS HEKARGNSSLMEKKLSRRLCENRRGSLSQEMAK GEEKLAANTLSTPSGSSLQRPKKSGDMTLIPEQEP MEIDSEPGVENVFEVSKTQDNRNNNSHQDIDSEN MKQKTSATVQKDELRTCTADSKATAPAYKPGR GTGVNSNSEKHADHRSTLTKKMHIQSAVSKMNP GEKEPIHRGTTEVNIDSETVHRMLLSAPSENDRV QKNLKNTAAEEHVAQGDATLEHSTNLDSSPSLSS VTVVPLRESYDPDVIPLFDKRTVLEGSTASTSPAD HSALPNQSLTVRESEVLKTSDSKEGGEGFTVDTP AKASITSKRHIPEAHQATLLDGKQGVIMPLGSK LTGVIVENENITKEGGLVDMAKKENDLNAEPNL KQTIKATVENGKKDGLAVDHVVGLNTEKYAETV KLKHKRSPGKVKDISIDVERRNENSEVDTSAGSG SAPSVLHQRNGQTEDVATGPRRAEKTSVATSTE GKDKDVTLSPVKAGPATTTSSETRQSEVALPCTS IEADEGLIIGTHSRNNPLHVGA EASECTVFAAAEE GGAVVTEGFAESETFLTSTKEGESGECVAESED RAADLLAVHAVKIEANVNSVVTEEKDDAVTSAG SEEKCDGSLSRDSEIVEGTITFISEVESDGA VTSAG TEIRAGSISSEVDGSQGNMMRMGPKKETEGTV TCTGAEGRSDNFVICSVTGAGPREERMV TGAGV VLGDNDA PPGTASASQEGDGSVNDGTEGESAVTS TGITEDGEGPASCTGSEDSSEGF AISSESEENGESA

SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
				MDSTVAKEGTNVPLVAAGPCDDEGIVTSTGAKE EDEEGEDVVTSTGRGNEIGHASTCTGLGEESEGV LICESAEGDSQIGTVVEHVEAEAGAAIMNANENN VDSMSGTEKGSKDTDICSSAKGIVESSVTSVSG KDEVTPVPGGCEGPM TSAASDQSDSQLEKVEDT TISTGLVGGSYDVLVSGEVPECEVAHTSPSEKED EDIITSVENECDGLMATTASGDITNQNSLAGGK NQGKVLIISTSTNDYTPQVSAITDVEGGLSDALR TEENMEGTRVTTEEFEPMP SAVSGDDSQLTASR SEEKDECAMISTSIGEEFELPISSATTIKCAESLQP VAAAVEERATGPVLISTADFE GPMPSAPPEAES LASTSKEEKDECALISTSIAEECEASVSGVVVESE NERAGTVMEEKDGSGLISTSSVEDCEGPVSSAVP QEEGDPSVTPAEEMGDTAMISTSTSEGCEAVMIG AVLQDEDRLTITRVEDLSDAAIISTSTAECMPISA SIDRHEENQLTADNPEGNGDLSATEVSKHKVPM PSLIAENNCRCGPVVRGGKEPGPVLA VSTEEGHN GPSVHKPSAGQGHPSAVCAEKEEKHGKECPEIGP FAGRQKESTLHLINAEKKNVLLNSLQKEDKSPE TG TAGGSSTASY SAGRGLEGNANSP AHLRGPEQ TSGQTAKDSSVSSIRYLA AVNTGAIKADDMPVQ GTVAEHSFLPAEQQGS EDNLKTSTTKCITGQESKI APSHTMIPPATYSVALLAPKCEQDLTIKNDYSGK WTDQASAEKTGDDNSTRKSFPEEGDIMVTVSSE ENVCDIGNEESPLNVLGGLK LKANLKMEAYVPS EEKNGEILAPPESLCGGKPSGIAELQREPLL VNE SLNVENSGFRTNEEIHSESYNKGEISSGRKDNAE AISGHSVEADPKEVEEEERHMPKRKRKQH YLSSE DEPDNDPDLDSRIETAQRQCPETEPHATKEENS RDLEELPKTSSETNSTTSRVMEEKDEYSSSETTGE KPEQNDDDTIKSQE
3915	A	1	7545	PGIRVGITSQTGLSSNLQENCSKLA FISSHGTEKQ LQCMPEGRGRASSISDLQKGFEKGTGEKHV PGVGSARHSPQASAGGSPWQRGKAQTRWLGP DPGRKRRRGSPQEEGGLRVSA AARLLCSGANRC KVLVRQNSTPNTQQPAVHPSTPPSRPLPQAGRCL VAPLRPHPDWVA AKTLAKALRAPGKPWRLAAP SPLGDLGAPGLPGPSTAPRTLSVEEPGVECNQLC LYADVTDPVLC LGQKDPGVEGKHCEKEKISSSK ELKHVHAKSEPSKPARRLSESLHVVDENKNESKI EREHKRRTSTPVIMEGVQEETDTRDVKRQVERSE ICTEEPQKQKSTLKNEKHLKKDDSETPHLKSLLK KEVKSSKEKPEREKTSEDKLSVKHKYKGD CMH KTGDETELHSSEKGLKVEENIQKQSQQTKLSSDD KTERKSKHRNERKLSVLGKDGPVSEYIUKTDEN VRKENNKKERLSAEKTKAEHKSRRSSDSKI QK DSLGSKQHGITLQRRSESYSEDKCDMDSTNMDS NLKPEEVVHKEKRRTKSLLEEKLV LKSKSKTQG KQVKVVETELQEGATKQATTPKPDKEKNTEEND SEKQRKSKVEDKPFEETGVEPVLETASSSAHSTQ KDSSHRAKLPLAKEKYKSDKDSTSTRLERKLSD GHKSRSLKHSSKDIKKDENKSDDKDGKEVDSS HEKARGNSSLMEKKLSRRLCENRRGSLSQEMAK GEEKLAANTLSTPSGSSLQRPKKSGDMTLIPEQEP MEIDSEPGVENVFEVSKTQDNRRNNNSHQDIDSEN

SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
				MKQKTSATVQKDELRTCTADSKATAPAYKPGR GTGVNSNSEKHADHRSTLTKKMHIQSAVSKMNP GEKEPIHRGTTEVNIDSETVHRMLLSAPSENDRV QKNLKNTAAEEHVAQGDATLEHSTNLDSSPSLSS VTVVPLRESYDPDVIPLFDKRTVLEGSTASTSPAD HSALPNQSLTVRESEVLKTSKDSKEGGEGFTVDT AKASITSKRHIPEAHQATLLDGKQGVIMPLGSK LTGVIVENENITKEGGLVDMAKKENDLNAEPNL KQTIKATVENGKKDGIADVHVGLNTEKYAETV KLKHKRSPGKVKDISIDVERRNENSEVDTSAGSG SAPSVLHQNGQTEDVATGPRRAEKTSVATSTE GKDKDVTLSPVKAGPATTTSETRQSEVALPCTS IEADEGLIIGTHSRNNPLHVGAEESECTVFAAAEE GGAVVTEGFAESETFLTSTKEGESGECVAESED RAADLLAVHAVKIEANVNSVVTEEKDDAVTSAG SEEKCDGSLSRDSEIVEGTITFISEVESDGA VTSAG TEIRAGSISSEVDGSGQGNMMRMGPKKETEGTV TCTGAEGRSDNFVICSVTGAGPREERMVTGAGV VLGDNDAPPGTSASQEGDGSVNDGTEGESAVTS TGITEDGEGPASCTGSEDSSEGFAISSESEENGESA MDSTVAKEGTNVPLVAAGPCDDEGIVTSTGAKE EDEEGEDVVTSTGRGNEIGHASTCTGLGEESEGV LICESAEGDSQIGTVVEHVEAEAGAAIMNANENN VDSMSGTEKGSKDTDICSSAKGIVESSVTSVSG KDEVTPVPGGCEGPM TSAASDQSDSQLEKVEDT TISTGLVGGSYDVLVSGEVPECEVAHTSPSEKED EDIITSVENECDGLMATTASGDITNQNSLAGGK NQGVLIISTSTTNDYTPQVSAITDVEGGLSDALR TEENMEGTRVTTEEFEPMPSAVSGDDSQLTASR SEEKDECAMISTSIGEEFELPISSATTIKCAESLQP VAAAVEERATGPVLISTADFEGPMPSAPPEAESP LASTSKEEKDECALISTSIAEECEASVSGVVVESE NERAGTVMEEKDGSIGIISTSSVEDCEGPVSSAVP QEEGDPSVTPAEEMGDTAMISTSTSEGCEAVMIG AVLQDEDRLTITRVEDLSDAAIISTSTAECMPISA SIDRHEENQLTADNPEGNGDLSATEVSKHKVPM PSLIAENNCRCPGPVRGGKEPGPVLA VSTEEGHN GPSVHKPSAGQGHPSA VCAEKEEKHGKECPEIGP FAGRGQKESTLHLINAEKKNVLLNSLQKEDKSPE TGTAGGSSTASYSAGRGLEGNANSPAHLRGPEQ TSGQTAKDSSVSSIRYLA AVNTGAIKADDMPVQ GTVAEHSFLPAEQQGS EDNLKTSTTKCITGQESKI APSHTMIPPATYSVALLAPKCEQDLTIKNDYSGK WTDQASAEKTGDDNSTRKSFPEEGDIMVTVSSE ENVCDIGNEESPLNVLGGLK LKANLKMEAYVPS EEEKNGEILAPPESLCGGKPSGIAELQREPLLNE SLNVENSGFRTNEEIHSESYNKGEISSGRKDNAE AISGHSVEADPKEVEEEERHMPKRKRKQH YLSSE DEPDDNPDVLD SRIETAQRQCPETEPHATKEENS RDLEELPKTSSETNSTTSRVMEEEKDEYSSSETTGE KPEQNDDDTIKSQE
3916	A	2	773	GPFGVLWPSAKPGPVTAVEARPPDASDPEGLRG GSPAPLLAPGPLDPSGRLHPA VSMMSYLKQPPYG MNGLGLAGPAMDLLHPSVGYPATPRKQRRERTT FTRSQLDVLEALFAKTRYPDIFMREEVALKINLPE

SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
				SRVQVWFKNRRAKCRQQQSGSGTKSRPAKKK SSPVRESSGSESSGQFTPPAVSSSSASSSSASSSSA NPAAAAAAGLVVAKLPCPLHIFSLCVFIEENRLV SGSWARDIRSVEETDKSGYR
3917	A	2	776	RNIPGRRFRPPGLRRLKGPMPREPRGYRTRVP ALRELVPSSHAGSGASEHCQNNRQGSQRHRASR NVQAGGALAPPRHLCGLCSRLHFLKPDLSVRAA PSRAGASVMALRKELLKSIWYAFTALDVEKSGK VSKSQLRVLSHNLYTVLHIPHDPVALEEHFRDDD DGPVSSQGYMPYLNKYILDKVEEGAFVKEHFDE LCWTLTAKKNYRADSNGNSMLSNQDAFRLWCL FNFLSEDKYPLIMDPDEGEYLLKRYR
3918	A	10	318	WQDLVCLGGSRAQEQKPLQQLWNAILLVAMLL CTGLVVQAQRQASRQSRELGGQVDLFKRRVV RRLASLKTRRCRLSRAAQGLPDPAETCAVCLD YFCNKQ
3919	A	1	204	RVLTAINTLKENLRKFYKGKKDKPLDLRPKKT RAMRRRLNMHEENLTKKQHRKERLYPLRKYA AKA
3920	A	1	654	RCCRSFVAPLQEKVVFGFLGAILCLSFSWLFHT VYCHSEGVSRFLSKLDYSGIALLIMGSFVPWLYY SFYCNPPQCFIYLIVICVLGIAAIIVSQWDMFATPQ YRGVRAGVFLGLGLSGIPTLHYVISEGFLKAATI GQIGWLMLMASLYITGAALYAARJPERFFPGKCD IWFHSHQLFHIFVVAGAFVHFHGVSNLQEFRMI GGGCSEEDAL
3921	A	1587	452	LERDGCGEEGGSVRSGAGPDSDPRGASSPPAG HRGTAASPRPVAAPSRTAPPHTRARASPLPSG PAWRRVQWFSRVSGQVSTLMKATVLMRQPGRV QEIVGALRKGGGDRQLQVISDFDMLSRFAYNGK RCPSSYNILDNSKIIEECKERLTALLHHYPIEID PHRTVKEKLPHMVEWWTKAHNLLCQKIQKFQI AQVVRESNAMLREGYKTFNTLYHNNIPLFIFSA GIGDILEEIRQMKVFHPNIHIVSNYMDFNEDGFL QGFKGQLIHTYNKNSSACENCYFQQLEGKTNV ILLGDSIGDLTMADGVPGVQNILKIGFLNDKVEE RRERYMDSYDIVLEKDETLDVVNGLLQHILCQG VQLEMQGP
3922	A	2	164	GKIYQRAFGGHSKFGKGVQAHGCCCVAADRTG HSILHTSYGRERPAPVHLRQDT
3923	A	2	3258	EHATHAYAKLGTRRRHREVTVFVPTWQLKKNR RVRESHFLTKLHSLKMLSITPSQLENGKKITTYD YRFMVKLAETDGIIVTNEQIHILMNSSKKLMVK DRLLPFTFAGNLFMVPDDPLGRDGPTLDEFLLKP NRLDTDIGNFLKVWKTLPSSASVTELSDDADSG PLESLPNMEEVREEKEERQDEEQRQGQGTQKAA EEDDLDSLASVFRVECPSLSEEILRCLSLHDPDP GALDIDLLPGAASPYLGIPWDGKAPCQVLAHL AQLTIPSNFTALSFFMGFMDSHRDAIPDYEALVG PLHSLKQKPDWQWDQEHEEAFLALKRALVSAL CLMAPNSQLPFRLEVTVSHVALTALHQEHSGRK HPIAYTSKPLLPDEESQGPQSGGDSFYAVAWALK HFSRCIGDTPVVDLSYASRTTADPEVREGRRVS KAWLIRWSLLVQDKGKRALELALLQGLLGENRL LTPAASMPRFFQVLPFFSDLSTFVCIHMSGYCFYR

SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
				EDEWCAGFGLYVLSPTSPPVLSFSFSCSPYTPTYA HLAAVACGLERFGQSPLPVVFLTHCNWIFSLWE LLPLWRARGFLSSDGAPLPHPSLLSYIISLTSGLSS LPFIYRTSYRGSFAVTVDTLAKQGAQGGGQWW SLPKDVPAPTVPSPHAMGKRPNLLALQLSDSTLAD IARLQAGQKLSGSSPFSSAFNSLSLDKESGLLMF KGDKKPRVWVPTQLRRDLIFSVDIPLGAHQ PEETYKKLRLLGWVPGMQEHVKDYCRSCLFCIP RNLIGSELKVIESPWPLRSTAPWSNLQIEVVG PVTISEEGHKHVLIVADPNTRWVEAFPLKPYHTA VAQVLLQHV FARWGVVVRLEAAQGPQFARHVLVS CGLALGAQVASLSRDLQFPCLTSSGAYWEFKRA LKEFIFLHGKKWAASLPLLHLAFRASSTDATPFK VLTGGESRLTEPLWVEMSSANIEGLKMDVFLQ LVGELLELHWRVADKASEKAENRRFKRESQEK EWNVGDQVLLLSLPRNGSSAKWVGPFYIGDRLSL SLYRIWGFPTPEKLGCIYPSLMKAFKSGTPLSF KVLEQ
3924	A	1	1826	MGSVTVRYFCYGCFTSATWTVLLFVYFNFSEV TQPLKNVPVKGSGPHGSPKKFYPRFTRGPSRVL EPQFKANKIDDVIDSRVEDPEEGHLKFSSELGMIF NERDQELRDLGYQKHAFNMLISDRLGYHRDVPD TRNAACKEKFYPPDLPAASVVICFYNEAFSALLR TVHSVIDRTPAHLLEHILVDDSDFDLKGELDE YVQKYLPGKIKVIRNTKREGLIRGRMIGAAHATG EVLVFLDSHCEVNVMWLQPLLAIREDRHTVGC PVIDIISADTLAYSSSPVVRGGFNWGLHFKWDLV PLSELGRAEGATAPIKSPTMAGGLFAMNRQYFH ELGQYDSGMDIWGGENLEISFRIWMCGGKLFIP CSRVGHIKRRPYGSPEGQDTMTHNSLRLAHV WLDEYKEQYFSLRPDLKTKSYGNISERVELRKKL GCKSFKWYLDNVYPEMQISGSHAKPQQPIFVNR GPKRPKVLQRGRLYHLQTNKCLVAQGRPSQKG GLVVLKACDYSNPNQIWIYNEEHVLSNLLCLD MSETRSSDPPRLMKCHGSGGSQQWTFGKNNRLY QVSVGQCLRAVDPLGQKGSVAMAICDGSSSQ WHLEG
3925	A	5386	2897	VRWNSKTECYLSIQTQENFPANLNLVNCIVISSL VTTQRKLKAMSLGSRNQLARAVLNPMPDFCT KDLLTTTSEIRLAYLRDFNEDQKKAJETAYAMVK HSPSVAKICLIHGPPGTGKSKTIVGLLYRLLTENQ RKGHSDENSNAKIKQNRVLVCAPSNAAVDELM KKIILEFKECKDKKNPLGNCGDINLVRLGPEKSI NSEVLKFSLDSQVNHMRMKKELPSHVQAMHKRK EFLDYQLDELSRQALCRGGREIQRQELDENISK VSKERQELASKIKEVQGRPQKTQSIILESHIICCT LSTSGLLLESFRGQGGVPFSCVIVDEAGQSCEI ETLTPLIHRCNKLLVGDPLQLPPTVISMKAQEY G YDQSMMARFCRLLEENVENHMISRLPILQLTVQ YRMHPDICLFPSNYVYNRNLKTNRQTEAIRCSSD WPFQPYLVFDVGDGSERRDNDYINVQEIKLVM EIKLIKDKRKDVSRNIGIITHYKAQKTMQKDL DKEFDRKGPAEVDTVDAFQGRQKDCVIVTCVRA NSIQGSIGFLASLQRLNVTITRAKYSFILGHLRTL MENQHWNQLIQDAQKRGAIKTCDKNYRHDAV

SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
				KILKLKPVLRSLTHPPTIAPEGSRPQGGLPSSKL DSGFAKTSVAASLYHTPSDSKEITLTVTSKDPERP PVHDQLQDPRLKRMGIEVKGGIFLWDPQPSSPQ HPGATPPTGEPGFPVVHQDLSHVQQPAAVVAAL SSHKPPVRGEPPAASPEASTCQSKCDDPEEELCH RREARAFSEGEQEKCGSETHHTRRNSRWKRTL EQEDSSSKRKLL
3926	A	99	284	MPREDRATWKSNYFLKIIQLDDYPKRIFIVGANN VGSKQMQQIRMSLRGKAVVLMGKNTMMR
3927	A	542	2	AHLLMLNLAL\TDLL\YLTSLPFLIHYASGENWI FGDFMCKFIRFSHFNLVSSILFLTCFSIFRYCVIIH PMSCFSIHKTRCAVVACAVVWISLVAVIPMTFLI TSTNRTNRSACLDLTSSDELNTIKWYNLILTALL CLPLVIVTLCYTTIIHTLTHGHANDSCLKQKARR LTILL
3928	A	1	1516	GEEAVGGGAEGGGFGVGAQGRAGGRGVEAGR MRLSKTLVDMDMADYSAALDPA YTTLEFENVQ VLTMGNDTSPSEGTLNAPNSLGVSALCAICGDR ATGKHYGASSCDGCKGFFRRSVRKNHMYSCRFS RQCVVDKDKRNQCRYCRLKKCFRAGMKKEAV QNERDRISTRSSYEDSSLPSINALLQAEVLSRQIT SPVSGINGDIRAKKIASIADVCEMKEQLLVLE WAKYIPGFCELPLDDQGALLRAHAGEHLLLGAT KRSMVFKDVLLLGNDYIVPRHCPELAEMSRVSIR ILDELVLFPQELQIDDNEYAYLKAIFFDPDAKGL SDPGKIKRLRSQVQVSLEDYINDRQYDSRGRFGE LLLLLPTLQSITWQMIEQIQFIKLFGBAKIDNLLQ EMLLGGSPSDAPHAHHPLHPLMQEHMGNTNVIV ANTMPTHLSNGQMCEWPRPRGQAATPETPQPSP PGASGSEPYKLLPGAVATIVKPLSAIPQPTITKQE VI
3929	A	1	2782	RVLSLESPLKDPRLVGAQSVPRGRALKGLSPLG LDSAFRLFPDPRAGPWNTAVLSSGMEPETALWG PDLOGPEQSPNDAHRGAESENEEESPRQESSGEEI IMGDPAQSPESKDSTEMSLERSSQDPSVPQNPPTP LGHSNPLDHQIPLDPPAPEVVPTPSDWTACEAS WQWGALTTWNSPPVVPANEPSLREL VQGRPAG AEKPYICNECGKSFSQWSKLLRHQRHTGERPNT CSECGKSFTQSSHLVQHQRHTTGEKPYKCPDCG KCFSSWSSNLVQHQRHTTGEKPYKCTECEKAFTQ STNLJKHQRSHTEKPYKCGECRRAFYRSSDLIQ HQATHTEKPYKCECGKRFGQNHNLKHKQKIH AGEKPYRCTECGKSFIQSSELTQHQRHTTGEKPY ECLECGKSFHSSTLIKHQRTHLREDPFKCPVCG KTFTLSATLLRHQRHTTGERPYKCECGKSFSVS SNLINHQRJHRGERPYICADCGKSFIMSSTLIRHQ RIHTGEKPYKCSDCGKSFISSHLIQHRRHTTGEK PYKCECGKSFSQSSNLITHVRTHMDENLFVCS CGKAFLEAHELEQHRVIHERGKTPARRAQGDSL LGLGDPSLLTPPPGAKPHKCLVCGKGFNDEGIFM QHQRHIGENPYKNADGLIAHAAPKPPQLRSPRL PFRGNSYPGAAEGRAEAPGQPLKPPEGQEGFSQR RGLLSSKTYICSHCGESFLDRSVLLQHQLTHGNE KPFLFPDYRIGLGEGAGPSPFLSGKPFKCPECKQS FGLSSELLHQQVHAGGKSSHKSPELGKSSSVLL

SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
				EHLRSPLGARPYRCSDCRASFLDRVALTRHQETH TQEKPPNPEDPPPEAVTLSTDQEGEGETPTPTSS SHGEGQNPCTLVEEKPYLCPECGAGFTEVAALLL HRSCHPGVSL
3930	A	513	273	KTQETHIYISEHIFPFLQGFGLNLPICMAKTDLSLS HQPDKKGVPSDFILPISDVRAISGAGFIYPLVGTG SRESPLWL
3931	A	16	305	KRRDFLSCWPAFTVLGEARGDQVDWSKLYRDT GLVKMSRKPRASSPFSNNHPSTPKRRGRGKHPLI PGPEALSKFPRQPIREKGPVKEVPGTKGSP
3932	A	16	305	KRRDFLSCWPAFTVLGEARGDQVDWSKLYRDT GLVKMSRKPRASSPFSNNHPSTPKRRGRGKHPLI PGPEALSKFPRQPIREKGPVKEVPGTKGSP
3933	A	1	1546	STHASEHWDSALQLAKHLAPDQIPFISKEYAIOLE FAGDYVNALAHYEKGITGDNKEHDEACLAGVA QMSIRMGDIRRGVNQALKHPSRVLKRDCGAILE NMKQFSEAAQLYEKGLYYDKAASVYIRSKNWA KVGDLLPHVSSPKIHLQYAKAKEADGRYKEAVV AYENAKQWQSVIRIYLDHLNNPEKAVNIVRETQ SLDGAKMVARFFLQGLDYGSAIQFLVMSKCNNE AFTLAQQHNKMEIYADIIGSEDTTNEDYQSIALY FEGEKRYLQAGKFFLLCGQYSRALKHFLKCPSS DNVAIEMAIETVGOAKDELLTNQLIDHLLGEND GMPKDAKYLFRLYMALKQYREAAQTAIHAREE QSAGNYRNAHDVLFMYAELKSQKIKIPSEMAT NLMILHSYILVKIHVKNGDHMKGARMILRVANN ISKFPISHIVPILTSTVIECHRAGLKNSAFSFAAML MRPEYRSKIDAKYKKKIEGMVRRPDISEIEEATTP CPFCKFLLPESELL
3934	A	334	1268	PTRRPILPLTSPKAISVPSPLQGGKQHTLVKSCLSVS GIGGFLVSLSSRMKLQTLAVSVTALKFWSAYVP CQTQDRDALRLTLEQIDLIRMCASYSELELVTS AKALNDTQKLACLIGVEGGHSLDNSLSILRTFYM LGVRYLTLTHTCNTPWAESSAKGVHSFYNNISGL TDFGEKVVAEMNRLGMMVDLSHVSDAVARRAL EVSQAPVIFSHSAARGVCNSARNVPDDILQLEE ERWAFVMVSLFHGELIQWQPIRPMCSTVADHFD HIKAVUGSKFIGIGGDYDGAGKYRKKTCKAPW RTSSRMSS
3935	A	1	883	HETTPAVVQSVLLERGWNKFDKQEQNAEDWNL YWRTSSFRMTEHNSVKPWQQLNHHPGTTKLTR KDCLAKHLKHMRRMYGTSLYQFIPLTFVMPNDY TKFVAEYFQERQMLGTKHSYWICKPAELSRGRG ILIFSDFKDFIFDDMYTVQKYISNPLIGRYKCDLR IYVCVTGFKPLTIYVYQGLVRFATEKFDLSNLQ NNYHLTNSSINKSGASYEKIKEVIGHGCKWTL RFFSYLRSWDVDDLLWKKIHRMVILTILAIAPS VPFAANCFELFGFDILIDDNEFHRTG
3936	A	203	441	HLAHSGLPLPKHYQYCVRYLYYQVTKDVIKEFA DDGVKYLELRSTPRRENATGMTKKTYVESILEGI KQSKQENLDIDV

TABLE 7

SEQ ID NO:	Position of end of Signal in Amino Acid Sequence	MaxS (MAXIMUM SCORE)	MeanS (Mean Score)
1	19	0.930	0.680
2	24	0.964	0.863
3	21	0.990	0.901
4	19	0.981	0.942
5	22	0.991	0.928
6	21	0.956	0.843
8	22	0.913	0.718
9	17	0.997	0.969
11	19	0.930	0.680
13	36	0.983	0.863
14	28	0.935	0.839
15	21	0.997	0.955
16	16	0.983	0.944
17	18	0.989	0.884
19	49	0.996	0.719
20	28	0.972	0.920
21	23	0.954	0.905
22	46	0.955	0.568
23	26	0.942	0.654
24	19	0.979	0.941
25	34	0.884	0.565
26	33	0.934	0.584
27	17	0.975	0.914
28	18	0.980	0.934
29	23	0.928	0.718
30	26	0.978	0.885
32	20	0.946	0.719
33	29	0.933	0.671
35	25	0.996	0.920
36	26	0.903	0.579
40	19	0.981	0.942
47	25	0.971	0.909
53	22	0.991	0.928
55	24	0.960	0.808
60	19	0.986	0.967
78	22	0.913	0.718
86	20	0.883	0.555
87	24	0.982	0.889
88	17	0.997	0.969
115	19	0.930	0.680
134	36	0.983	0.863
136	17	0.913	0.696
137	19	0.958	0.905
140	28	0.935	0.839
143	32	0.914	0.740
153	21	0.997	0.955
154	25	0.913	0.583
155	29	0.972	0.857
169	30	0.977	0.817
170	30	0.977	0.819
171	30	0.977	0.819
175	47	0.926	0.606
176	30	0.968	0.872
177	22	0.957	0.791
192	43	0.930	0.678

SEQ ID NO:	Position of end of Signal in Amino Acid Sequence	MaxS (MAXIMUM SCORE)	MeanS (Mean Score)
195	19	0.956	0.860
202	21	0.982	0.871
203	24	0.957	0.870
207	23	0.954	0.905
224	46	0.955	0.568
225	26	0.942	0.654
228	45	0.961	0.839
231	28	0.994	0.937
232	28	0.993	0.896
234	19	0.979	0.942
235	19	0.979	0.941
238	20	0.987	0.943
244	23	0.929	0.683
250	34	0.884	0.565
256	33	0.934	0.584
258	25	0.934	0.729
259	22	0.969	0.871
264	19	0.952	0.753
265	17	0.975	0.914
266	17	0.975	0.914
271	23	0.974	0.884
274	13	0.971	0.834
275	18	0.980	0.934
278	32	0.958	0.668
280	24	0.966	0.881
281	24	0.966	0.881
286	23	0.928	0.718
291	35	0.991	0.824
293	27	0.956	0.806
294	23	0.952	0.827
301	26	0.978	0.885
316	20	0.946	0.719
320	28	0.978	0.726
327	29	0.933	0.671
331	48	0.903	0.571
345	25	0.996	0.920
349	26	0.903	0.579
351	24	0.951	0.876
352	18	0.944	0.716
353	32	0.992	0.854
354	27	0.945	0.817
355	16	0.922	0.716
356	13	0.959	0.818
357	23	0.986	0.878
358	19	0.904	0.671
359	16	0.988	0.951
360	15	0.981	0.938
361	18	0.944	0.716
362	21	0.984	0.869
363	40	0.979	0.813
364	18	0.883	0.693
365	22	0.962	0.908
366	22	0.961	0.827
367	44	0.941	0.624
368	20	0.952	0.791
369	22	0.949	0.840
370	28	0.957	0.682

SEQ ID NO:	Position of end of Signal in Amino Acid Sequence	MaxS (MAXIMUM SCORE)	MeanS (Mean Score)
372	28	0.974	0.894
373	19	0.972	0.947
374	29	0.968	0.785
375	19	0.949	0.897
377	23	0.962	0.910
378	31	0.974	0.895
379	26	0.969	0.939
380	27	0.945	0.817
383	27	0.945	0.817
384	25	0.992	0.877
385	32	0.983	0.825
386	44	0.924	0.564
387	26	0.971	0.894
388	19	0.989	0.862
389	24	0.990	0.947
390	34	0.942	0.635
391	16	0.922	0.716
394	19	0.987	0.970
398	36	0.992	0.866
404	13	0.959	0.818
417	23	0.986	0.878
421	19	0.904	0.671
425	28	0.971	0.717
431	16	0.988	0.951
452	18	0.944	0.716
459	21	0.991	0.902
468	21	0.984	0.869
478	40	0.979	0.813
486	18	0.883	0.693
499	22	0.962	0.908
501	19	0.962	0.877
514	44	0.941	0.624
529	20	0.952	0.791
533	39	0.914	0.719
548	28	0.957	0.682
561	28	0.974	0.894
562	28	0.974	0.893
564	18	0.949	0.806
576	19	0.972	0.947
584	29	0.968	0.785
585	28	0.973	0.810
591	19	0.949	0.897
592	24	0.991	0.954
594	20	0.985	0.959
595	20	0.985	0.959
612	23	0.962	0.910
619	31	0.974	0.895
621	15	0.959	0.795
633	26	0.969	0.939
640	20	0.949	0.842
645	25	0.911	0.759
684	25	0.992	0.877
691	32	0.983	0.825
698	44	0.924	0.564
700	19	0.982	0.941
710	26	0.971	0.894
714	23	0.965	0.907

SEQ ID NO:	Position of end of Signal in Amino Acid Sequence	MaxS (MAXIMUM SCORE)	MeanS (Mean Score)
718	19	0.989	0.862
725	21	0.976	0.851
728	33	0.961	0.895
734	25	0.963	0.660
741	34	0.942	0.635
744	19	0.959	0.924
747	16	0.922	0.716
756	26	0.973	0.864
767	22	0.986	0.943
768	27	0.916	0.758
769	19	0.987	0.970
770	22	0.981	0.933
771	34	0.993	0.893
773	20	0.968	0.939
774	21	0.971	0.945
778	22	0.986	0.943
779	32	0.973	0.846
781	23	0.950	0.857
785	27	0.916	0.758
786	27	0.916	0.758
788	22	0.981	0.933
793	22	0.986	0.803
794	39	0.892	0.654
797	27	0.965	0.847
810	22	0.981	0.933
823	34	0.993	0.893
825	17	0.962	0.778
837	20	0.968	0.939
844	25	0.984	0.951
845	17	0.919	0.706
846	21	0.971	0.945
847	21	0.971	0.945
890	22	0.986	0.943
893	24	0.971	0.865
894	24	0.971	0.865
896	32	0.973	0.846
899	31	0.982	0.817
922	15	0.882	0.706
924	21	0.975	0.948
925	21	0.927	0.661
933	20	0.967	0.906
960	20	0.967	0.906
967	38	0.970	0.784
968	47	0.970	0.557
972	36	0.945	0.775

TABLE 8

SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
3955	A	235	1272	GPREVLAASSLADGSEEQVMAVALVRERDLSFPG VGDAVVNPTRWHLPAQPEMLYEGGEGRMETLK

SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
				DKTLQELEELQNDSEAIQDLALESPEVQDLQLERE MALATNRS LAERNLEFQGP LEISRSNLSDRYQELR KLVERCQE QKAKLEKFSSALQPGTLLDLLQVEGM KIEESEAMA EK FLEGEVPLETFLENFSSMRMLSH LRRVRVEKLQEVVRKPRASQELAGDAPPPRSPPP V/PPSPPGNTPCG*RAAAATISHASLPFALQPIQPA CGPHCPWSPATGPFPSVPALLLQRASGPHLP GSP AWTQGCCGLLLVPTEEHAAPPYGFPPPPGPAWPG Y
3956	A	821	385	SICADRTERVGIFFYIPAGTTDEADVTHP*EGHSYL SNHAGIQRSSRP/SHYQGE/WHDCNCF TADELQLLT YQLCHTYVRCTRSVSIPAPAYY AHLVAFRARYHL VDKEHDSAEGSHVSGQSNGRDPQALAKAVQIHQ DTLRTMYFA
3957	A	4621	240	ELISTFKLLLEKKRSEVMKMKKRYEVGLEKLDSA SSQVATMQMELEALHPQLKVASKEVDEMMIMIE KESVEVAKTEKIVKADETIANEQAMASKAIKDEC DADLAGALPIESALAAALDTLTAQDITVVKSMKSP PAGVKLVME AICILKGIKADKIPDPTGSGKKIEDF WGP AKRLLGDMRFLQSLHEYDKDNIPPA YMNIIR KNYIPNPDFVPEKIRNASTAAEGLCKWVIAMDSY DKVAKIVAPKKIKLAAAEGLKIAMDGLRKKQA ALKEVQDKLARLQDTLELNKQKKADLENQVDLC SKKLERA EQLIGGLGGEKTRWSHTALELGQLYIN LTGDILISSGVVAYLG AFTSTYRQNQTKEWTTLCK GRDIPCSDDCSLMGTLGEAVTIRTWNIAGLP SDFS SIDNGIIMNARRWPLMIDPQS QANKWIKNMEKA NSLYVIKLSEPDYVRTLENCIQFGTPV LLENVGEE LDPILEPLLLKQTFKQGGSTCIRLGDSTIEYAPDFR FYITTKLRNPHYLPETSVKVTLLNFMITPEGMQDQ LLGIVVAQERPDLEEEKQALILQGAENKRQLKEIE DKILEVLSSSEGNILEDETAIKILSSSKALANEISQK QEVAEETEKKIDTTRMGYRPLAIHSSILFFSLADLA NIEPMYQYSLTWFNLFILSIENSEKSEILAKRLQIL KDHFYTSLYVNVCRSLFEKDKLLFSFCLTINLLH ERAINKA EWRFLLTGGIGLDNPYANPCTWLPQKS WDEICRLDDLPAFKTIRREFMRLKDGWKKVYDSL EPHHEVFPEEWEDKANEFQRM LIIRCLRPDKVIPM LQEFIINRLGRAFI EPPFDLAKAFGDSNCCAPLIFV LSPGADPMAALLKFADDQGYGGSKLSSLSLGQGQ GPIAMKMLEKAVKEGTWVVLQNCHLATSWMPT LEKVCEELSPETHPD FRMWLTSYPSNFPVSVLQ NGVKMTNEAPKGLRANIIRSYLMDPISDPEFFGSC KKPEEFKLLYGLCFFHALVQERRKFGPLWWNIP YEFNETDLRISVQQQLHMF LNQYEELPYEALRYMT GECNYGGRVTDDWDRRTLRSILNKFFNP ELVENS DYKFDSSGIYFVPPSGDHKSYIEYTKLPLTPAPEI FGMNANADITKDQSETQLLFDNILLTQSR SAGAG AKSSDEVVNEVASDILGKLPNNFDIEAAMRRYPT TYTQSMNTVLVQEMGRFNKLLKTIRDSCVNIQKA IKGLAVMSTDLEE VVSSILNVKIPEMWMGKSYPS LKPLGSYVNDFLARLKFLQQWYEVGPPPVFWLSG FFFTQAFLTGAQQNYARKY TIPIDLLGFDYEV MED KEYKHPPEDGVFIHGLFLDGASWNRKIKKLAESH PKILYDTVPVMWLKPC KRADIPKRPSYVAPLYKT

SEQ ID NO:	Method	Predicted beginning nucleotide location corresponding to first amino acid residue of peptide sequence	Predicted end nucleotide location corresponding to last amino acid residue of peptide sequence	Amino acid sequence (A=Alanine C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
				SERRGVLSTTGHSTNFI\A\MTLPSDQPKHEHWIGR GVALLCQLNS
3958	A	35	529	GADMAKSKNHTTHNQSRKWHNRNVIKKPLSQRYK SLKGVDPKFLGNMCFKKHKKKGLKKMQADSA KAVSTCAKAIEALVKPKEVKPKIPKGVSCELN*LA YLAYPKFWTCACACIAKGLRLCQPKAKAQDQTK AQVQIKAQAAAPASVPTQAPKGAQAPTASG
3959	A	1883	763	LLVLLLRNLLIASSTRISRATLTCSPPGIPVDPRVR PRVRSHLVMYLGITTGSLHKA VVSGDSSAHLVEEI QLFPDPEPVRNLQLAPTQGA VFGVSGGVWRVPR ANCSVYESCVDCVLARDPHCAWDPESTRCCLLSA PNLNSWKQDMERGNPEWACASGPMSRSLRPQSR PQIIKEVLA VPNSILELPCPHLSALASYWWSHGPA VPEASSTVYNGSLLLIVQDGVGGGLYQCWATENG SYPVISYWVDSQDQTLALDPELAGIPREHVKVPLT RVSGGAALAAQQSYWPHFVTVTVLFAVLVSGALI ILVASPLRALRARGKVQGCETLRPGKAPLSREQH LQSPKECRTSASDVADANNCLGTEVA
3960	A	1	481	SYAAPSLFVKSLYWALAFMAVLLAVSGVVIVVLA SRAGARCQQCPPGWVLSEEHCYYFSAEAQAWEA SQAFCSAYHATLPLLSHTQDFLGRYPVSRHSWVG AWRGPOGWHWIDEAPLPQLLPEDGEDNLDINCG ALEEGTLVAANCSTPRPWVCAKGTQ

TABLE 9

SEQ ID NO:	Accession Number	Species	Description	Smith Waterman Score	% Identity
3937	Y27700	Homo sapiens	Human secreted protein encoded by gene No. 12.	193	25
3938	AF093097	Homo sapiens	putative RNA-binding protein Q99	3881	84
3939	AB012308	Anthocidaris crassispina	B2HC	4169	74
3940	U10248	Homo sapiens	ribosomal protein L29	787	95
3941	Y99418	Homo sapiens	Human PRO1317 (UNQ783) amino acid sequence SEQ ID NO:277.	4031	100
3942	AL023516	Gallus gallus	B locus C type Lectin	198	35

5

TABLE 10

SEQ ID NO:	Accession No.	Description	Results*
3937	PR00049	WILM'S TUMOUR PROTEIN SIGNATURE	PR00049D 0.00 9.168e-11 209-224
3942	BL00615	C-type lectin domain proteins.	BL00615A 16.68 6.400e-11 37-55

* Results Include in order: accession number subtype; raw score; p-value; position of signature in amino acid sequence

TABLE 11

SEQ ID NO:	PFAM Name	Description	P-Value	PFAM Score
3938	Piwi	Piwi domain	2.6e-150	512.7
3940	Ribosomal_L29e	Ribosomal L29e protein family	2.3e-19	77.8
3941	Sema	Sema domain	4e-181	615.1
3942	lectin_c	Lectin C-type domain	0.086	-7.1

5

TABLE 12

SEQ ID NO:	Position of end of Signal in Amino Acid Sequence	MaxS (Maximum Score)	Means (Mean Score)
3941	31	0.985	0.926
3942	21	0.974	0.894

TABLE 13

10

SEQ ID NO: of full length nucleotide sequence	SEQ ID NO: of full length peptide sequence	SEQ ID NO: of contig nucleotide sequence	SEQ ID NO: of contig peptide sequence	Priority Docket number corresponding SEQ ID NO: in priority application	SEQ ID NO: in USSN 09/496,914
3937	3943	3949	3955	787CIP2G_1	787_3587
3938	3944	3950	3956	787CIP2G_2	787_3813
3939	3945	3951	3957	787CIP2G_3	787_4462
3940	3946	3952	3958	787CIP2G_4	787_4887
3941	3947	3953	3959	787CIP2G_5	787_5794
3942	3948	3954	3960	787CIP2G_6	787_8743

TABLE 14

TISSUE ORIGIN	LIBRARY/ RNA SOURCE	HYSEQ LIBRARY NAME	SEQ ID NOS:
adult brain	GIBCO	ABD003	3940
adult brain	Clontech	ABR006	3940
adult brain	Invitrogen	ABR014	3940
cultured preadipocytes	Stratagene	ADP001	3937
adult heart	GIBCO	AHR001	3940
adult kidney	GIBCO	AKD001	3940
adult lung	GIBCO	ALG001	3940
young liver	GIBCO	ALV001	3940
adult ovary	Invitrogen	AOV001	3938, 3940-3941
adult spleen	GIBCO	ASP001	3940-3941
testis	GIBCO	ATS001	3940
bone marrow	Clontech	BMD001	3938, 3940
bone marrow	Clontech	BMD004	3940
adult cervix	BioChain	CVX001	3940
endothelial cells	Stratagene	EDT001	3940
fetal brain	Clontech	FBR006	3940
fetal brain	Invitrogen	FBT002	3940-3941
fetal heart	Invitrogen	FHR001	3940
fetal kidney	Clontech	FKD001	3940
fetal kidney	Clontech	FKD002	3940

TISSUE ORIGIN	LIBRARY/ RNA SOURCE	HYSEQ LIBRARY NAME	SEQ ID NOS:
fetal liver-spleen	Columbia University	FLS001	3937, 3940
fetal liver-spleen	Columbia University	FLS002	3938, 3941
fetal liver-spleen	Columbia University	FLS003	3940
fetal liver	Clontech	FLV004	3940
fetal skin	Invitrogen	FSK001	3940-3942
fetal spleen	BioChain	FSP001	3940
fetal brain	GIBCO	HFB001	3937, 3940-3941
infant brain	Columbia University	IB2002	3937, 3939, 3941
leukocyte	GIBCO	LUC001	3940-3941
leukocyte	Clontech	LUC003	3940-3941
melanoma from cell line ATCC #CRL 1424	Clontech	MEL004	3940
mammary gland	Invitrogen	MMG001	3937, 3940-3941
neuronal cells	Stratagene	NTU001	3937, 3942
prostate	Clontech	PRT001	3938
rectum	Invitrogen	REC001	3940
salivary gland	Clontech	SALs03	3941
small intestine	Clontech	SIN001	3940
skeletal muscle	Clontech	SKM001	3940
spinal cord	Clontech	SPC001	3940
thymus	Clontech	THMc02	3938
thyroid gland	Clontech	THR001	3942
uterus	Clontech	UTR001	3940

WHAT IS CLAIMED IS:

1. An isolated polynucleotide comprising a nucleotide sequence selected from the group consisting of SEQ ID NO:1-984, 1969-2952, 3937-3942 or 3949-3954, a full length protein coding portion of SEQ ID NO:1-984, 1969-2952, 3937-3942 or 3949-3954, a mature protein coding portion of SEQ ID NO: 1-984, 1969-2952, 3937-3942 or 3949-3954, an active domain coding portion of SEQ ID NO: 1-984, 1969-2952, 3937-3942 or 3949-3954, and complementary sequences thereof.
2. An isolated polynucleotide encoding a polypeptide with biological activity, wherein said polynucleotide hybridizes to the polynucleotide of claim 1 under stringent hybridization conditions.
3. An isolated polynucleotide encoding a polypeptide with biological activity, wherein said polynucleotide has greater than about 90% sequence identity with the polynucleotide of claim 1.
4. The polynucleotide of claim 1 wherein said polynucleotide is DNA.
5. An isolated polynucleotide of claim 1 wherein said polynucleotide comprises the complementary sequences.
6. A vector comprising the polynucleotide of claim 1.
7. An expression vector comprising the polynucleotide of claim 1.
8. A host cell genetically engineered to comprise the polynucleotide of claim 1.
9. A host cell genetically engineered to comprise the polynucleotide of claim 1 operatively associated with a regulatory sequence that modulates expression of the polynucleotide in the host cell.
10. An isolated polypeptide, wherein the polypeptide is selected from the group consisting of:
 - (a) a polypeptide encoded by any one of the polynucleotides of claim 1; and
 - (b) a polypeptide encoded by a polynucleotide hybridizing under stringent conditions with any one of SEQ ID NO: 1-984, 1969-2952, 3937-3942 or 3949-3954.

11. A composition comprising the polypeptide of claim 10 and a carrier.
12. An antibody directed against the polypeptide of claim 10.
13. A method for detecting the polynucleotide of claim 1 in a sample, comprising:
 - a) contacting the sample with a compound that binds to and forms a complex with the polynucleotide of claim 1 for a period sufficient to form the complex; and
 - b) detecting the complex, so that if a complex is detected, the polynucleotide of claim 1 is detected.
14. A method for detecting the polynucleotide of claim 1 in a sample, comprising:
 - a) contacting the sample under stringent hybridization conditions with nucleic acid primers that anneal to the polynucleotide of claim 1 under such conditions;
 - b) amplifying a product comprising at least a portion of the polynucleotide of claim 1; and
 - c) detecting said product and thereby the polynucleotide of claim 1 in the sample.
15. The method of claim 14, wherein the polynucleotide is an RNA molecule and the method further comprises reverse transcribing an annealed RNA molecule into a cDNA polynucleotide.
16. A method for detecting the polypeptide of claim 10 in a sample, comprising:
 - a) contacting the sample with a compound that binds to and forms a complex with the polypeptide under conditions and for a period sufficient to form the complex; and
 - b) detecting formation of the complex, so that if a complex formation is detected, the polypeptide of claim 10 is detected.
17. A method for identifying a compound that binds to the polypeptide of claim 10, comprising:
 - a) contacting the compound with the polypeptide of claim 10 under conditions sufficient to form a polypeptide/compound complex; and
 - b) detecting the complex, so that if the polypeptide/compound complex is detected, a compound that binds to the polypeptide of claim 10 is identified.

18. A method for identifying a compound that binds to the polypeptide of claim 10, comprising:

a) contacting the compound with the polypeptide of claim 10, in a cell, under conditions sufficient to form a polypeptide/compound complex, wherein the complex drives expression of a reporter gene sequence in the cell; and

b) detecting the complex by detecting reporter gene sequence expression, so that if the polypeptide/compound complex is detected, a compound that binds to the polypeptide of claim 10 is identified.

19. A method of producing the polypeptide of claim 10, comprising,

a) culturing a host cell comprising a polynucleotide sequence selected from the group consisting of SEQ ID NO: 1-984, 1969-2952, 3937-3942 or 3949-3954, a mature protein coding portion of SEQ ID NO: 1-984, 1969-2952, 3937-3942 or 3949-3954, an active domain coding portion of SEQ ID NO: 1-984, 1969-2952, 3937-3942 or 3949-3954, complementary sequences thereof and a polynucleotide sequence hybridizing under stringent conditions to SEQ ID NO: 1-984, 1969-2952, 3937-3942 or 3949-3954, under conditions sufficient to express the polypeptide in said cell; and

b) isolating the polypeptide from the cell culture or cells of step (a).

20. An isolated polypeptide comprising an amino acid sequence selected from the group consisting of any one of the polypeptides SEQ ID NO: 985-1968, 2953-3936, 3943-3948 or 3955-3960, the mature protein portion thereof, or the active domain thereof.

21. The polypeptide of claim 20 wherein the polypeptide is provided on a polypeptide array.

22. A collection of polynucleotides, wherein the collection comprising the sequence information of at least one of SEQ ID NO: 1-984, 1969-2952, 3937-3942 or 3949-3954.

23. The collection of claim 22, wherein the collection is provided on a nucleic acid array.

24. The collection of claim 23, wherein the array detects full-matches to any one of the polynucleotides in the collection.

25. The collection of claim 23, wherein the array detects mismatches to any one of the polynucleotides in the collection.

26. The collection of claim 22, wherein the collection is provided in a computer-readable format.

27. A method of treatment comprising administering to a mammalian subject in need thereof a therapeutic amount of a composition comprising a polypeptide of claim 10 or 20 and a pharmaceutically acceptable carrier.

28. A method of treatment comprising administering to a mammalian subject in need thereof a therapeutic amount of a composition comprising an antibody that specifically binds to a polypeptide of claim 10 or 20 and a pharmaceutically acceptable carrier.

SEQUENCE LISTING

<110> Hyseq, Inc.
Tang, Y. Tom et al

<120> Novel Nucleic Acids and Polypeptides

<130> 21272-029

<140> Not Yet Assigned

<141> 2001-02-05

<150> Not Yet Assigned

<151> 2001-01-30

<150> 09/728,422

<151> 2000-11-30

<150> 09/693,325

<151> 2000-10-20

<150> 09/663,561

<151> 2000-09-15

<150> 09/654,936

<151> 2000-09-01

<150> 09/620,325

<151> 2000-07-19

<150> 09/598,075

<151> 2000-06-20

<150> 09/560,875

<151> 2000-04-27

<150> 09/496,914

<151> 2000-02-03

<160> 3960

<170> Custom

<210> 1

<211> 1867

<212> DNA

<213> Homo sapiens

<220>

<221> CDS

<222> (416) .. (814)

<400> 1

taccggtccg gaattcccg gtcgaccac gcgtccggcc aaggttgcgg gtcattggagt	60
cccgaaccct cctcctgctg ttctcgggag ccgtggccct gatccagacc tgggcagatt	120
acaattacaa tcaaggcaga aatgatctca tttttacatt acaactctgg aaaaggcaat	180
agactgagat gcaagtgtgc cccaagtga tgggcagaag gagagaaggt gttttggatg	240
cattctagaa cacaggtaat ctaaggagag ttgatcaagg ccgtggaaga gtcctccagc	300

2

taggtagcct catccctgcc actgtgtttg ctccatttat gtacccatcc taccggcct 1577
 gggctgaccc atggggaagg ctggctaatt tcagtgttc tgcttggttg ttcaggcca 1637
 tttcaggttt ggggtgttttc tggggatggt aacatgggat tcaggctcaa ctcacaagaa 1697
 acttttccat ctcatgatgg gatgctgttg ggcattgtcca atgtatgact tcatgagtta 1757
 cacagggtgt aattcgtagg ggcacttggg atcacatggg tgttttttgt ccatgggtcaa 1817
 gcatttatct tatcagggtc acagtaacat gcaaaagtgc ttccacattt 1867

<210> 2
 <211> 2586
 <212> DNA
 <213> Homo sapiens

<220>
 <221> CDS
 <222> (1)..(2553)

<400> 2
 aaa gca ata agg atg ttt aag tgc tgg tca gtt gtc ttg gtt ctc gga 48
 Lys Ala Ile Arg Met Phe Lys Cys Trp Ser Val Val Leu Val Leu Gly
 1 5 10 15
 ttc att ttt ctg gag tgc gaa gga agg cca acc aaa gaa gga gga tat 96
 Phe Ile Phe Leu Glu Ser Glu Gly Arg Pro Thr Lys Glu Gly Gly Tyr
 20 25 30
 ggc ctt aaa tcc tat cag cct cta atg aga ttg cga cat aag cag gaa 144
 Gly Leu Lys Ser Tyr Gln Pro Leu Met Arg Leu Arg His Lys Gln Glu
 35 40 45
 aaa aat caa gaa agt tca aga gtc aaa gga ttt atg att cag gat ggc 192
 Lys Asn Gln Glu Ser Ser Arg Val Lys Gly Phe Met Ile Gln Asp Gly
 50 55 60
 cct ttg gga tct tgt gaa aat aag tac tgt ggt ttg gga aga cac tgt 240
 Pro Leu Gly Ser Cys Glu Asn Lys Tyr Cys Gly Leu Gly Arg His Cys
 65 70 75 80
 gtt gcc agc aga gag aca ggg caa gca gaa tgt gcc tgt atg gac ctt 288
 Val Ala Ser Arg Glu Thr Gly Gln Ala Glu Cys Ala Cys Met Asp Leu
 85 90 95
 tgc aaa cgt cac tac aga cct gtg tgt gga tct gac gga gaa ttc tat 336
 Cys Lys Arg His Tyr Arg Pro Val Cys Gly Ser Asp Gly Glu Phe Tyr
 100 105 110
 gaa aac cac tgt gaa gtg cac aga gct gct tgc ctg aaa aaa caa aag 384
 Glu Asn His Cys Glu Val His Arg Ala Ala Cys Leu Lys Lys Gln Lys
 115 120 125
 att acc att gtt cac aat gaa gac tgc ttc ttt aaa gga gat aag tgc 432
 Ile Thr Ile Val His Asn Glu Asp Cys Phe Phe Lys Gly Asp Lys Cys
 130 135 140
 aag act act gaa tac agc aag atg aaa aat atg cta tta gat tta caa 480
 Lys Thr Thr Glu Tyr Ser Lys Met Lys Asn Met Leu Leu Asp Leu Gln

145	150	155	160	
aat caa aaa tat att atg caa gaa aat gaa aat cct aat ggc gac gac				528
Asn Gln Lys Tyr Ile Met Gln Glu Asn Glu Asn Pro Asn Gly Asp Asp				
	165	170	175	
ata tct cgg aag aag cta ttg gtg gat caa atg ttt aaa tat ttt gat				576
Ile Ser Arg Lys Lys Leu Leu Val Asp Gln Met Phe Lys Tyr Phe Asp				
	180	185	190	
gca gac agt aat gga ctt gta gat att aat gaa cta act cag gtg ata				624
Ala Asp Ser Asn Gly Leu Val Asp Ile Asn Glu Leu Thr Gln Val Ile				
	195	200	205	
aaa cag gaa gaa ctt ggc aag gat ctc ttt gat tgt act ttg tat gtt				672
Lys Gln Glu Glu Leu Gly Lys Asp Leu Phe Asp Cys Thr Leu Tyr Val				
	210	215	220	
cta ttg aaa tat gat gat ttt aat gct gac aag cac ctg gct ctt gaa				720
Leu Leu Lys Tyr Asp Asp Phe Asn Ala Asp Lys His Leu Ala Leu Glu				
	225	230	235	240
gaa ttt tat aga gca ttc caa gtg atc cag ttg agt ctg cca gaa gat				768
Glu Phe Tyr Arg Ala Phe Gln Val Ile Gln Leu Ser Leu Pro Glu Asp				
	245	250	255	
cag aaa cta agc atc act gca gca act gtg gga caa agt gct gtt ctg				816
Gln Lys Leu Ser Ile Thr Ala Ala Thr Val Gly Gln Ser Ala Val Leu				
	260	265	270	
agc tgt gcc att caa gga acc ctg aga cct ccc att atc tgg aaa agg				864
Ser Cys Ala Ile Gln Gly Thr Leu Arg Pro Pro Ile Ile Trp Lys Arg				
	275	280	285	
aac aat att att cta aat aat tta gat ttg gaa gac atc aat gac ttt				912
Asn Asn Ile Ile Leu Asn Asn Leu Asp Leu Glu Asp Ile Asn Asp Phe				
	290	295	300	
gga gat gat ggg tcc ttg tat att act aag gtt acc aca act cac gtt				960
Gly Asp Asp Gly Ser Leu Tyr Ile Thr Lys Val Thr Thr His Val				
	305	310	315	320
ggc aat tac acc tgc tat gca gat ggc tat gaa caa gtc tat cag act				1008
Gly Asn Tyr Thr Cys Tyr Ala Asp Gly Tyr Glu Gln Val Tyr Gln Thr				
	325	330	335	
cac atc ttc caa gtg aat gtt cct cca gtc atc cgg gtg tat cca gag				1056
His Ile Phe Gln Val Asn Val Pro Pro Val Ile Arg Val Tyr Pro Glu				
	340	345	350	
agt cag gct aga gag cct ggg gta act gcc agt ctt agg tgc cat gca				1104
Ser Gln Ala Arg Glu Pro Gly Val Thr Ala Ser Leu Arg Cys His Ala				
	355	360	365	
gag ggc ata cca aag cct cag ctt ggc tgg ttg aag aat gga att gat				1152
Glu Gly Ile Pro Lys Pro Gln Leu Gly Trp Leu Lys Asn Gly Ile Asp				
	370	375	380	
att aca cca aag ctt tcc aaa caa ctc acg ctt caa gca aat ggc agt				1200
Ile Thr Pro Lys Leu Ser Lys Gln Leu Thr Leu Gln Ala Asn Gly Ser				
	385	390	395	400
gag gtt cac ata agc aat gtg cgc tat gaa gat act gga gca tac act				1248
Glu Val His Ile Ser Asn Val Arg Tyr Glu Asp Thr Gly Ala Tyr Thr				

405										410										415									
tgt	atc	gca	aag	aat	gaa	gca	gga	gtg	tat	gaa	gac	atc	tct	tct	ctt														
Cys	Ile	Ala	Lys	Asn	Glu	Ala	Gly	Val	Tyr	Glu	Asp	Ile	Ser	Ser	Leu														1296
			420					425					430																
ttt	gtg	gaa	gac	tct	gct	aga	aag	acc	cta	gct	aac	ata	tta	tgg	aga														1344
Phe	Val	Glu	Asp	Ser	Ala	Arg	Lys	Thr	Leu	Ala	Asn	Ile	Leu	Trp	Arg														
		435					440					445																	
gaa	gaa	ggt	ctg	gga	att	ggg	aac	atg	ttc	tat	gtt	ttt	tat	gaa	gat														1392
Glu	Glu	Gly	Leu	Gly	Ile	Gly	Asn	Met	Phe	Tyr	Val	Phe	Tyr	Glu	Asp														
		450				455					460																		
gga	atc	aaa	gtg	ata	caa	ccc	ata	gaa	tgt	gaa	ttt	cag	agg	cac	att														1440
Gly	Ile	Lys	Val	Ile	Gln	Pro	Ile	Glu	Cys	Glu	Phe	Gln	Arg	His	Ile														
465					470				475					480															
aag	cct	agt	gaa	aag	ctc	ctt	gga	ttt	cag	gat	gaa	gtc	tgt	ccc	aaa														1488
Lys	Pro	Ser	Glu	Lys	Leu	Leu	Gly	Phe	Gln	Asp	Glu	Val	Cys	Pro	Lys														
				485					490					495															
gct	gag	gga	gat	gaa	gtt	cag	agg	tgt	gtg	tgg	gca	tca	gct	gtt	aat														1536
Ala	Glu	Gly	Asp	Glu	Val	Gln	Arg	Cys	Val	Trp	Ala	Ser	Ala	Val	Asn														
			500					505					510																
gtc	aaa	gac	aag	ttc	att	tat	gtt	gca	cag	cca	act	ttg	gac	aga	gtc														1584
Val	Lys	Asp	Lys	Phe	Ile	Tyr	Val	Ala	Gln	Pro	Thr	Leu	Asp	Arg	Val														
		515					520					525																	
ctt	att	gtt	gat	gtg	cag	tcc	caa	aaa	gtt	gtt	cag	gca	gtg	agc	aca														1632
Leu	Ile	Val	Asp	Val	Gln	Ser	Gln	Lys	Val	Val	Gln	Ala	Val	Ser	Thr														
		530					535					540																	
gac	cct	gtc	cca	gtt	aaa	tta	cac	tat	gac	aaa	tca	cat	gat	cag	gtc														1680
Asp	Pro	Val	Pro	Val	Lys	Leu	His	Tyr	Asp	Lys	Ser	His	Asp	Gln	Val														
545					550				555					560															
tgg	gtg	cta	agc	tgg	ggt	acc	ttg	gag	aag	aca	tca	cca	aca	cta	cag														1728
Trp	Val	Leu	Ser	Trp	Gly	Thr	Leu	Glu	Lys	Thr	Ser	Pro	Thr	Leu	Gln														
				565				570						575															
gta	att	acc	ctg	gcc	agt	ggg	aat	gtg	cct	cac	cac	acg	atc	cac	acc														1776
Val	Ile	Thr	Leu	Ala	Ser	Gly	Asn	Val	Pro	His	His	Thr	Ile	His	Thr														
			580				585						590																
caa	cca	gtg	gga	aag	caa	ttt	gac	aga	gtg	gat	gat	ttt	ttc	att	ccc														1824
Gln	Pro	Val	Gly	Lys	Gln	Phe	Asp	Arg	Val	Asp	Asp	Phe	Phe	Ile	Pro														
		595					600					605																	
acc	aca	aca	ctc	att	atc	acc	cat	atg	agg	ttt	gga	ttt	att	ctt	cat														1872
Thr	Thr	Thr	Leu	Ile	Ile	Thr	His	Met	Arg	Phe	Gly	Phe	Ile	Leu	His														
		610					615					620																	
aaa	gat	gaa	gct	gca	cta	caa	aaa	att	gat	ctt	gaa	acc	atg	tca	tac														1920
Lys	Asp	Glu	Ala	Ala	Leu	Gln	Lys	Ile	Asp	Leu	Glu	Thr	Met	Ser	Tyr														
625					630				635					640															
atc	aag	aca	att	aac	ttg	aag	gac	tat	aag	tgc	gtt	cct	cag	tca	ttg														1968
Ile	Lys	Thr	Ile	Asn	Leu	Lys	Asp	Tyr	Lys	Cys	Val	Pro	Gln	Ser	Leu														
				645					650					655															
gca	tat	aca	cac	ttg	gga	ggc	tac	tac	ttc	att	ggc	tgc	aaa	cct	gac														2016
Ala	Tyr	Thr	His	Leu	Gly	Gly	Tyr	Tyr	Phe	Ile	Gly	Cys	Lys	Pro	Asp														

660	665	670	
agc acc gga gca gtt tcc cca cag gtc atg gtg gac ggt gta act gac Ser Thr Gly Ala Val Ser Pro Gln Val Met Val Asp Gly Val Thr Asp 675 680 685			2064
tca gtc att ggg ttc aat agt gat gtg acg ggc act cca tat gtc tct Ser Val Ile Gly Phe Asn Ser Asp Val Thr Gly Thr Pro Tyr Val Ser 690 695 700			2112
cca gat ggc cac tac ctt gtc agc att aat gat gtg aaa ggt ctt gta Pro Asp Gly His Tyr Leu Val Ser Ile Asn Asp Val Lys Gly Leu Val 705 710 715 720			2160
agg gtt cag tac att acc atc aga gga gaa ata cag gag gct ttt gat Arg Val Gln Tyr Ile Thr Ile Arg Gly Glu Ile Gln Glu Ala Phe Asp 725 730 735			2208
att tac aca aat ctg cac ata tct gat ctg gca ttt caa cca tcc ttt Ile Tyr Thr Asn Leu His Ile Ser Asp Leu Ala Phe Gln Pro Ser Phe 740 745 750			2256
act gaa gcc cac caa tat aac atc tac ggt agt tca agc aca caa act Thr Glu Ala His Gln Tyr Asn Ile Tyr Gly Ser Ser Ser Thr Gln Thr 755 760 765			2304
gat gtg ctc ttt gtg gag ctc tct tct ggg aag gtc aag atg ata aag Asp Val Leu Phe Val Glu Leu Ser Ser Gly Lys Val Lys Met Ile Lys 770 775 780			2352
agt ctc aag gaa cca ctc aag gca gaa gaa tgg cct tgg aac cgg aaa Ser Leu Lys Glu Pro Leu Lys Ala Glu Glu Trp Pro Trp Asn Arg Lys 785 790 795 800			2400
aac agg caa atc cag gac agt ggc ttg ttt ggt caa tac ctg atg aca Asn Arg Gln Ile Gln Asp Ser Gly Leu Phe Gly Gln Tyr Leu Met Thr 805 810 815			2448
cct tcc aag gac tct ctc ttc atc cta gat gga cga ctc aat aaa tta Pro Ser Lys Asp Ser Leu Phe Ile Leu Asp Gly Arg Leu Asn Lys Leu 820 825 830			2496
aac tgt gag atc act gaa gtt gaa aaa gga aat aca gtc att tgg gtt Asn Cys Glu Ile Thr Glu Val Glu Lys Gly Asn Thr Val Ile Trp Val 835 840 845			2544
gga gat gcc taaaaaccct aggggtacaat tattgaatga agg Gly Asp Ala 850			2586

<210> 3
 <211> 2856
 <212> DNA
 <213> Homo sapiens

 <220>
 <221> CDS
 <222> (182)..(2593)

 <400> 3

aaattggtat agcagtaccc agctggctag cgttttaaact taagcttggt accgagctcg 60
 gatccactag tccagtgtgg tggaattccg cggctggagg tgtgaggatc cgaaccagg 120
 ggtgggggggt ggaggcggct cctgcgatcg aaggggactt gagactcacc ggccgcacgc 180
 c atg agg gcc ctg tgg gtg ctg ggc ctc tgc tgc gtc ctg ctg acc 226
 Met Arg Ala Leu Trp Val Leu Gly Leu Cys Cys Val Leu Leu Thr
 1 5 10 15
 ttc ggg tcg gtc aga gct gac gat gaa gtt gat gtg gat ggt aca gta 274
 Phe Gly Ser Val Arg Ala Asp Asp Glu Val Asp Val Asp Gly Thr Val
 20 25 30
 gaa gag gat ctg ggt aaa agt aga gaa gga tca agg acg gat gat gaa 322
 Glu Glu Asp Leu Gly Lys Ser Arg Glu Gly Ser Arg Thr Asp Asp Glu
 35 40 45
 gta gta cag aga gag gaa gaa gct att cag ttg gat gga tta aat gca 370
 Val Val Gln Arg Glu Glu Glu Ala Ile Gln Leu Asp Gly Leu Asn Ala
 50 55 60
 tca caa ata aga gaa ctt aga gag aag tcg gaa aag ttt gcc ttc caa 418
 Ser Gln Ile Arg Glu Leu Arg Glu Lys Ser Glu Lys Phe Ala Phe Gln
 65 70 75
 gcc gaa gtt aac aga atg atg aaa ctt atc atc aat tca ttg tat aaa 466
 Ala Glu Val Asn Arg Met Met Lys Leu Ile Ile Asn Ser Leu Tyr Lys
 80 85 90 95
 aat aaa gag att ttc ctg aga gaa ctg att tca aat gct tct gat gct 514
 Asn Lys Glu Ile Phe Leu Arg Glu Leu Ile Ser Asn Ala Ser Asp Ala
 100 105 110
 tta gat aag ata agg cta ata tca ctg act gat gaa aat gct ctt tct 562
 Leu Asp Lys Ile Arg Leu Ile Ser Leu Thr Asp Glu Asn Ala Leu Ser
 115 120 125
 gga aat gag gaa cta aca gtc aaa att aag tgt gat aag gag aag aac 610
 Gly Asn Glu Glu Leu Thr Val Lys Ile Lys Cys Asp Lys Glu Lys Asn
 130 135 140
 ctg ctg cat gtc aca gac acc ggt gta gga atg acc aga gaa gag ttg 658
 Leu Leu His Val Thr Asp Thr Gly Val Gly Met Thr Arg Glu Glu Leu
 145 150 155
 gtt aaa aac ctt ggt acc ata gcc aaa tct ggg aca agc gag ttt tta 706
 Val Lys Asn Leu Gly Thr Ile Ala Lys Ser Gly Thr Ser Glu Phe Leu
 160 165 170 175
 aac aaa atg act gaa gca cag gaa gat ggc cag tca act tct gaa ttg 754
 Asn Lys Met Thr Glu Ala Gln Glu Asp Gly Gln Ser Thr Ser Glu Leu
 180 185 190
 att ggc cag ttt ggt gtc ggt ttc tat tcc gcc ttc ctt gta gca gat 802
 Ile Gly Gln Phe Gly Val Gly Phe Tyr Ser Ala Phe Leu Val Ala Asp
 195 200 205
 aag gtt att gtc act tca aaa cac aac aac gat acc cag cac atc tgg 850
 Lys Val Ile Val Thr Ser Lys His Asn Asn Asp Thr Gln His Ile Trp
 210 215 220
 gag tct gac tcc aat gaa ttt tct gta att gct gac cca aga gga aac 898
 Glu Ser Asp Ser Asn Glu Phe Ser Val Ile Ala Asp Pro Arg Gly Asn

225	230	235	
act cta gga cgg gga acg aca att acc ctt gtc tta aaa gaa gaa gca Thr Leu Gly Arg Gly Thr Thr Ile Thr Leu Val Leu Lys Glu Glu Ala 240 245 250 255			946
tct gat tac ctt gaa ttg gat aca att aaa aat ctc gtc aaa aaa tat Ser Asp Tyr Leu Glu Leu Asp Thr Ile Lys Asn Leu Val Lys Lys Tyr 260 265 270			994
tca cag ttc ata aac ttt cct att tat gta tgg agc agc aag act gaa Ser Gln Phe Ile Asn Phe Pro Ile Tyr Val Trp Ser Ser Lys Thr Glu 275 280 285			1042
act gtt gag gag ccc atg gag gaa gaa gaa gca gcc aaa gaa gag aaa Thr Val Glu Glu Pro Met Glu Glu Glu Glu Ala Ala Lys Glu Glu Lys 290 295 300			1090
gaa gaa tct gat gat gaa gct gca gta gag gaa gaa gaa gaa gaa aag Glu Glu Ser Asp Asp Glu Ala Ala Val Glu Glu Glu Glu Glu Glu Lys 305 310 315			1138
aaa cca aag act aaa aaa gtt gaa aaa act gtc tgg gac tgg gaa ctt Lys Pro Lys Thr Lys Lys Val Glu Lys Thr Val Trp Asp Trp Glu Leu 320 325 330 335			1186
atg aat gat atc aaa cca ata tgg cag aga cca tca aaa gaa gta gaa Met Asn Asp Ile Lys Pro Ile Trp Gln Arg Pro Ser Lys Glu Val Glu 340 345 350			1234
gaa gat gaa tac aaa gct ttc tac aaa tca ttt tca aag gaa agt gat Glu Asp Glu Tyr Lys Ala Phe Tyr Lys Ser Phe Ser Lys Glu Ser Asp 355 360 365			1282
gac ccc atg gct tat att cac ttt act gct gaa ggg gaa gtt acc ttc Asp Pro Met Ala Tyr Ile His Phe Thr Ala Glu Gly Glu Val Thr Phe 370 375 380			1330
aaa tca att tta ttt gta ccc aca tct gct cca cgt ggt ctg ttt gac Lys Ser Ile Leu Phe Val Pro Thr Ser Ala Pro Arg Gly Leu Phe Asp 385 390 395			1378
gaa tat gga tct aaa aag agc gat tac att aag ctc tat gtg cgc cgt Glu Tyr Gly Ser Lys Lys Ser Asp Tyr Ile Lys Leu Tyr Val Arg Arg 400 405 410 415			1426
gta ttc atc aca gac gac ttc cat gat atg atg cct aaa tac ctc aat Val Phe Ile Thr Asp Asp Phe His Asp Met Met Pro Lys Tyr Leu Asn 420 425 430			1474
ttt gtc aag ggt gtg gtg gac tca gat gat ctc ccc ttg aat gtt tcc Phe Val Lys Gly Val Val Asp Ser Asp Asp Leu Pro Leu Asn Val Ser 435 440 445			1522
cgc gag act ctt cag caa cat aaa ctg ctt aag gtg att agg aag aag Arg Glu Thr Leu Gln Gln His Lys Leu Leu Lys Val Ile Arg Lys Lys 450 455 460			1570
ctt gtt cgt aaa acg ctg gac atg atc aag aag att gct gat gat aaa Leu Val Arg Lys Thr Leu Asp Met Ile Lys Lys Ile Ala Asp Asp Lys 465 470 475			1618
tac aat gat act ttt tgg aaa gaa ttt ggt acc aac atc aag ctt ggt Tyr Asn Asp Thr Phe Trp Lys Glu Phe Gly Thr Asn Ile Lys Leu Gly 1666			

480	485	490	495	
gtg att gaa gac cac tcg aat cga aca cgt ctt gct aaa ctt ctt agg				1714
Val Ile Glu Asp His Ser Asn Arg Thr Arg Leu Ala Lys Leu Leu Arg				
	500	505	510	
ttc cag tct tct cat cat cca act gac att act agc cta gac cag tat				1762
Phe Gln Ser Ser His His Pro Thr Asp Ile Thr Ser Leu Asp Gln Tyr				
	515	520	525	
gtg gaa aga atg aag gaa aaa caa gac aaa atc tac ttc atg gct ggg				1810
Val Glu Arg Met Lys Glu Lys Gln Asp Lys Ile Tyr Phe Met Ala Gly				
	530	535	540	
tcc agc aga aaa gag gct gaa tct tct cca ttt gtt gag cga ctt ctg				1858
Ser Ser Arg Lys Glu Ala Glu Ser Ser Pro Phe Val Glu Arg Leu Leu				
	545	550	555	
aaa aag ggc tat gaa gtt att tac ctc aca gaa cct gtg gat gaa tac				1906
Lys Lys Gly Tyr Glu Val Ile Tyr Leu Thr Glu Pro Val Asp Glu Tyr				
	560	565	570	575
tgt att cag gcc ctt ccc gaa ttt gat ggg aag agg ttc cag aat gtt				1954
Cys Ile Gln Ala Leu Pro Glu Phe Asp Gly Lys Arg Phe Gln Asn Val				
	580	585	590	
gcc aag gaa gga gtg aag ttc gat gaa agt gag aaa act aag gag agt				2002
Ala Lys Glu Gly Val Lys Phe Asp Glu Ser Glu Lys Thr Lys Glu Ser				
	595	600	605	
cgt gaa gca gtt gag aaa gaa ttt gag cct ctg ctg aat tgg atg aaa				2050
Arg Glu Ala Val Glu Lys Glu Phe Glu Pro Leu Leu Asn Trp Met Lys				
	610	615	620	
gat aaa gcc ctt aag gac aag att gaa aag gct gtg gtg tct cag cgc				2098
Asp Lys Ala Leu Lys Asp Lys Ile Glu Lys Ala Val Val Ser Gln Arg				
	625	630	635	
ctg aca gaa tct ccg tgt gct ttg gtg gcc agc cag tac gga tgg tct				2146
Leu Thr Glu Ser Pro Cys Ala Leu Val Ala Ser Gln Tyr Gly Trp Ser				
	640	645	650	655
ggc aac atg gag aga atc atg aaa gca caa gcg tac caa acg ggc aag				2194
Gly Asn Met Glu Arg Ile Met Lys Ala Gln Ala Tyr Gln Thr Gly Lys				
	660	665	670	
gac atc tct aca aat tac tat gcg agt cag aag aaa aca ttt gaa att				2242
Asp Ile Ser Thr Asn Tyr Tyr Ala Ser Gln Lys Lys Thr Phe Glu Ile				
	675	680	685	
aat ccc aga cac ccg ctg atc aga gac atg ctt cga cga att aag gaa				2290
Asn Pro Arg His Pro Leu Ile Arg Asp Met Leu Arg Arg Ile Lys Glu				
	690	695	700	
gat gaa gat gat aaa aca gtt ttg gat ctt gct gtg gtt ttg ttt gaa				2338
Asp Glu Asp Asp Lys Thr Val Leu Asp Leu Ala Val Val Leu Phe Glu				
	705	710	715	
aca gca acg ctt ccg tca ggg tat ctt tta cca gac act aaa gca tat				2386
Thr Ala Thr Leu Arg Ser Gly Tyr Leu Leu Pro Asp Thr Lys Ala Tyr				
	720	725	730	735
gga gat aga ata gaa aga atg ctt cgc ctc agt ttg aac att gac cct				2434
Gly Asp Arg Ile Glu Arg Met Leu Arg Leu Ser Leu Asn Ile Asp Pro				

	740	745	750	
gat gca aag gtg gaa gaa gag cct gaa gaa gaa cct gaa gag aca gca				2482
Asp Ala Lys Val Glu Glu Glu Pro Glu Glu Glu Pro Glu Glu Thr Ala				
	755	760	765	
gaa gac aca aca gaa gac aca gag caa gac gaa gat gaa gaa atg gat				2530
Glu Asp Thr Thr Glu Asp Thr Glu Gln Asp Glu Asp Glu Glu Met Asp				
	770	775	780	
gtg gga aca gat gaa gaa gaa gaa aca gca aag gaa tct aca gct gaa				2578
Val Gly Thr Asp Glu Glu Glu Glu Thr Ala Lys Glu Ser Thr Ala Glu				
	785	790	795	
aaa gat gaa ttg taa attatactct caccatttgg atcctgtgtg gagagggaat				2633
Lys Asp Glu Leu *				
800				
gtgaaattta catcatttct ttttgggaga gacttgtttt ggatgcccc taatcccctt				2693
ctcccctgca ctgtaaaatg tgggattatg ggacacagga aaaagtgggt tttttagttg				2753
aatttttttt aacattcctc atgaatgtaa atttgtacta ttttaactgac tattcttgat				2813
gtaaaatctt gtcattgtga taaaaataaa aaagatccca aat				2856

<210> 4
 <211> 415
 <212> DNA
 <213> Homo sapiens

<220>
 <221> CDS
 <222> (1) .. (249)

ttg cgg aat tcg gca cga ggc cga cta caa cag att gga gcc atg gct	48
Leu Arg Asn Ser Ala Arg Gly Arg Leu Gln Gln Ile Gly Ala Met Ala	
1 5 10 15	
ttg gaa cag aac cag tca aca gat tat tat tat gag gaa aat gaa atg	96
Leu Glu Gln Asn Gln Ser Thr Asp Tyr Tyr Tyr Glu Glu Asn Glu Met	
20 25 30	
aat ggc act tat gac tac agt caa tat gaa ctg atc tgt atc aaa gaa	144
Asn Gly Thr Tyr Asp Tyr Ser Gln Tyr Glu Leu Ile Cys Ile Lys Glu	
35 40 45	
gat gtc aga gaa ttt gca aaa gtt ttc ctc cct gta ttc ctc aca ata	192
Asp Val Arg Glu Phe Ala Lys Val Phe Leu Pro Val Phe Leu Thr Ile	
50 55 60	
gtt ttc gtc att gga ctt gca ggc aat tcc atg gta gtg gca att tat	240
Val Phe Val Ile Gly Leu Ala Gly Asn Ser Met Val Val Ala Ile Tyr	
65 70 75 80	
gcc aaa cat taaaata tctcgacccc taaaagttct gctcacagtc gttatagttt	296
Ala Lys His	
tcattgtcac tcaactgcct tataacattg tcaagttctg ccgagccata gacatcatct	356

actccctgat caccagctgc aacatgagca aacgcatgga catcgccatc caagtcaca 415

<210> 5
 <211> 3190
 <212> DNA
 <213> Homo sapiens

<220>
 <221> CDS
 <222> (653) .. (1072)

<400> 5
 tccttgaccg gtccggaatt cccgggtcga cgatttcgtg gcggtagctg ctttccccac 60
 aaacccaaac tacatcccca aggtcagggc caggctctgt tgagtaatgc tccccatcac 120
 agcacgcagc acaaggctgg ctgtttgaca aatacacaca taaccaaag acatgtgaat 180
 gtggttttccc aactcacttt aaacaaatat tccgggacca acttcaagga cgttctacaa 240
 cagaaactgg actgtactct tcacaaacat caatgtcatg aaagacagaa aggctgagga 300
 cctgctccaa acgaaaggag gctgcagaga ggacaactaa aggcagcgct tgatcctgga 360
 ttggatcctg gaccagaaaa acaacggctt tcaaaatcat tattgggaca gttggcaaatt 420
 ttgaaacagg aactacaaat tagcaactcc tgggctgata agagaatatt acacatttcc 480
 tgaatttgag aactgtacca tgggcatgtg agaggctgtc cctgttcttg ggaaatgttc 540
 actaaaacat cttacggata aacgagcatg atgtatacaa ataatcctca aatggttcat 600
 ggttcagaga ggataggaag aaacaggggt gagggagaag aggagggaac ga atg 655
 Met
 1
 aaa gag aaa atg tgg caa aat gtt ctt tgt tgt acc ctt caa act gct 703
 Lys Glu Lys Met Trp Gln Asn Val Leu Cys Cys Thr Leu Gln Thr Ala
 5 10 15
 gtg att ttg aaa tta ttt caa aat aaa gtt tta aat att tta aaa aat 751
 Val Ile Leu Lys Leu Phe Gln Asn Lys Val Leu Asn Ile Leu Lys Asn
 20 25 30
 ttt ttt ctt tct ccc ctt gat acc agg aag aat aaa gtt ttt aaa aaa 799
 Phe Phe Leu Ser Pro Leu Asp Thr Arg Lys Asn Lys Val Phe Lys Lys
 35 40 45
 tgg gca ggt ggg cca ggc gcg gtg gct cac gcc tgt aat ccc agc act 847
 Trp Ala Gly Gly Pro Gly Ala Val Ala His Ala Cys Asn Pro Ser Thr
 50 55 60 65
 ttg gga ggc cga ggc ggg cgg atc aca aag tca gga gat cga gac cat 895
 Leu Gly Gly Arg Gly Gly Arg Ile Thr Lys Ser Gly Asp Arg Asp His
 70 75 80
 cct ggc caa cac ggt gaa acc cgg tct cta cta aaa gta caa aaa att 943
 Pro Gly Gln His Gly Glu Thr Arg Ser Leu Leu Lys Val Gln Lys Ile
 85 90 95

```

agc cag gtg tgg tgg cag atg act gta ggc caa gct aat tgg gag gct      991
Ser Gln Val Trp Trp Gln Met Thr Val Gly Gln Ala Asn Trp Glu Ala
      100                      105                      110

gag gca gga gaa tgg tgc gaa ccc ggg gag ggc aga gct tgc agt gag      1039
Glu Ala Gly Glu Trp Cys Glu Pro Gly Glu Gly Arg Ala Cys Ser Glu
      115                      120                      125

cca aga tca ccc act gca ctc cag act ggg taa cagagcaa gactcgggtct      1090
Pro Arg Ser Pro Thr Ala Leu Gln Thr Gly *
      130                      135                      140

caaaaaaaaaat aataagttac atttaaattgt catatacata tttaagaaaa aaaaaaccaa      1150

gtactttctca tttaagacag agtagaaatt atttaaaatt aggagttgggt gtaaaggatg      1210

agctacatat tcaagtcaaa ttatagtaag tattcactat tccactacca aagtaggtca      1270

attatactaa agagaagaaa tctatgtgaa ttgaggcatt ttctcacttt gatatatgtg      1330

aataaatttc aggttgtcta aattcctagg gttatatagt tagaaatata taattctctt      1390

atagacaggt caactagggg aaataagtta gcacaatcat ttgaattgggt tgtctacata      1450

ctgggcaggg cttattcctt ttcttttagct tctttgcaca tgtaaagcag gccataagat      1510

gtcctgtttt gccatggaca atgcaaccat ttttaggtcg accttgacaa atcacacaag      1570

gttcaatggc attaaggggc aaactagatt ccacactctc ttctttgtct tgggtttctt      1630

ccctttcaaa ctctttcaca tcttcttggc tgctataaat aatgctacta gaagttgatg      1690

gctgagaata gtcttcactt tcttgtgatt gtgaagcttg tgtaatttta tcatcatttt      1750

cctcaacaca tgactctctg gaatcattca ctatagtttt ttacaatca ggaacatcaa      1810

agccctcttc agcttgtgtt gagttttcca gtttggcttt ctacagagatt tcccctttat      1870

ctttcccttt atcttcagga agccaattct cacgaagggc ccaacatctg ttgcaatgtg      1930

atggaagggg gggattcatt tcattgcatg aagtgcattt ccaatagtca gctaaggaaa      1990

tttcaggatc ttcttcaaat gaatctgtat cactctcccc tgctgatac acagtaactt      2050

gatatacctc atcatcttca tctgagagtt cttgtccttc ttactaagg ctataatctt      2110

ctgagtcgag agattcaact tcaaattcta cactaaactg atctgaaact gaatcctgat      2170

ccaaccaatc acctgaatgt tcacttacac cagcatcaag atccggattc gatggcgtcc      2230

ctgtagattc actgctactg cttctttcac aacatatctc ccttattaca cacagagcca      2290

ggctttcatc aaaggaaagg gaaatactat cagatttgtg gcgttttctt tgtcgttcac      2350

cagataattc atctgaattt tcttctgtct cactaattgc tctccttcta gatgaggtag      2410

atggtctaga aaccaaattg gaagatgaag gtttctcttc ctgaagctct tgtacaaggt      2470

ccttttgatc actcccacct tcaaggtgac acctgttctc actcacagat gtacctgagt      2530

ccgatgattc ctgctgattg actactacca agttcctgta gatcatggta tatattttcc      2590

tgtgctcttt cacagagaag ctgggcacgc caaacaatc tcctagaaga tcatttgaac      2650

```

aatatacaat atgttggtgc ttctcatcat ataatcgttt agtcataata tactggccaa 2710
 gataaaaaag aacctctttc atagtataag tgtctttttg tgcaccaaca gactttaata 2770
 acttcaaaag caatggcttt ggtetaacca gggctctctg ttccgaagct ggaatctgtg 2830
 aggtgggttac agcaccatca gtaggtacag acatgttggt attgcacatt tgcctgctcc 2890
 tcaccatccg gggttttcgc gcttggagtc ggggggtccct caagactccc cagtttcctt 2950
 cacggggact gactactgcg gaagcacgac gccctggggc tcgggggatca ttccactctc 3010
 cggggccaggg cactgggctc tcgtacgcac taatccgggg agggacgggtg ctccctggctg 3070
 cgaaagcagc aggatctcgg tcagaggggt cgcgggccgc cctcgggctc ggcttcttgc 3130
 tccatctttc cgacacacag ggccacacag gcccagaag cagccaagct cgcgcggtgc 3190

<210> 6
 <211> 1343
 <212> DNA
 <213> Homo sapiens

<220>
 <221> CDS
 <222> (291) .. (1109)

<400> 6
 gcggccgccc eggcggctcc tggaaccccg gttegcggcg atgccagcca cccagcgaa 60
 gccgccgcag ttcagtgtt ggataatttg aaagtacaat agttggtttc cctgtccacc 120
 cgccccactt cgcttgccat cacagcacgc ctatcggatg tgagaggaga agtcccgtg 180
 ctcgggcact gtctatatac gcctaacacc tacatatatt ttaaaaacat taaatataat 240
 taacaatcaa aagaaagagg agaaaggaag ggaagcatta ctgggttact atg cac 296
 Met His
 1
 ttg cga ctg att tct tgg ctt ttt atc att ttg aac ttt atg gaa tac 344
 Leu Arg Leu Ile Ser Trp Leu Phe Ile Ile Leu Asn Phe Met Glu Tyr
 5 10 15
 atc ggc agc caa aac gcc tcc cgg gga agg cgc cag cga aga atg cat 392
 Ile Gly Ser Gln Asn Ala Ser Arg Gly Arg Arg Gln Arg Arg Met His
 20 25 30
 cct aac gtt agt caa ggc tgc caa gga ggc tgt gca aca tgc tca gat 440
 Pro Asn Val Ser Gln Gly Cys Gln Gly Gly Cys Ala Thr Cys Ser Asp
 35 40 45 50
 tac aat gga tgt ttg tca tgt aag ccc aga cta ttt ttt gct ctg gaa 488
 Tyr Asn Gly Cys Leu Ser Cys Lys Pro Arg Leu Phe Phe Ala Leu Glu
 55 60 65
 aga att ggc atg aag cag att gga gta tgt ctc tct tca tgt cca agt 536
 Arg Ile Gly Met Lys Gln Ile Gly Val Cys Leu Ser Ser Cys Pro Ser
 70 75 80
 gga tat tat gga act cga tat cca gat ata aat aag tgt aca aaa tgc 584

Gly	Tyr	Tyr	Gly	Thr	Arg	Tyr	Pro	Asp	Ile	Asn	Lys	Cys	Thr	Lys	Cys	
		85					90					95				
aaa gct gac tgt gat acc tgt ttc aac aaa aat ttc tgc aca aaa tgt																632
Lys Ala Asp Cys Asp Thr Cys Phe Asn Lys Asn Phe Cys Thr Lys Cys																
100							105					110				
aaa agt gga ttt tac tta cac ctt gga aag tgc ctt gac aat tgc cca																680
Lys Ser Gly Phe Tyr Leu His Leu Gly Lys Cys Leu Asp Asn Cys Pro																
115						120					125				130	
gaa ggg ttg gaa gcc aac aac cat act atg gag tgt gtc agt att gtg																728
Glu Gly Leu Glu Ala Asn Asn His Thr Met Glu Cys Val Ser Ile Val																
					135					140					145	
cac tgt gag gtc agt gaa tgg aat cct tgg agt cca tgc acg aag aag																776
His Cys Glu Val Ser Glu Trp Asn Pro Trp Ser Pro Cys Thr Lys Lys																
					150				155						160	
gga aaa aca tgt ggc ttc aaa aga ggg act gaa aca cgg gtc cga gaa																824
Gly Lys Thr Cys Gly Phe Lys Arg Gly Thr Glu Thr Arg Val Arg Glu																
							170								175	
ata ata cag cat cct tca gca aag ggt aac cta tgt ccc cca aca aat																872
Ile Ile Gln His Pro Ser Ala Lys Gly Asn Leu Cys Pro Pro Thr Asn																
							185								190	
gag aca aga aag tgt aca gtg caa agg aag aag tgt cag aag gga gaa																920
Glu Thr Arg Lys Cys Thr Val Gln Arg Lys Lys Cys Gln Lys Gly Glu																
195							200								210	
cga gga aaa aaa gga agg gag agg aaa aga aaa aaa cct aat aaa gga																968
Arg Gly Lys Lys Gly Arg Glu Arg Lys Arg Lys Lys Pro Asn Lys Gly																
							215								225	
gaa agt aaa gaa gca ata cct gac agc aaa agt ctg gaa tcc agc aaa																1016
Glu Ser Lys Glu Ala Ile Pro Asp Ser Lys Ser Leu Glu Ser Ser Lys																
							230								240	
gaa atc cca gag caa cga gaa aac aaa cag cag cag aag aag cga aaa																1064
Glu Ile Pro Glu Gln Arg Glu Asn Lys Gln Gln Gln Lys Lys Arg Lys																
							245								255	
gtc caa gat aaa cag aaa tcg gta tca gtc agc act gta cac tag agg																1112
Val Gln Asp Lys Gln Lys Ser Val Ser Val Ser Thr Val His *																
							260								270	
gttccatgag attattgtag actcatgatg ctgctatctc aaccagatgc ccaggacagg																1172
tgctctagcc attaggacca caaatggaca tgctcagttat tgctctgtct aaacaacatt																1232
cccagtagtt gctatattct tcatacaagc atagttaaca acaaagagcc aaaagatcaa																1292
agaagggata ctttcagatg gttgtcttgt gtgcttctct gcatttttaa a																1343

<210> 7
 <211> 973
 <212> DNA
 <213> Homo sapiens
 <220>

<221> CDS

<222> (1) .. (795)

<400> 7

atg gat cca acc atc tca acc ttg gac aca gaa ctg aca cca atc aac	48
Met Asp Pro Thr Ile Ser Thr Leu Asp Thr Glu Leu Thr Pro Ile Asn	
1 5 10 15	
gga act gag gag act ctt tgc tac aag cag acc ttg agc ctc acg gtg	96
Gly Thr Glu Glu Thr Leu Cys Tyr Lys Gln Thr Leu Ser Leu Thr Val	
20 25 30	
ctg acg tgc atc gtt tcc ctt gtc ggg ctg aca gga aac gca gtt gtg	144
Leu Thr Cys Ile Val Ser Leu Val Gly Leu Thr Gly Asn Ala Val Val	
35 40 45	
ctc tgg ctc ctg ggc tgc cgc atg cgc agg aac gcc ttc tcc atc tac	192
Leu Trp Leu Leu Gly Cys Arg Met Arg Arg Asn Ala Phe Ser Ile Tyr	
50 55 60	
atc ctc aac ttg gcc gca gca gac ttc ctc ttc ctc agc ggc cgc ctt	240
Ile Leu Asn Leu Ala Ala Ala Asp Phe Leu Phe Leu Ser Gly Arg Leu	
65 70 75 80	
ata tat tcc ctg tta agc ttc atc agt atc ccc cat acc atc tct aaa	288
Ile Tyr Ser Leu Leu Ser Phe Ile Ser Ile Pro His Thr Ile Ser Lys	
85 90 95	
atc ctc tat cct gtg atg atg ttt tcc tac ttt gca ggc ctg agc atg	336
Ile Leu Tyr Pro Val Met Met Phe Ser Tyr Phe Ala Gly Leu Ser Met	
100 105 110	
ctg agc acc atc agc acc gag cac cgc ctg tcc gtc ctg tgg ccc atc	384
Leu Ser Thr Ile Ser Thr Glu His Arg Leu Ser Val Leu Trp Pro Ile	
115 120 125	
tgg tac tgc tgc cac tgc ccc aca cac ctg tca gcg gtc atg tgt gtc	432
Trp Tyr Cys Cys His Cys Pro Thr His Leu Ser Ala Val Met Cys Val	
130 135 140	
ctg ctc tgg gcc ctg tcc ctg ttg cag agc atc ctg gag tgg atg ttc	480
Leu Leu Trp Ala Leu Ser Leu Leu Gln Ser Ile Leu Glu Trp Met Phe	
145 150 155 160	
tgt agc ttc ctg ttt agt gat gtt gac tct gat aat tgg tgt caa ata	528
Cys Ser Phe Leu Phe Ser Asp Val Asp Ser Asp Asn Trp Cys Gln Ile	
165 170 175	
tta gat ttc ctc aca gtc gcg tgg ctg att ttt tta atc tgt ggt tct	576
Leu Asp Phe Leu Thr Val Ala Trp Leu Ile Phe Leu Ile Cys Gly Ser	
180 185 190	
ctg tgg gtt cac cct ggt cct gct gat cag gat cat atg tgg atc ccg	624
Leu Trp Val His Pro Gly Pro Ala Asp Gln Asp His Met Trp Ile Pro	
195 200 205	
gaa gat acc gct gac cag gct gta tgt gac cat cct gct cac agg gct	672
Glu Asp Thr Ala Asp Gln Ala Val Cys Asp His Pro Ala His Arg Ala	
210 215 220	
ggt ctt cct cct ctg tgg cct gcc cct cag cat tca gtt ttt cct att	720
Gly Leu Pro Pro Leu Trp Pro Ala Pro Gln His Ser Val Phe Pro Ile	
225 230 235 240	

ata ctg gat cca cgt gga cag gga agt ctt att ttg tca tgt tca tct 768
 Ile Leu Asp Pro Arg Gly Gln Gly Ser Leu Ile Leu Ser Cys Ser Ser
 245 250 255

agt ttc tat ttt cct gtc cgc tct taa cagca gtgccaaccc catcatttac 820
 Ser Phe Tyr Phe Pro Val Arg Ser *
 260 265

ttcttcgtgg gctccttttag gcagcgtcaa aataggcaga acctgaagct gggttctccag 880

agggctctgc aggacgcgtc tgaggtggat gaaggtggag ggcagcttcc tgaggaaatc 940

ctggagctgt cgggaagcag attggagcag tga 973

<210> 8
 <211> 639
 <212> DNA
 <213> Homo sapiens

<220>
 <221> CDS
 <222> (217) .. (453)

<400> 8
 atttggccct cgaggccaag aattcggcac gaggcgcttt tgcaaagccg cggaggtgaa 60
 gtgaacttag aggttgtggg gccgaggggt cgtcttatag ctaccagccc acaggcattt 120
 agtctacgtt ggaggtaaac aaatacgggt cctgcttagg agaaaagaaa aacgtcttac 180
 agccagtgtc taaactccaa acaacggaat gtatca atg aga cct tgt ata tgg 234
 Met Arg Pro Cys Ile Trp
 1 5

ata cac gtg cat tta aaa ccg ccc tgc cgg ctt gta gag ctt ttg ccg 282
 Ile His Val His Leu Lys Pro Pro Cys Arg Leu Val Glu Leu Leu Pro
 10 15 20

ttc tcc agc gct tta cag ggg tta tgc cac tta agc ctc gga aca act 330
 Phe Ser Ser Ala Leu Gln Gly Leu Ser His Leu Ser Leu Gly Thr Thr
 25 30 35

tta cca gtg att cta cca gaa agg aat gaa gaa cag aac ctt cag gaa 378
 Leu Pro Val Ile Leu Pro Glu Arg Asn Glu Glu Gln Asn Leu Gln Glu
 40 45 50

ttg agt cac aat gca gac aaa tat caa atg gga gat tgt tgc aag gaa 426
 Leu Ser His Asn Ala Asp Lys Tyr Gln Met Gly Asp Cys Cys Lys Glu
 55 60 65 70

gag att gat gat agt att ttc tac tag ccatt gggaagataa aaggagacag 478
 Glu Ile Asp Asp Ser Ile Phe Tyr *
 75

aagattgaag cctttgccag ccattctttc cctttttgct tccaaactcc tcaactggga 538

accttcatat gtgcagtatt tatattggat catactggtg attataaaag ttcctaggag 598

gctagaagag ccaaccaaca gagaagggaa agcagtcctgt t 639

cct cca cag cca cca cct cct cct tcg gta cca caa act gtg att cca	850
Pro Pro Gln Pro Pro Pro Pro Pro Ser Val Pro Gln Thr Val Ile Pro	
130 135 140 145	
aag aag act ggc tca cct gaa att aaa cta aaa ata acc aaa act atc	898
Lys Lys Thr Gly Ser Pro Glu Ile Lys Leu Lys Ile Thr Lys Thr Ile	
150 155 160	
cag aat ggc agg gaa ttg ttt gag tct tcc ctt tgt gga gac ctt tta	946
Gln Asn Gly Arg Glu Leu Phe Glu Ser Ser Leu Cys Gly Asp Leu Leu	
165 170 175	
aat gaa gta cag gca agt gag cac acg aaa tca aag cat gaa agc aga	994
Asn Glu Val Gln Ala Ser Glu His Thr Lys Ser Lys His Glu Ser Arg	
180 185 190	
aaa gaa aag agg aaa aaa agc aac aag cat gac tca tca aga tct gaa	1042
Lys Glu Lys Arg Lys Lys Ser Asn Lys His Asp Ser Ser Arg Ser Glu	
195 200 205	
gag cgc aag tca cac aaa atc ccc aaa tta gaa cca gag gaa caa aat	1090
Glu Arg Lys Ser His Lys Ile Pro Lys Leu Glu Pro Glu Glu Gln Asn	
210 215 220 225	
aga cca aat gag agg gtt gac act gta tca gaa aaa cca agg gaa gaa	1138
Arg Pro Asn Glu Arg Val Asp Thr Val Ser Glu Lys Pro Arg Glu Glu	
230 235 240	
cca gta cta aaa gag gaa gcc cca gtt cag cca ata cta tct tct gtt	1186
Pro Val Leu Lys Glu Glu Ala Pro Val Gln Pro Ile Leu Ser Ser Val	
245 250 255	
cca aca acg gaa gtg tcc act ggt gtt aag ttt cag gtt ggc gat ctt	1234
Pro Thr Thr Glu Val Ser Thr Gly Val Lys Phe Gln Val Gly Asp Leu	
260 265 270	
gtg tgg tcc aag gtg gga acc tat cct tgg tgg cct tgt atg gtt tca	1282
Val Trp Ser Lys Val Gly Thr Tyr Pro Trp Trp Pro Cys Met Val Ser	
275 280 285	
agt gat ccc cag ctt gag gtt cat act aaa att aac aca aga ggt gcc	1330
Ser Asp Pro Gln Leu Glu Val His Thr Lys Ile Asn Thr Arg Gly Ala	
290 295 300 305	
cga gaa tat cat gtc cag ttt ttt agc aac cag cca gag agg gcg tgg	1378
Arg Glu Tyr His Val Gln Phe Phe Ser Asn Gln Pro Glu Arg Ala Trp	
310 315 320	
gtt cat gaa aaa cgg gta cga gag tat aaa ggt cat aaa cag tat gaa	1426
Val His Glu Lys Arg Val Arg Glu Tyr Lys Gly His Lys Gln Tyr Glu	
325 330 335	
gaa tta ctg gct gag gca acc aaa caa gcc agc aat cac tct gag aaa	1474
Glu Leu Leu Ala Glu Ala Thr Lys Gln Ala Ser Asn His Ser Glu Lys	
340 345 350	
caa aag att cgg aaa ccc cga cct cag aga gaa cgt gct cag tgg gat	1522
Gln Lys Ile Arg Lys Pro Arg Pro Gln Arg Glu Arg Ala Gln Trp Asp	
355 360 365	
att ggc att gcc cat gca gag aaa gca ttg aaa atg act cga gaa gaa	1570
Ile Gly Ile Ala His Ala Glu Lys Ala Leu Lys Met Thr Arg Glu Glu	
370 375 380 385	

aga ata gaa cag tat act ttt att tac att gat aaa cag cct gaa gag	1618
Arg Ile Glu Gln Tyr Thr Phe Ile Tyr Ile Asp Lys Gln Pro Glu Glu	
390 395 400	
gct tta tcc caa gca aaa aag agt gtt gcc tcc aaa acc gaa gtt aaa	1666
Ala Leu Ser Gln Ala Lys Lys Ser Val Ala Ser Lys Thr Glu Val Lys	
405 410 415	
aaa acc cga cga cca aga tct gtg ctg aat act cag cca gaa cag acc	1714
Lys Thr Arg Arg Pro Arg Ser Val Leu Asn Thr Gln Pro Glu Gln Thr	
420 425 430	
aat gca ggg gag gtg gcc tcc tca ctc tca agt act gaa att cgg aga	1762
Asn Ala Gly Glu Val Ala Ser Ser Leu Ser Ser Thr Glu Ile Arg Arg	
435 440 445	
cat agc cag agg cgg cac aca agt gcg gaa gag gaa gag cca ccg cct	1810
His Ser Gln Arg Arg His Thr Ser Ala Glu Glu Glu Glu Pro Pro Pro	
450 455 460 465	
gtt aaa ata gcc tgg aaa act gcg gca gca agg aaa tcc tta cca gct	1858
Val Lys Ile Ala Trp Lys Thr Ala Ala Ala Arg Lys Ser Leu Pro Ala	
470 475 480	
tcc att acg atg cac aaa ggg agc ctg gat ttg cag aag tgt aac atg	1906
Ser Ile Thr Met His Lys Gly Ser Leu Asp Leu Gln Lys Cys Asn Met	
485 490 495	
tct cca gtt gtg aaa att gaa caa gtg ttt gct ctt cag aat gct aca	1954
Ser Pro Val Val Lys Ile Glu Gln Val Phe Ala Leu Gln Asn Ala Thr	
500 505 510	
ggg gat ggg aaa ttt atc gat caa ttt gtt tat tca aca aag gga att	2002
Gly Asp Gly Lys Phe Ile Asp Gln Phe Val Tyr Ser Thr Lys Gly Ile	
515 520 525	
ggt aac aaa aca gaa ata agt gtc agg ggg caa gac agg ctt ata att	2050
Gly Asn Lys Thr Glu Ile Ser Val Arg Gly Gln Asp Arg Leu Ile Ile	
530 535 540 545	
tct aca cca aac cag aga aat gaa aag cca acg cag agt gta tca tct	2098
Ser Thr Pro Asn Gln Arg Asn Glu Lys Pro Thr Gln Ser Val Ser Ser	
550 555 560	
cct gaa gca aca tct ggt tct aca ggc tca gta gaa aag aag caa cag	2146
Pro Glu Ala Thr Ser Gly Ser Thr Gly Ser Val Glu Lys Lys Gln Gln	
565 570 575	
aga aga tca att aga act cgt tct gaa tca gag aaa tcc act gag gtt	2194
Arg Arg Ser Ile Arg Thr Arg Ser Glu Ser Glu Lys Ser Thr Glu Val	
580 585 590	
gtg cca aag aag aag atc aaa aag gag cag gtt gaa aca gtt cct cag	2242
Val Pro Lys Lys Lys Ile Lys Lys Glu Gln Val Glu Thr Val Pro Gln	
595 600 605	
gct aca gtg aag act gga tta cag aaa ggg tcc gcg gac cgg gga gtg	2290
Ala Thr Val Lys Thr Gly Leu Gln Lys Gly Ser Ala Asp Arg Gly Val	
610 615 620 625	
cag ggc tct gtc aga ttc agt gac agc tcc gtc tcc gca gcg att gag	2338
Gln Gly Ser Val Arg Phe Ser Asp Ser Ser Val Ser Ala Ala Ile Glu	
630 635 640	

gaa act gtg gac tga gattcctgta caatttcac ccagaaactc cagacttgta 2393
 Glu Thr Val Asp *
 645

gtctccatgc aagatttctt tgcggcggc ttgataaaca gtttctttgt ttctgatttt 2453
 gatttcgcca atcatcatta ttggcatttt cctgcctggc ttcttcttca agactctgaa 2513
 caattgcttt aacagtcaaa tgattttttt ttttcgggtt gagctggatg ggtacagctt 2573
 aaatcatggg tccagcctaa aaaccaccat ttaacttaca ctgatcaatt tcaacatgga 2633
 ctgtttttgg ttttttgttt ttaaataaag catcattaat gcacatctgc aggggtttgc 2693
 caaacagccc aaactgtata cattacaatc attaaaagt cttatttttt ttaatattag 2753
 tgccgttatc atggagaaca gcatgacagc tgtctttggc agtctgtcat ttttctagca 2813
 ttttcagaaa ctcatcgga atggcggtac ctgtgtttcc cttcgaaagc ctctcagtac 2873
 agcactcctg ttctctgttt aaaactcctt gttaatccag tgatctttta ggccaaggaa 2933
 atattttgtg atggtgttct gggccatac accagcaatg aaggagatag atttgtgtac 2993
 ttgtgttttt taatcagcat taacatgggc aggcaccctc atttatagat gtcaggaaac 3053
 attcagtga aaacttgtag aatgggatgt gataacgagg ttccagtaat ctgagcagtc 3113
 taacgaggcc cacctcctcc accacagaac gtggctatgt tccaagtgt actctcactc 3173
 agcctgttgc ggatcttcat ggctcagga gacttgtttc tccatgggct cttctggact 3233
 gcacacttcc accatagctt gctgggttga tctagatgtc tgtttgttgt atggaaattt 3293
 tgggggaaaa aatccaaaac aaaaactgtg gggtgaaata ttaaccgtct ccttggttcc 3353
 ttggtattca ccgtgcctga tctgcacatt tcatcgtggc tgtttctgta tagcctatac 3413
 tgcattagcc caagagattg ttgctttgta actttttgca ctattgtttt ggctggattt 3473
 gtattacaca cagttttaaa aaaaacaatt ccacactaaa aaaaaaaaaa 3522

<210> 10
 <211> 2366
 <212> DNA
 <213> Homo sapiens

<220>
 <221> CDS
 <222> (174) .. (1541)

<400> 10
 cctcagcctc cccgcgcgcg ccgcgcgcgc cgcgcgcgag ccggtttcct ttttcgggcg 60
 ctccgggtgc gagagacagg tcgggcccc taggcagcga gccgcagcgc aatcccggcg 120
 ctgcaccaag gaccctggaa gctaccgtta cccgcgcggg cagcgtgggc gcc atg 176
 Met
 1

agc agc tcg gga ctg aat tcg gag aag gta gct gct ctg ata cag aaa	224
Ser Ser Ser Gly Leu Asn Ser Glu Lys Val Ala Ala Leu Ile Gln Lys	
5 10 15	
ctg aat tcc gac ccc cag ttc gta ctt gcc cag aat gtc ggg acc acc	272
Leu Asn Ser Asp Pro Gln Phe Val Leu Ala Gln Asn Val Gly Thr Thr	
20 25 30	
cac gac ctg ctg gac atc tgt ctg aag cgg gcc acg gtg cag cgc gcg	320
His Asp Leu Leu Asp Ile Cys Leu Lys Arg Ala Thr Val Gln Arg Ala	
35 40 45	
cag cat gtg ttc cag cac gcc gtg ccc cag gag ggc aag cca atc acc	368
Gln His Val Phe Gln His Ala Val Pro Gln Glu Gly Lys Pro Ile Thr	
50 55 60 65	
aac cag aag agc tca ggg cga tgc tgg atc ttt tct tgt ctg aat gtt	416
Asn Gln Lys Ser Ser Gly Arg Cys Trp Ile Phe Ser Cys Leu Asn Val	
70 75 80	
atg agg ctt cca ttc atg aaa aag tta aat att gaa gaa ttt gag ttt	464
Met Arg Leu Pro Phe Met Lys Lys Leu Asn Ile Glu Glu Phe Glu Phe	
85 90 95	
agc caa tct tac ctg ttt ttt tgg gac aag gtt gaa cgc tgt tat ttc	512
Ser Gln Ser Tyr Leu Phe Phe Trp Asp Lys Val Glu Arg Cys Tyr Phe	
100 105 110	
ttc ttg agt gct ttt gtg gac aca gcc cag aga aag gag cct gag gat	560
Phe Leu Ser Ala Phe Val Asp Thr Ala Gln Arg Lys Glu Pro Glu Asp	
115 120 125	
ggg agg ctg gtg cag ttt ttg ctt atg aac cct gca aat gat ggt ggc	608
Gly Arg Leu Val Gln Phe Leu Leu Met Asn Pro Ala Asn Asp Gly Gly	
130 135 140 145	
caa tgg gat atg ctt gtt aat att gtt gaa aaa tat ggt gtt atc cct	656
Gln Trp Asp Met Leu Val Asn Ile Val Glu Lys Tyr Gly Val Ile Pro	
150 155 160	
aag aaa tgc ttc cct gaa tct tat aca aca gag gca acc aga agg atg	704
Lys Lys Cys Phe Pro Glu Ser Tyr Thr Thr Glu Ala Thr Arg Arg Met	
165 170 175	
aat gat att ctg aat cac aag atg aga gaa ttc tgt ata cga ctg cgg	752
Asn Asp Ile Leu Asn His Lys Met Arg Glu Phe Cys Ile Arg Leu Arg	
180 185 190	
aac ctg gta cac agt gga gca acc aaa gga gaa atc tcg gcc aca cag	800
Asn Leu Val His Ser Gly Ala Thr Lys Gly Glu Ile Ser Ala Thr Gln	
195 200 205	
gac gtc atg atg gag gag ata ttc cga gtg gtg tgc atc tgt ttg ggt	848
Asp Val Met Met Glu Glu Ile Phe Arg Val Val Cys Ile Cys Leu Gly	
210 215 220 225	
aat cca cca gag aca ttc acc tgg gaa tat cga gac aaa gat aaa aat	896
Asn Pro Pro Glu Thr Phe Thr Trp Glu Tyr Arg Asp Lys Asp Lys Asn	
230 235 240	
tat cag aaa att ggc ccc ata aca ccc ttg gag ttt tac agg gaa cat	944
Tyr Gln Lys Ile Gly Pro Ile Thr Pro Leu Glu Phe Tyr Arg Glu His	
245 250 255	

gtc aag cca ctc ttc aat atg gaa gat aag att tgt tta gtg aat gac	992
Val Lys Pro Leu Phe Asn Met Glu Asp Lys Ile Cys Leu Val Asn Asp	
260 265 270	
cct agg ccc cag cac aag tac aac aaa ctt tac aca gtg gaa tac tta	1040
Pro Arg Pro Gln His Lys Tyr Asn Lys Leu Tyr Thr Val Glu Tyr Leu	
275 280 285	
agc aat atg gtt gga ggg aga aaa act cta tac aac aac cag ccc att	1088
Ser Asn Met Val Gly Gly Arg Lys Thr Leu Tyr Asn Asn Gln Pro Ile	
290 295 300 305	
gac ttc ctg aaa aag atg gtt gct gcc tcc atc aaa gat gga gag gct	1136
Asp Phe Leu Lys Lys Met Val Ala Ala Ser Ile Lys Asp Gly Glu Ala	
310 315 320	
gtg tgg ttt ggc tgt gat gtt gga aaa cac ttc aat agc aag ctg ggc	1184
Val Trp Phe Gly Cys Asp Val Gly Lys His Phe Asn Ser Lys Leu Gly	
325 330 335	
ctc agt gac atg aat ctc tat gac cat gag tta gtg ttt ggt gtc tcc	1232
Leu Ser Asp Met Asn Leu Tyr Asp His Glu Leu Val Phe Gly Val Ser	
340 345 350	
ttg aag aac atg aat aaa gcg gag agg ctg act ttt ggt gag tca ctt	1280
Leu Lys Asn Met Asn Lys Ala Glu Arg Leu Thr Phe Gly Glu Ser Leu	
355 360 365	
atg acc cac gcc atg acc ttc act gct gtc tca gag aag gat gat cag	1328
Met Thr His Ala Met Thr Phe Thr Ala Val Ser Glu Lys Asp Asp Gln	
370 375 380 385	
gat ggt gct ttc aca aaa tgg aga gtg gag aat tca tgg ggt gaa gac	1376
Asp Gly Ala Phe Thr Lys Trp Arg Val Glu Asn Ser Trp Gly Glu Asp	
390 395 400	
cat ggc cac aaa ggt tac ctg tgc atg aca gat gag tgg ttc tct gag	1424
His Gly His Lys Gly Tyr Leu Cys Met Thr Asp Glu Trp Phe Ser Glu	
405 410 415	
tat gtc tac gaa gtg gtg gtg gac agg aag cat gtc cct gaa gag gtg	1472
Tyr Val Tyr Glu Val Val Val Asp Arg Lys His Val Pro Glu Glu Val	
420 425 430	
cta gct gtg tta gag cag gaa ccc att atc ctg cca gca tgg gac ccc	1520
Leu Ala Val Leu Glu Gln Glu Pro Ile Ile Leu Pro Ala Trp Asp Pro	
435 440 445	
atg gga gct ttg gct gag tga ta ctgccctcca gctctttcct ccttccatgg	1573
Met Gly Ala Leu Ala Glu *	
450 455	
aacctgacgt agctgcaaag gacagatcca gggactgaag ccaaagttat gcaagggact	1633
gtgtgttgcc acaggacaca gtcagatttc cagtctccac caggaacctc ttcagaaagt	1693
gtgctttatg ctgaaacaga atactgttaa aggaaaaaaaa agagggggga agatcaggtc	1753
atactatcta ctctcctcat ctctaacagc tcaggatctc ttagcatttt aattagatgt	1813
aattgtttgt ctttaactgt caaaaagttt ggttctgtgt ctgtgtttta ataagacgag	1873
aggacgagcg attgaggtgt atggagagaa aacagaccta atgctccttg ttcctagagt	1933

agagtggagg gaggggtggcc taagagttga gctctcggaa ctgcatgctg ctggacagta 1993
 tcactgtctt tcttagatgg cagtcactga attccatttt ttcaaggtaa tttcttgtgc 2053
 ctctaatagc ccaagaatgg gaggttgatc agatctgaca tgattccttc ctgttctgaa 2113
 ctgtgggggtg cacatctctg cttgagtcag gtttgagtag aggcttagag acagttgggt 2173
 gagaacaacc aaaatcttat catgggtctca gtcataatca ttaggggggaa ctctagccaa 2233
 atggtttaac ttctgcctgt ggaactgggg attgggtggg caggaaaagg tgatatccat 2293
 tctttctgat aactagatgg tgctgagaag cttttgaata aaaactttgc taaatgagaa 2353
 taagctgaaa aaa 2366

<210> 11
 <211> 1732
 <212> DNA
 <213> Homo sapiens

<220>
 <221> CDS
 <222> (241) .. (495)

<400> 11
 gatgcctgat ctcatcaatc tagcgggaga gacaggataa cctgtccgag agtatagcgc 60
 cacttatgac tccgccggaa aaattacttt aaaaatcgcc aaaaattact tggagcaaag 120
 ggcagtccgg cggcgttcgc caaggtggcg cagtcggttt tgacctgtag cagagaacca 180
 attctggaga acagcctcac ttctttgatt gaatacttac ataatgcatt ggaacatgac 240
 atg aga tta agg ttt aat aat gat aga atg aag acc aca ata aaa gag 288
 Met Arg Leu Arg Phe Asn Asn Asp Arg Met Lys Thr Thr Ile Lys Glu
 1 5 10 15
 acc aca atc ctt agc tca gca att ctt acc ttt ctt acc tat ttg atg 336
 Thr Thr Ile Leu Ser Ser Ala Ile Leu Thr Phe Leu Thr Tyr Leu Met
 20 25 30
 aag atg tct ttt gaa agg tgt act gca agg aac aaa atg ttt gta aat 384
 Lys Met Ser Phe Glu Arg Cys Thr Ala Arg Asn Lys Met Phe Val Asn
 35 40 45
 tct ccc ttt tac cca agg gtg gat aat tac tgt acc tcc tca tgg aaa 432
 Ser Pro Phe Tyr Pro Arg Val Asp Asn Tyr Cys Thr Ser Ser Trp Lys
 50 55 60
 aag ttt tat tta aag tgt tat ttc tca ttg aat act atc aaa aag gaa 480
 Lys Phe Tyr Leu Lys Cys Tyr Phe Ser Leu Asn Thr Ile Lys Lys Glu
 65 70 75 80
 aaa aaa atg acc taa acttttgaga tagatttggc tctagtaagt atttagttat 535
 Lys Lys Met Thr *
 85
 atcacttgca tatctgggag aagaaataag agactatcat cagtacattc ccatctacta 595
 aaaaaattta ttttacacat gtcaagggat tacttataac ttccatttta ttactaatag 655

```

cttgaaccct tttaatgaag acctaactcc tccaccagaa atttaagttt atgttcttac      715
tttgtttact tataaaatac atctcaggta ttctggatgt cttttttttt tctaagccta      775
tatgaaatga aaaatatatt ggcaaagtaa atgtttaaac cttttacgtt aaaattactt      835
tgaaagatga aaagttagtg ctgtttttgt cacgttatac tgaaattaaa tgtttataat      895
ttatatatttg ggtttatgta taaatcatgg aatttatgca aaaatatgag tagtacagat      955
tctcctctaa ttctgtagga ctttgaataa tgtgatattt ttcttataat tggacccttg     1015
tgttttgaag aaatgccaac tgcttgaaga atctccttgt tatttgtatt atttgctata     1075
gggttagatg ttgagaaatt ctgctgacaa aaaattttta gccagtttta cactaaatgt     1135
tcctcagtct gattaatttg ttattggatg tattctgtat ctttcttttg taatttgtaa     1195
cttttatcca cttagcacga atgattctat taaagaaaat cattaggaag tggtagaaac     1255
tttaaactgc ccagaggttt gcctgtttcc atattttatt atcttataat cttcgggagt     1315
gcttacactt atggagctaa cattttcaga gatacagctt cttatagtaa cactaaaact     1375
ttcttcctct ttggactgaa tacctataat tataactata tggtagttta agtttccttg     1435
tgattagtca aaaataccat ttagtatga agcaatgaag tctattattt gttgtcccat     1495
aattgagaaa gcttaaatac accttttatt aagagtttgt aaattctagc ttagtctaca     1555
cagattttta tatcaatttg tttatatattt tattaatgtc atttctggaa gtgtgaaaat     1615
gttaatgttc aacaagcaac attaaaaata gatttgaac atttatatat agagaggtac     1675
acatttattt actgtttagg tactgaagat tatcacttaa taaaaaatat atatccc      1732

```

```

<210> 12
<211> 2913
<212> DNA
<213> Homo sapiens

```

```

<220>
<221> CDS
<222> (511) .. (2913)

```

```

<400> 12
atgaatatgg acatcaatga ttggtacttc gctactcatc atggtgatat tagcggttct      60
agacatatcc tggatttggg actactaaaa gcgcaaaaga aggcccagag aaggagcac      120
atgctaaaac ttgaggctga gaagaaaaag cttcgaacta tacttcaagt tcagtatgta      180
ttgcagaact tgacacagga gcacgtacaa aaagacttca aagggggttt gaatggtgca      240
gtgtatttgc cttcaaaaga acttgactac ctcatthaagt tttcaaaact gacctgccct      300
gaaagaaatg aaagtctgag tgttgaagac cagatggagc agtcattcctt gtacttttgg      360
gaccttttgg aaggtagtga gaaagcagtg gtaggaacga catacaaaca cttgaaggat      420

```